Dolbeault isomorphisms for holomorphic vector bundles over holomorphic fiber spaces and applications

By Hideaki KAZAMA and Takashi UMENO

(Received Jan. 6, 1992)

Introduction.

In the previous papers, we calculated the $\bar{\delta}$ -cohomology groups of complex Lie groups ([4], [5]) and some family of weakly pseudoconvex manifolds ([3]), using several kinds of Dolbeault isomorphisms. These manifolds treated in [3], [4] and [5] are weakly pseudoconvex and, in general, noncompact, but they have the structure of the fiber space with base a compact complex manifold and fiber a Stein manifold. In this paper, we extend these Dolbeault isomorphisms to the $\bar{\delta}$ -cohomology for holomorphic vector bundles over locally trivial holomorphic fiber spaces whose fibers are Stein manifolds, which is a generalization of the results of [5].

Let M be a locally trivial holomorphic fiber space over a paracompact complex manifold N whose fibers are biholomorphic onto a Stein manifold and $E \to M$ be a holomorphic vector bundle over M. Let $\Omega_M^r(E)$ be the sheaf of germs of holomorphic r-forms with values in E, \mathcal{F} be the sheaf of germs of C^{∞} functions in M which is holomorphic along the fibers, $\mathcal{F}^{r,p}$ be the sheaf of germs of (r, p)-forms with coefficients in \mathcal{F} and $\mathcal{F}^{r,p}(E) := \mathcal{F}^{r,p} \otimes \Omega_M^0(E)$. We get a resolution of sheaves

$$0 \longrightarrow \mathcal{Q}_{\mathtt{M}}^{r}(E) \longrightarrow \mathcal{F}^{r,0}(E) \longrightarrow \mathcal{F}^{r,1}(E) \longrightarrow \cdots \longrightarrow \mathcal{F}^{r,q}(E) \longrightarrow 0,$$

where $q = \dim_{\mathcal{C}} N$.

In §1, we obtain vanishing theorems $H^k(M, \mathcal{F}^{r,p}(E))=0$ $(k\geq 1)$ and a Dolbeault isomorphism for $H^p(M, \Omega_M^r(E))$ $(p\geq 0)$.

It is known that any complex Lie group has a fibration with base a complex torus and fiber a Stein group ([9]). Using this fact, in §2 we shall apply the results in §1 to the calculation of $H^p(G, \Omega_G^r)$, where G is any complex Lie group.

1. Dolbeault isomorphisms for holomorphic vector bundles.

Throughout this paper, for a complex manifold X and a holomorphic vector bundle E over X, we denote by \mathcal{E}_X the sheaf of germs of C^{∞} functions on X

and $\Omega_X^r(E)$ (resp. $\mathcal{C}_X^{r,p}(E)$) the sheaf of germs of holomorphic r-forms (resp. $C^{\infty}(r, p)$ -forms) with values in E.

Let M be a locally trivial holomorphic fiber space over a paracompact complex manifold N of complex dimension q, whose fibers are biholomorphic onto a Stein manifold S of complex dimension s. We denote by π the projection $M \rightarrow N$. Let $\{D_{\alpha}\}$ be a locally finite open covering of N, where D_{α} is biholomorphic onto a polydisc in C^q for each α , with a family of biholomorphic mappings $i_{\alpha} : \pi^{-1}(D_{\alpha}) \rightarrow D_{\alpha} \times S$ and local coordinates $z_{\alpha} = (z_{\alpha}^1, \cdots, z_{\alpha}^q)$ in D_{α} . Let $\{U_{\sigma}\}$ be an open covering of S with a local coordinate $w_{\sigma} = (w_{\sigma}^1, \cdots, w_{\sigma}^s)$ in U_{σ} , for each σ . We sometimes identify $\pi^{-1}(D_{\alpha})$ with $D_{\alpha} \times S$. Then $\{D_{\alpha} \times U_{\sigma}\}$ is an open covering of M and $\zeta_{\alpha,\sigma} = (\zeta_{\alpha,\sigma}^1, \cdots, \zeta_{\alpha,\sigma}^{q+s}) := (z_{\alpha}^1, \cdots, z_{\alpha}^q, w_{\sigma}^1, \cdots, w_{\sigma}^s)$ is a local coordinate in $D_{\alpha} \times U_{\sigma}$, for each α and σ . For an open subset $V \subset M$, we put $\mathcal{F}(V) := \{f : f : s : of : class : C^{\infty} : n : V : s : defined by : class : f : class :$

$$\begin{split} & \mathcal{F}^{r,\,p}(V) := \{\varphi \;;\; \varphi \;\; \text{is a} \;\; C^\infty(r,\,p) \text{-form on} \;\; V \;\; \text{and} \;\; \varphi \,|\; V_{\alpha,\,\sigma} \\ & = \sum_{I,J} \varphi_{IJ} d\zeta^I_{\alpha,\,\sigma} \wedge d\bar{z}^J_{\sigma}, \quad \varphi_{IJ} \in \mathcal{F}(V_{\alpha,\,\sigma}) \;\; \text{for each} \;\; \alpha \;\; \text{and} \;\; \sigma, \\ & \text{where} \;\; I = (i_1,\,\cdots,\,i_r), \; J = (j_1,\,\cdots,\,j_p), \\ & 1 \leq i_1 < \cdots < i_r \leq q + s, \;\; \text{and} \;\; 1 \leq j_1 < \cdots < j_p \leq q \} \,. \end{split}$$

We get the sheaf $\mathcal{F}^{r,p}$ defined by the presheaf $\{\mathcal{F}^{r,p}(V)\}$ for $0 \leq r \leq q+s$ and $0 \leq p \leq q$. Let $E \to M$ be a holomorphic vector bundle and $\mathcal{O}_M(E)$ the sheaf of germs of holomorphic sections of E. We put $\mathcal{F}(E) := \mathcal{F} \otimes \mathcal{O}_M(E)$ and $\mathcal{F}^{r,p}(E) := \mathcal{F}^{r,p} \otimes \mathcal{O}_M(E)$. For each α , there exists a holomorphic vector bundle E_{α} over S such that the induced bundle $\pi_{\alpha}^* E_{\alpha}$ on $D_{\alpha} \times S$ by the canonical projection $\pi_{\alpha} : D_{\alpha} \times S \to S$ is isomorphic to $E \mid D_{\alpha} \times S$. For any open subset $D \subset D_{\alpha}$ and $U \subset S$,

$$H^{0}(D \times U, \mathcal{F}^{\tau, p}(E)) \cong H^{0}(D \times U, \mathcal{F}^{\tau, p}(\pi_{\alpha}^{*}E_{\alpha}))$$

$$\cong \bigoplus_{\tau' + \tau'' = \tau} H^{0}(D, \mathcal{E}_{N}^{\tau', p}) \hat{\otimes} H^{0}(U, \Omega_{N}^{\tau''}(E_{\alpha})),$$

where $\hat{\otimes}$ denotes the topological tensor product. We denote by $\mathcal{E}_{\alpha}^{r',p} \hat{\otimes} \Omega_{S}^{r''}(E_{\alpha})$ the sheaf on $U_{\alpha} \times S$ defined by the presheaf $\{H^{0}(D, \mathcal{E}_{N}^{r',p}) \hat{\otimes} H^{0}(U, \Omega_{S}^{r''}(E_{\alpha}))\}$. Then we have

$$(1.1) \mathcal{I}^{r,p}(E)|D_{\alpha} \times S \cong \bigoplus_{r'+r''=r} \mathcal{E}_{\alpha}^{r',p} \hat{\otimes} \mathcal{Q}_{S}^{r''}(E_{\alpha}),$$

for each α . We have an exact sequence of sheaves,

$$(1.2) 0 \longrightarrow \Omega^{r}(E) \longrightarrow \mathcal{F}^{r,0}(E) \longrightarrow \mathcal{F}^{r,1}(E) \longrightarrow \cdots \longrightarrow \mathcal{F}^{r,q}(E) \longrightarrow 0.$$

LEMMA 1.1. $H^k(M, \mathcal{F}^{r,p}(E))=0, k \ge 1$.

PROOF. By (1.1), for each α ,

$$H^{k}(D_{\alpha} \times S, \mathcal{F}^{r, p}(E)) \cong H^{k}(D_{\alpha} \times S, \bigoplus_{r'+r''=r} \mathcal{E}_{\alpha}^{r', p} \hat{\otimes} \Omega_{S}^{r''}(E_{\alpha}))$$

$$\cong \bigoplus_{u+v=k, r'+r''=r} H^{u}(D_{\alpha}, \mathcal{E}_{\alpha}^{r', p}) \hat{\otimes} H^{v}(S, \Omega_{S}^{r''}(E_{\alpha})) = 0,$$

by Künneth's formula ([2]). Hence, $\mathfrak{B} := \{\pi^{-1}(D_{\alpha})\}$ is a Leray covering for $\mathfrak{F}^{r,p}(E)$ on M. Let $\{\rho_{\alpha}\}$ be a partition of unity subordinate to the covering $\{D_{\alpha}\}$ on N. For $\{f_{\alpha\beta}\} \in Z^{1}(\mathfrak{B}, \mathfrak{F}^{r,p}(E))$ we put $g_{\beta}(p) := \sum_{\alpha} \rho_{\alpha} \cdot \pi(p) f_{\alpha\beta}(p)$ ($p \in \pi^{-1}(D_{\beta})$). Then $\{g_{\alpha}\} \in C^{0}(\mathfrak{B}, \mathfrak{F}^{r,p}(E))$ and $\delta\{g_{\alpha}\} = \{f_{\alpha\beta}\}$. Hence $H^{1}(M, \mathfrak{F}^{r,p}(E)) = 0$. Similarly we have $H^{k}(M, \mathfrak{F}^{r,p}(E)) = 0$, $k \ge 1$.

By this lemma and (1.2), we obtain the following

Theorem 1.1. Let M be a locally trivial holomorphic fiber space over a paracompact complex manifold N of complex dimension q, whose fibers are biholomorphic onto a Stein manifold and $E \rightarrow M$ be a holomorphic vector bundle. Then

$$H^p(M, \Omega_M^r(E)) \cong \frac{\{\varphi \in H^0(M, \mathcal{F}^{r,p}(E)); \ \tilde{\delta}\varphi = 0\}}{\tilde{\delta}H^0(M, \mathcal{F}^{r,p-1}(E))}$$

for $q \ge p \ge 1$.

We note that $H^p(M, \Omega_M^r(E))=0$ for $p \ge q+1$ by the above theorem and that in case N is a Stein manifold, by the result of B. Jennane [1], $H^p(M, \Omega_M^r(E))=0$ for $p \ge 2$. Professor Ohsawa kindly pointed out to the authors that M is strongly (q+1)-complete for any paracompact complex manifold N. Thus, for any coherent analytic sheaf \mathcal{A} on M, we have $H^p(M, \mathcal{A})=0$ for $p \ge q+1$.

2. $\bar{\partial}$ cohomology of complex Lie groups.

Let G be a connected complex Lie group with the Lie algebra \mathfrak{G} , $G^{\mathfrak{o}}$ the maximal toroidal subgroup of G, K a maximal compact real Lie subgroup of G with the Lie algebra \mathfrak{R} , K_c the complex Lie subgroup with the Lie subalgebra $\mathfrak{R}_c := \mathfrak{R} + \sqrt{-1}\mathfrak{R}$ of \mathfrak{G} and Z the connected center of K_c . By the result of Matsushima [6], G is biholomorphic onto $K_c \times C^a$ and there exists a connected Stein subgroup $S_{\mathfrak{o}}$ of K_c such that the mapping

$$\rho_0: Z \times S_0 \ni (x, y) \longmapsto xy \in K_C$$

is a finite covering homomorphism. By the result of Morimoto [7], G^0 is a closed subgroup of Z and $Z \cong G^0 \times C^{*r} \times C^u$ for some non-negative integers r and u. Taking a Stein subgroup $S := C^{*r} \times C^u \times S_0 \times C^a$ of $Z \times S_0 \times C^a$, we get a finite covering homomorphism

$$\rho: G^0 \times S \ni (x_0, x_1, x_2, x_3, x_4) \longmapsto (\rho_0((x_0, x_1, x_2), x_3), x_4) \in G.$$

Let $\pi_1: G^0 \times S \rightarrow G^0$ and $\pi_2: G^0 \times S \rightarrow S$ be the canonical projections. We get a homomorphism

(2.1)
$$\pi: G^0 \times S/\operatorname{Ker} \rho \ni (a, b) \operatorname{Ker} \rho \longmapsto b\pi_2(\operatorname{Ker} \rho) \in S/\pi_2(\operatorname{Ker} \rho)$$

for $a \in G^0$, $b \in S$. From this projection π , $G \cong G^0 \times S/\mathrm{Ker} \, \rho$ is regarded as a fiber bundle over the Stein group $\widetilde{S} := S/\pi_2(\mathrm{Ker} \, \rho)$ whose fiber is isomorphic onto G^0 and the structure group is the finite subgroup $\pi_1(\mathrm{Ker} \, \rho)$ of G_0 . Let $\{U_\alpha\}$ be a locally finite Stein open covering of \widetilde{S} with a family of biholomorphic mappings $h_\alpha : \pi^{-1}(U_\alpha) \to U_\alpha \times G^0$ and local coordinates $w_\alpha = (w_\alpha^1, \cdots, w_\alpha^l)$ in U_α . We put $G^0 = \mathbb{C}^n/\Gamma$, where Γ is a discrete lattice of \mathbb{C}^n generated by \mathbb{R} -linearly independent vectors $\{e_1, \cdots, e_n, v_1 = (v_{11}, \cdots, v_{1n}), \cdots, v_q = (v_{q1}, \cdots, v_{qn})\}$ over \mathbb{Z} and e_i denotes the i-th unit vector of \mathbb{C}^n , $i = 1, \cdots, n$. We sometimes identify $\pi^{-1}(U_\alpha)$ with $U_\alpha \times \mathbb{C}^n/\Gamma$. We may assume $\det[\mathrm{Im}\, v_{ij}; \ 1 \le i, \ j \le q] \ne 0$. We put $v_i = (v_{i1}, \cdots, v_{in}) := \sqrt{-1}e_i$ for $q+1 \le i \le n$, $\beta_{ij} := \mathrm{Im}\, v_{ij}$ for $1 \le i, \ j \le n$, and $[\gamma_{ij}; \ 1 \le i, \ j \le n] := [\beta_{ij}; \ 1 \le i, \ j \le n]^{-1}$. Let $z = (z^1, \cdots, z^n)$ be the natural coordinate in \mathbb{C}^n . Putting

(2.2)
$$(z^1, \dots, z^n) = \sum_{i=1}^n (t^i e_i + t^{n+i} v_i),$$

the mapping $\phi: C^n \ni z = (z^1, \dots, z^n) \mapsto t = (t^1, \dots, t^{2n}) \in \mathbb{R}^{2n}$ induces an isomorphism as a real Lie group $\phi: C^n/\Gamma \to \mathbb{R}^{2n}/\phi(\Gamma) = T^{n+q} \times \mathbb{R}^{n-q}$, where T^{n+q} is a real torus of real dimension n+q. We set

$$K_{m,i} := \sum_{j=1}^{n} v_{ij} m_j - m_{n+i}$$
 and $K_m := \max\{|K_{m,i}|; 1 \le i \le q\}$

for $m=(m_1, m_2, \dots, m_{n+q}) \in \mathbb{Z}^{n+q}$. Since \mathbb{C}^n/Γ is toroidal, $K_m>0$ for any $m \in \mathbb{Z}^{n+q} \setminus \{0\} ([8])$.

DEFINITION 2.1. We say that a toroidal group C^n/Γ is of finite type if C^n/Γ satisfies the following condition:

There exists a>0 such that

(2.3)
$$\sup_{m \to 0} \exp(-a||m^*||)/K_m < \infty, \text{ where } ||m^*|| = \max\{|m_i|; 1 \le i \le n\}.$$

The condition (2.3) is equivalent to the following condition:

(2.4) For any
$$\varepsilon > 0$$
 there exists $a > 0$ such that

$$\sup_{m\neq 0}\exp(-\varepsilon\|m'\|-a\|m''\|)/K_m<\infty,$$

where $||m'|| = \max\{|m_i|, |m_{n+i}|; 1 \le i \le q\}$. By the results of [4, 10], a toroidal group C^n/Γ of finite type satisfies

$$\dim H^p(G^0,\,\mathcal{O}) = \left\{ \begin{array}{ll} \frac{q\,!}{(q-p)\,!\,p\,!} & \text{if} \quad 0 \leq p \leq q \\ 0 & \text{if} \quad p > q. \end{array} \right.$$

For $g \in \pi^{-1}(U_{\alpha})$, we put $h_{\alpha}(g) = (w_{\alpha}^{1}(g), \dots, w_{\alpha}^{1}(g), [z_{\alpha}(g)]) \in U_{\alpha} \times \mathbb{C}^{n}/\Gamma$, $[z_{\alpha}(g)] = (z_{\alpha}^{1}(g), \dots, z_{\alpha}^{n}(g)) + \Gamma \in \mathbb{C}^{n}/\Gamma$ and $[t_{\alpha}(g)] = \phi([z_{\alpha}(g)]) = (t_{\alpha}^{1}(g), \dots, t_{\alpha}^{2n}(g)) + \phi(\Gamma)$ $\in \mathbb{T}^{n+q} \times \mathbb{R}^{n-q}$. From (2.2), we have

(2.5)
$$z_{\alpha}^{i} = t_{\alpha}^{i} + \sum_{j=1}^{n} t_{\alpha}^{n+j} v_{ji}, \quad i=1, \dots, n.$$

For $g \in \pi^{-1}(U_{\alpha} \cap U_{\beta})$,

$$(2.6) h_{\alpha}h_{\beta}^{-1}(w_{\beta}(g), [z_{\beta}(g)]) = (w_{\alpha}(g), f_{\alpha\beta}[z_{\beta}(g)]) = (w_{\alpha}(g), [z_{\alpha}(g)]),$$

where $f_{\alpha\beta}: U_{\alpha} \cap U_{\beta} \to \pi_1(\operatorname{Ker} \rho) \subset \mathbb{C}^n/\Gamma$ is holomorphic. We put $\phi \circ f_{\alpha\beta} = (f_{\alpha\beta}^1, \dots, f_{\alpha\beta}^{2n}) + \phi(\Gamma) \subset \mathbb{T}^{n+q} \times \mathbb{R}^{n-q}$. Since $\pi_1(\operatorname{Ker} \rho)$ is a finite subgroup, $f_{\alpha\beta}$ is locally constant and $f_{\alpha\beta}^{n+i} = 0$ for $i = q+1, \dots, n$.

From (2.6) we have

(2.7)
$$t_{\alpha}^{i} = t_{\beta}^{j} + f_{\alpha\beta}^{i} + n_{\alpha\beta}^{i} \quad \text{for some integer } n_{\alpha\beta}^{i} \ (i=1, \dots, n+q)$$
and
$$t_{\alpha}^{n+j} = t_{\beta}^{n+j} \ (j=q+1, \dots, n).$$

From (2.5) and (2.7), it follows that

(2.8)
$$\begin{aligned} z_{\alpha}^{i} &= z_{\beta}^{i} + f_{\alpha\beta}^{i} + n_{\alpha\beta}^{i} + \sum_{j=1}^{q} \left(f_{\alpha\beta}^{n+j} + n_{\alpha\beta}^{n+j} v_{ji} \right), \\ dz_{\alpha}^{i} &= dz_{\beta}^{i} \quad \text{and} \quad d\bar{z}_{\alpha}^{i} &= d\bar{z}_{\beta}^{i}, \quad (i = 1, \dots, n). \end{aligned}$$

Hence dz_a^i and $d\bar{z}_a^i$ are global 1-forms on G, $i=1, \dots, n$. We get the following fibration of G([9]). We denote by π_q the projection $C^n \ni (z^1, \dots, z^n) \mapsto (z^1, \dots, z^q) \in C^q$. Since $\pi_q(e_i)$, $\pi_q(v_i)$ $(1 \le i \le q)$ are R-linearly independent, π_q induces the C^{*n-q} -principal bundle

$$\pi_q: C^n/\Gamma \ni z+\Gamma \longmapsto \pi_q(z)+\Gamma^* \in T^q_c:=C^q/\Gamma^*$$

over the complex q-dimensional torus T_c^q , where $\Gamma^* := \pi_q(\Gamma)$. We also denote by π_q the projection $C^n/\Gamma \times S \ni (a,b) \mapsto \pi_q(a) \in T_c^q$. Then $\ker \pi_q \cong C^{*n-q} \times S$ is a closed Stein subgroup of $C^n/\Gamma \times S$. Thus π_q defines a fiber bundle $G \mapsto T_c^q/\pi_q$ (Ker ρ) over the complex torus T_c^q/π_q (Ker ρ), with fiber which is isomorphic onto the closed Stein subgroup $\rho(\ker \pi_q) \subset G$. In the fibration given by (2.1), for each α , π_q sends $g \in \pi^{-1}(U_\alpha)$ to $(z_a^1(g), \dots, z_a^q(g)) + \Gamma^* + \pi_q(\ker \rho) \in T_c^q/\pi_q$ (Ker ρ). Hence (z_a^1, \dots, z_a^q) defines a local coordinate in T_c^q/π_q (Ker ρ) and $(w_a^1, \dots, w_a^1, z_a^{q+1}, \dots, z_a^n)$ defines a local coordinate in the fibers of $\pi_q : G \mapsto T_c^q/\pi_q$ (Ker ρ). Let $\mathcal F$ be the sheaf on the fiber bundle $\pi_q : G \mapsto T_c^q/\pi_q$ (Ker ρ), which is holomorphic along the fibers. Then

$$\varphi \in H^0(G,\, \mathcal{F}) \text{ if and only if } \varphi \text{ is of class } C^\infty \text{ and } \frac{\partial \varphi}{\partial \overline{w}_\alpha^i} = 0 \,,$$
 (2.9)
$$\frac{\partial \varphi}{\partial \overline{z}_\alpha^j} = 0 \,, \, (i = 1,\, \cdots \,,\, l,\, j = q+1,\, \cdots \,,\, n) \text{ for each } \alpha \,.$$

We put $\varphi_{\alpha} := \varphi \mid \pi^{-1}(U_{\alpha})$. We expand φ_{α} on $\pi^{-1}(U_{\alpha}) \cong U_{\alpha} \times \mathbb{C}^{n}/\Gamma$: $\varphi_{\alpha}(w_{\alpha}, t_{\alpha}) = \sum_{m \in \mathbb{Z}^{n+q}} a_{\alpha}^{m}(w_{\alpha}, t''_{\alpha}) \exp(2\pi\sqrt{-1}\langle m, t'_{\alpha} \rangle)$, where $t'_{\alpha} := (t_{\alpha}^{1}, \dots, t_{\alpha}^{n+q}), t''_{\alpha} := (t_{\alpha}^{n+q+1}, \dots, t_{\alpha}^{2n}), \langle m, t'_{\alpha} \rangle := \sum_{i=1}^{n+q} m_{i} t_{\alpha}^{i}$ and $a_{\alpha}^{m} \in H^{0}(U_{\alpha} \times \mathbb{R}^{n-q}, \mathcal{E})$. We put $\varphi_{\alpha}^{m}(w_{\alpha}, t_{\alpha}) := a_{\alpha}^{m}(w_{\alpha}, t''_{\alpha}) \exp(2\pi\sqrt{-1}\langle m, t'_{\alpha} \rangle)$. Then $\varphi_{\alpha} = \sum_{m \in \mathbb{Z}^{n+q}} \varphi_{\alpha}^{m}$. From (2.5) we get

$$(2.10) \quad \frac{\partial \varphi_{\alpha}^{m}}{\partial \bar{z}_{\alpha}^{i}} = \begin{cases} \pi \sum_{k=1}^{q} \gamma_{ik} K_{m,k} \varphi_{\alpha}^{m}(w_{\alpha}, t_{\alpha}) & (1 \leq i \leq q) \\ \sqrt{-1} \left(\pi m_{i} a_{\alpha}^{m}(w_{\alpha}, t''_{\alpha}) + \frac{1}{2} \frac{\partial a_{\alpha}^{m}(w_{\alpha}, t''_{\alpha})}{\partial t_{\alpha}^{n+i}} \right) \exp(2\pi \sqrt{-1} \langle m, t'_{\alpha} \rangle) \\ (q+1 \leq i \leq n). \end{cases}$$

From (2.9) and (2.10), we can write

$$(2.11) \quad \varphi_{\alpha}^{m}(w_{\alpha}, t_{\alpha}) := c_{\alpha}^{m}(w_{\alpha}) \exp\left(-2\pi \sum_{i=q+1}^{n} m_{i} t_{\alpha}^{n+i}\right) \exp\left(2\pi \sqrt{-1} \langle m, t_{\alpha}' \rangle\right),$$

where c_{α}^{m} are holomorphic function in U_{α} . In particular,

(2.12) $\varphi \in H^0(G, \mathcal{F})$ is holomorphic if and only if $\varphi_\alpha = \varphi_\alpha^0 = c_\alpha^0$ for each α .

Similarly to [Lemma 7 in [3]], we have the following

LEMMA 2.1. Let $\{c^m(w_\alpha); m \in \mathbb{Z}^{n+q}\}$ be a sequence of holomorphic functions in U_α and let $\varphi := \sum_{m \in \mathbb{Z}^{n+q}} c^m(w_\alpha) \exp(-2\pi) \sum_{i=q+1}^n m_i t_\alpha^{n+i}) \exp(2\pi \sqrt{-1} \langle m, t_\alpha' \rangle)$ be a formal series in $U_\alpha \times \mathbb{C}^n/\Gamma$. Then φ converges to a function in $H^0(U_\alpha \times \mathbb{C}^n/\Gamma, \mathcal{F})$ if and only if for any compact subset A of U_α and R > 0 and any k > 0, $\sup_{w \in A} \{|c^m(w)| \|m\|^k R^{\|m'\|}; m \in \mathbb{Z}^{n+q}\} < +\infty$, where $\|m\| := \max\{|m_i|; 1 \le i \le n+q\}$ and $\|m'\| := \max\{|m_j|; q+1 \le j \le n\}$.

Let $\Omega^r := \Omega^r_G$ be the sheaf of germs of holomorphic r-forms on G. By Theorem 1.1, we have an isomorphism

$$(2.13) F: H^p(G, \Omega^r) \cong \frac{\{\varphi \in H^0(G, \mathcal{G}^{r,p}); \ \bar{\partial}\varphi = 0\}}{\bar{\partial}H^0(G, \mathcal{G}^{r,p-1})}$$

for $p \ge 1$. Let $\varphi \in H^0(G, \mathcal{F}^{r,p})$ be a $\bar{\partial}$ -closed form $(1 \le p \le q)$. We put $\varphi_\alpha := \varphi \mid \pi^{-1}(U_\alpha)$, for each α . For $1 \le i_1 < \dots < i_{r'} \le l$, $1 \le j_1 < \dots < j_{r''} \le n$ and $1 \le k_1 < \dots < k_p \le q$, put $I := (i_1, \dots, i_{r'})$, $J := (j_1, \dots, j_{r''})$ and $K := (k_1, \dots, k_p)$. We can write $\varphi_\alpha = \sum_{I,J,K,\tau'+\tau''=\tau} \varphi_{\alpha,IJK} dw^I_\alpha \wedge dz^J_\alpha \wedge d\bar{z}^K_\alpha$, where $\varphi_{\alpha,IJK} \in H^0(\pi^{-1}(U_\alpha), \mathcal{F})$. From (2.11) we write $\varphi_{\alpha,IJK} = \sum_{m \in \mathbb{Z}^{n+q}} c^m_{\alpha,IJK} (w_\alpha) \exp(-2\pi \sum_{i=q+1}^n m_i t^{n+i}_\alpha) \exp(2\pi \sqrt{-1} \langle m, t'_\alpha \rangle)$, where $c^m_{\alpha,IJK}$ are holomorphic functions in U_α . Put $\varphi_{\alpha,IJK} = c^m_{\alpha,IJK} (w_\alpha) \times \exp(-2\pi \sum_{i=q+1}^n m_i t^{n+i}_\alpha) \exp(2\pi \sqrt{-1} \langle m, t'_\alpha \rangle)$ and $\varphi^m_\alpha := \sum_{I,J,K,\tau'+\tau''=\tau} \varphi^m_{\alpha,IJK} dw^I_\alpha \wedge dz^J_\alpha \wedge d\bar{z}^K_\alpha$. Then $\varphi_\alpha = \sum_{m \in \mathbb{Z}^{n+q}} \varphi^m_\alpha$. For each I and I, $\varphi_{\alpha,IJ} := \sum_{K} \varphi_{\alpha,IJK} d\bar{z}^K_\alpha$

is a $\bar{\partial}$ -closed (0, p)-form in $\pi^{-1}(U_{\alpha})$. Let $m \in \mathbb{Z}^{n+q} \setminus \{0\}$ and $s(m) := \min\{s; |K_{m,s}| = K_m, 1 \le s \le q\}$. For $1 \le k_1 < \dots < k_{p-1} \le q$ we put $K' := (k_1, \dots, k_{p-1})$. We put

$$c_{\alpha,IJK'}^{m,s} := \sum_{k=1}^{n} \beta_{sk} c_{\alpha,IJk}^{m}{}_{l_{1}\cdots k}{}_{p-1}(w_{\alpha}), \text{ and } c_{\alpha,IJK'}^{m}(w_{\alpha}) := \frac{c_{\alpha,IJK'}^{m,s}(w_{\alpha})}{\pi K_{m,s}(m)}.$$

Further, put

$$\psi_{\alpha,IJ}^m := \sum_{K'} d_{\alpha,IJK'}^m(w_\alpha) \exp(-2\pi \sum_{i=q+1}^n m_i t_\alpha^{n+i}) \exp(2\pi \sqrt{-1} \langle m, t_\alpha' \rangle) d\bar{z}_\alpha^{K'},$$

and $\psi_{\alpha}^m := (-1)^r \sum_{I,J,K',r'+r''=r} \psi_{\alpha,IJK'}^m dw_{\alpha}^I \wedge dz_{\alpha}^J \wedge d\bar{z}_{\alpha}^{K'}$. Then, $\psi_{\alpha,IJ}^m \in H^0(\pi^{-1}(U_{\alpha}), \mathcal{F}^{r,p-1})$ and $\psi_{\alpha}^m \in H^0(\pi^{-1}(U_{\alpha}), \mathcal{F}^{r,p-1})$. From the similar calculation to the previous paper ([4]), we get

(2.15)
$$\bar{\delta}\psi_{\alpha,IJ}^{m} = \varphi_{\alpha,IJ}^{m}, \quad \bar{\delta}\psi_{\alpha}^{m} = \varphi_{\alpha}^{m}$$

for $m \in \mathbb{Z}^{n+q} \setminus \{0\}$ and

(2.16)
$$\varphi_{\alpha} = \varphi_{\alpha}^{0} + \sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \bar{\partial} \varphi_{\alpha}^{m}.$$

In $\pi^{-1}(U_{\alpha}) \cap \pi^{-1}(U_{\beta})$, from (2.7) and (2.8), we have

$$\varphi_{\alpha}^{m} = \varphi_{\beta}^{m} \quad \text{for all} \quad m \in \mathbf{Z}^{n+q}.$$

From (2.15) and (2.17), we get in $\pi^{-1}(U_{\alpha}) \cap \pi^{-1}(U_{\beta})$,

(2.18)
$$\varphi_{\alpha}^{0} = \varphi_{\beta}^{0} \text{ and } \bar{\partial} \psi_{\alpha}^{m} = \bar{\partial} \psi_{\beta}^{m} \text{ for } m \in \mathbb{Z}^{n+q} \setminus \{0\}.$$

Thus $\varphi^0 := \varphi^0_\alpha$ is a holomorphic (r, p)-form on G. We put $\Phi^m := \bar{\delta} \psi^m_\alpha \in H^0(G, \mathcal{F}^{r,p})$ and $\Phi^{m,1} := \delta(\{\psi^m_\alpha\}) = \{\psi^m_\beta - \psi^m_\alpha\} \in Z^1(\{\pi^{-1}(U_\alpha)\}, \mathcal{F}^{r,p-1})$. Since $\bar{\delta} \Phi^{m,1} = 0$, similarly to getting (2.14), we have $\Psi^{m,1} \in C^1(\{\pi^{-1}(U_\alpha)\}, \mathcal{F}^{r,p-2})$ such that $\Phi^{m,1} = \bar{\delta} \Psi^{m,1}$. Continuing this argument, we get $\Phi^{m,p} \in Z^p(\{\pi^{-1}(U_\alpha)\}, \Omega^r)$ and $F([\Phi^{m,p}]) = [\Phi^m]$, where F is the isomorphism in (2.13). Since $H^0(\pi^{-1}(U_\alpha), \Omega^r) \cong \bigoplus_{r'+r''=r} H^0(U_\alpha, \Omega^r_{\tilde{\delta}}) \otimes C\{dz^J_\alpha; |J|=r''\}$ and dz^J_α are global 1-forms on G for $1 \le i \le n$, we have $H^p(\pi^{-1}(U_\alpha), \Omega^r) \cong \bigoplus_{r'+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_{\tilde{\delta}}) \otimes C\{dz^J_\alpha; |J|=r''\} \cong \bigoplus_{r'+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_{\tilde{\delta}}) \otimes C\{dz^J_\alpha; |J|=r'''\} \cong \bigoplus_{r'+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_{\tilde{\delta}}) \otimes C\{dz^J_\alpha; |J|=r'''\} \cong \bigoplus_{r''+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_\alpha) \otimes C\{dz^J_\alpha; |J|=r'''\} \cong \bigoplus_{r''+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_\alpha) \otimes C\{dz^J_\alpha; |J|=r'''\} \cong \bigoplus_{r''+r''=r} H^p(\{U_\alpha\}, \Omega^{r'}_\alpha) \otimes C\{dz^J_\alpha; |J|=r'''$

$$\Phi^m = \bar{\partial} \Psi^m.$$

From (2.16), (2.18) and (2.19), we have the following proposition.

PROPOSITION 2.1. Let $\varphi \in H^0(G, \mathcal{F}^{r,p})$ be a $\bar{\partial}$ -closed form $(r \geq 0, q \geq p \geq 1)$. Then we have a holomorphic (r, p)-form $\varphi^0 = \sum_{I,J,K,|I|+|J|=r} c_{\alpha,IJK}^0 dw_{\alpha}^I \wedge dz_{\alpha}^J \wedge d\bar{z}_{\alpha}^K$ on G and a (r, p-1)-form $\Psi^m \in H^0(G, \mathcal{F}^{r,p-1})$ for each $m \in \mathbb{Z}^{n+q} \setminus \{0\}$ satisfying $\varphi = \varphi^0 + \sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \bar{\partial} \Psi^m$.

In Proposition 2.1, $\psi := \sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \Psi^m$ gives a formal solution of the $\bar{\partial}$ -closed form $\varphi - \varphi^0$. To study the convergence of the formal solution, we have

the following

LEMMA 2.2. Let $\varphi_{\alpha} = \sum_{I,J,K,|I|+|J|=r} \varphi_{\alpha,IJK} dw_{\alpha}^{I} \wedge dz_{\alpha}^{J} \wedge d\bar{z}_{\alpha}^{K} \in H^{0}(U_{\alpha} \times \mathbb{C}^{n}/\Gamma, \mathfrak{F}^{r,p})$ be a $\bar{\partial}$ -closed form $(r \geq 0, q \geq p \geq 1)$. If \mathbb{C}^{n}/Γ is finite type, then we have $\psi_{\alpha} \in H^{0}(U_{\alpha} \times \mathbb{C}^{n}/\Gamma, \mathfrak{F}^{r,p-1})$ satisfying $\varphi_{\alpha} = \varphi_{\alpha}^{0} + \bar{\partial}\psi_{\alpha}$.

PROOF. We put $\varphi_{\alpha} = \sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \varphi_{\alpha}^{m}$ and $\varphi_{\alpha}^{m} = \sum_{I,J,K,\,r'+r''=r} c_{\alpha,\,IJK}^{m}(w_{\alpha}) \exp(-2\pi \sum_{i=q+1}^{n} m_{i} t_{\alpha}^{n+i}) \exp(2\pi \sqrt{-1} \langle m,\,t'_{\alpha} \rangle) dw_{\alpha}^{I} \wedge dz_{\alpha}^{J} \wedge d\bar{z}_{\alpha}^{K}$. By Lemma 2.1, for any compact subset A of U_{α} , any R > 0 and any k > 0, we have

$$(2.20) \sup_{w \in A} \{ |c_{\alpha, IJK}^m(w)| \|m\|^k R^{\|m'\|}; m \in \mathbb{Z}^{n+q} \} < +\infty.$$

By (2.15), for each $m \in \mathbb{Z}^{n+q} \setminus \{0\}$, we have $\psi_{\alpha}^m = (-1)^r \sum_{I,J,K',\tau'+\tau''=\tau} d_{\alpha,IJK'}^m(w_{\alpha}) \exp(-2\pi \sum_{i=q+1}^n m_i t_{\alpha}^{n+i}) \exp(2\pi \sqrt{-1} \langle m, t_{\alpha}' \rangle) dw_{\alpha}^I \wedge dz_{\alpha}^J \wedge d\bar{z}_{\alpha}^{K'}$ satisfying $\varphi_{\alpha}^m = \bar{\delta} \psi_{\alpha}^m$, where $d_{\alpha,IJK'}^m$ are given by (2.14). From (2.3) and (2.20), we have $\sup_{w \in A} \{|d_{\alpha,IJK'}^m(w)| \|m\|^k R^{\|m'\|}; m \in \mathbb{Z}^{n+q}\} < +\infty$, for any compact subset A of U_{α} , any R > 0 and any k > 0. Then, $\psi_{\alpha} = \sum_{m \in \mathbb{Z}}^{n+q} \setminus_{\{0\}} \psi_{\alpha}^m$ converges in $H^0(U_{\alpha} \times \mathbb{C}^n/\Gamma, \mathcal{F}^{r+p-1})$ and $\varphi_{\alpha} = \varphi_{\alpha}^0 + \bar{\delta} \psi_{\alpha}$. By (2.13), $H^p(G, \Omega^r)$ has a quotient topology of the Fréchet space $\{\varphi \in H^0(G, \mathcal{F}^{r+p}); \bar{\delta} \varphi = 0\}$, for $p \ge 1$.

THEOREM 2.1. Let G be a connected complex Lie group of complex dimension n+l and $G^{\circ}=C^{n}/\Gamma$ the maximal toroidal subgroup of G of complex dimension n. Then the following statements (1), (2), (3) and (4) are equivalent.

(1) G° is of finite type.

$$(2) \quad H^{p}(G, \Omega^{r}) \cong \begin{cases} \bigoplus_{r'+r''=r} H^{0}(\tilde{S}, \Omega_{\tilde{S}}^{r'}) \otimes C \{dz^{j_{1}} \wedge \cdots \wedge dz^{j_{r''}} \wedge d\bar{z}^{k_{1}} \wedge \cdots \wedge d\bar{z}^{k_{p}}; \\ 1 \leq j_{1} < \cdots < j_{r''} \leq q, \ 1 \leq k_{1} < \cdots < k_{p} \leq q \} \quad \text{for} \quad 1 \leq p \leq q \\ 0 \quad \text{for} \quad p \geq q+1, \end{cases}$$

where $\widetilde{S}=G/G^0$ is a Stein group and dz^j are global 1-forms on $G^0=\mathbb{C}^n/\Gamma(j=1,\dots,n)$.

- (3) $H^p(G, \Omega^r)$ has a Hausdorff topology, for any $p, r \ge 0$.
- (4) $\bar{\partial} H^0(G, \mathcal{F}^{r,p-1})$ is a closed subspace of the Fréchet space $H^0(G, \mathcal{F}^{r,p})$ for $p \ge 1$ and $r \ge 0$.

PROOF. Assume (1) holds. Let $\varphi \in H^0(G, \mathcal{F}^{r,p})$ be a $\bar{\delta}$ -closed form for $p \ge 1$ and $r \ge 0$. We put $\varphi_\alpha := \varphi \mid \pi^{-1}(U_\alpha)$, for each α . By Lemma 2.2, we have holomorphic (r, p)-forms φ_α^0 and $\varphi_\alpha \in H^0(\pi^{-1}(U_\alpha), \mathcal{F}^{r,p-1})$ satisfying $\varphi_\alpha = \varphi_\alpha^0 + \bar{\delta}\psi_\alpha$. By (2.18) $\varphi^0 = \varphi_\alpha^0$ is a holomorphic (r, p)-form on G and $\Phi := \bar{\delta}\psi_\alpha \in H^0(G, \mathcal{F}^{r,p})$ is a closed (r, p)-form. Then similarly to getting (2.19) and by Lemma 2.2, we have $\Psi \in H^0(G, \mathcal{F}^{r,p-1})$ satisfying $\varphi = \varphi^0 + \bar{\delta}\Psi$. Combining this with (2.12), we get (2). It is obvious that $(2) \Rightarrow (3) \Rightarrow (4)$. Finally we prove $(4) \Rightarrow (1)$. Suppose G^0 is not of finite type. Then by (2.4), there exists $\varepsilon > 0$ such that we can

choose a sequence $\{m_{\mu}; \mu \ge 1\}$ in $\mathbb{Z}^{n+q} \setminus \{0\}$ satisfying $\exp(-\varepsilon \|m'_{\mu}\| - \mu \|m''_{\mu}\|) / K_{m_{\mu}} > \mu$ for any $\mu \ge 1$. Put

$$\delta^{m} := \left\{ \begin{array}{ll} \exp(-\varepsilon \|m'_{\mu}\| - \mu \|m''_{\mu}\|)/K_{m_{\mu}} & \quad m = m_{\mu} \text{ for some } \mu \geqq 1 \\ 0 & \text{otherwise} \,. \end{array} \right.$$

For each α , we put

$$\psi_{\alpha}^{m} := (\sum_{r} \exp(2\pi\sqrt{-1}\langle m, f'_{r\alpha}\rangle)) \delta^{m} \exp(-2\pi\sum_{i=q+1}^{n} m_{i} t_{\alpha}^{n+i})$$
$$\times \exp(2\pi\sqrt{-1}\langle m, t'_{\alpha}\rangle)$$

in $\pi^{-1}(U_{\alpha})$. From (2.7), in $\pi^{-1}(U_{\alpha}) \cap \pi^{-1}(U_{\beta})$, $\psi_{\alpha}^{m} = \psi_{\beta}^{m}$. Then we have $\psi^{m} \in H^{0}(G, \mathcal{F})$ such that $\psi^{m} | \pi^{-1}(U_{\alpha}) = \psi_{\alpha}^{m}$. By (2.10), we have $\bar{\delta}\psi_{\alpha}^{m} = \sum_{j=1}^{q} (\pi \sum_{i=1}^{q} \gamma_{ij} K_{m,i} \psi_{\alpha}^{m}) d\bar{z}_{\alpha}^{j}$. By Lemma 2.1, we see $\sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \bar{\delta}\psi_{\alpha}^{m}$ converges to a form $\varphi \in H^{0}(G, \mathcal{F}^{0,1})$. By the choice of the sequence $\{m_{\mu}\}$, the formal series $\sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \psi^{m}$ cannot converge to any function in $H^{0}(G, \mathcal{F})$. Suppose $\varphi = \bar{\delta}\lambda$ for some $\lambda = \sum_{m \in \mathbb{Z}^{n+q} \setminus \{0\}} \lambda^{m}$. Then we can see $\lambda^{m} = \psi^{m}$ for $m \neq 0$. It is a contradiction. Then $\varphi = \lim_{N \to \infty} (\bar{\delta} \sum_{\|m\| \le N} \psi^{m})$ belongs not to $\bar{\delta}H^{0}(G, \mathcal{F}^{0,0})$, but to the closure of $\bar{\delta}H^{0}(G, \mathcal{F}^{0,0})$. This contradicts the statement (4).

References

- [1] B. Jennane, Groupes de cohomologie d'un fibré holomorphe à base et à fibre de Stein, Invent. Math., 54 (1979), 75-79.
- [2] L. Kaup, Eine Künnethformel für Fréchetgarben, Math. Z., 97 (1967), 158-168.
- [3] H. Kazama and K. H. Shon, Characterizations of the $\bar{\partial}$ -cohomology groups for a family of weakly pseudoconvex manifolds, J. Math. Soc. Japan, 39 (1987), 686-700.
- [4] H. Kazama and T. Umeno, $\bar{\partial}$ Cohomology of complex Lie groups, Publ. Res. Inst. Math. Sci., 26 (1990), 473-484.
- [5] H. Kazama and T. Umeno, Some Dolbeault Isomorphisms for Locally Trivial Fiber Spaces and Applications, Proc. Japan Acad., 67 (1991), 168-170.
- [6] Y. Matsushima, Espaces homogènes de Stein des groupes de Lie complexes, Nagoya Math. J., 16 (1960), 205-218.
- [7] A. Morimoto, Non-compact complex Lie groups without non-constant holomorphic functions, Proc. Conf. on Complex Analysis, Minneapolis 1964, Springer, 1965, pp. 256-272.
- [8] A. Morimoto, On the classification of non-compact complex abelian Lie groups, Trans. Amer. Math. Soc., 123 (1966), 200-228.
- [9] S. Takeuchi, On completeness of holomorphic principal bundles, Nagoya Math. J., 57 (1974), 121-138.
- [10] C. Vogt, Two remarks concerning toroidal groups, Manuscripta Math., 41 (1983), 217-232.

Hideaki KAZAMA

Department of Mathematics College of General Education Kyushu University Fukuoka 810 Japan Takashi UMENO College of Liberal Arts Kyushu Sangyo University Fukuoka 813 Japan