

GENERAL INDEX

- fragment of modal logic K, 121
- 1-equivalential logic, 71
- abstract logic, 17
 - reduced, 23
- adequate, 78
 - fully, 81
 - strongly, 81
- Adjunction, rule of, 122
- algebra, 15
 - of formulas, 15
- algebraizable Gentzen system, 84
- algebraizable logic, 60
 - regularly, 71
 - strongly, 93
 - weakly, 66
- almost inconsistent logic, 60
- Andréka, H., 66
- Axiom, 76
- axiom scheme, 26
- axiomatic extension, 18
- axiomatic extensions of K, 118
- Barcelona, 4, 6, 14
- basic full model, 34
- BCK logic, 105
- Belnap, N.D.(jr.), 111
- Belnap's four-valued logic, 111, 125
- biological morphism, 20
- Blok, W.J., 1, 2, 5, 10, 14, 16, 25, 29, 59, 60, 66, 75, 83, 84, 94
- Boolean algebra, 116
 - finite, 108
 - monadic, 118
 - topological, 118
- Brown, D.J., 5, 20
- category, 44, 49
- classical logic, 62
 - equivalential fragment, 106
 - implicative fragment, 115
- classical propositional logic, 116
- Classical Reductio ad Absurdum, 55
- closed set
 - of a Gentzen system, 79
 - of an abstract logic, 17
- closure algebra, 118
- closure operator, 17
 - finitary, 17
 - structural, 26
- closure system, 17
 - inductive, 17
- compatibility property, 59
- compatible congruence, 16
- complete, 30, 32
- Completeness Theorem, 30, 38, 79

- congruence, 15
 - compatible, 16
 - logical, 18
 - of a matrix, 16
- Congruence (rule of \models_K), 83
- congruence property, 47
- congruence rules (of a Gentzen system), 85, 89, 98
- congruential logic, 68
- Conjunction, 50
 - Property of, 50
- conjunctive logic, 50
- consequence relation, 25
- constructive falsity, logic of, 106
- continuous (Leibniz operator), 60
- continuous (Tarski operator), 66
- contraposition rule, 94
- correspondence theorem, 23, 60
- Cut rule, 77
- Czelakowski, J., 1, 2, 5, 6, 12–14, 36, 59, 60, 66, 68, 71, 86, 93, 102
- Da Costa, N.C.A., 105
- De Morgan abstract logics, 111
- De Morgan algebra, 112
- De Morgan lattice, 111
- De Morgan Laws, 112
- De Morgan monoid, 122
- De Morgan semigroup, 122
- Deduction Theorem, 51, 116
- Deduction-Detachment Theorem, 51
- deductive filter, 27
- derivable sequent, 77
- derived rule (of a Gentzen system), 76
- detachment, 51
- Disjunction Property, 53
- Disjunction, Weak Property of, 110
- disjunctive logic, 54
- distributive abstract logic, 109
- distributive lattice, 107
 - pseudo-complemented, 113
- Double Negation, Property of, 112
- duality, 17
- Dunn, J. M., 111
- equation, 16
- equational consequence, 60, 83
- equational theory, 83
- equivalent algebraic semantics (of a Gentzen system), 84
- equivalent quasivariety semantics, 60
- equivalential fragments, 106
- equivalential logic, 36
- extension, 18
 - axiomatic, 18, 26
- extension algebra, 118
- Figallo, A., 125
- filter
 - deductive, 27
 - implicative, 115
 - Leibniz, 64
 - logical, 27
 - of a lattice, 108
 - of a matrix, 16
- Fine, K., 122
- finer, 18
- finitary, 17, 26
- finitary part of an abstract logic, 80
- formula, 15
 - atomic, 15
- four-valued logic of Belnap, 111
- Frege, G., 68
- Frege hierarchy, 68
- Frege operator, 46
- Frege relation, 46

- Fregean logic, 68
 - fully, 68
- Fregean variety, 68
- full model, 33
 - basic, 34
- fully adequate, 81
- fully Fregean logic, 68
- fully selfextensional logic, 48
- \mathfrak{G} -algebra, 80
- generalized matrix, 18, 33
- Gentzen calculus, 75
- Gentzen system, 76
 - algebraizable, 84
 - algebraization, 75, 83
- Gentzen-style rule, 45
- Halmos, P.R., 14, 118
- Harrop, R., 5
- Herrmann, B., 25, 39, 62, 71
- Heyting algebra, 116
- hierarchy
 - Frege, 68
 - Leibniz, 29
- Hilbert algebra, 99, 115
- Hilbert-style rule, 46
- homomorphism, 15
- Identity Law, 123
- implication algebra, 115
- implicational logics, 105
- implications-less fragment of IPC, 113
- implicative filter, 115, 117
- inconsistent element, 56
- inconsistent set, 94
- inductive, 17
- interpretation, 16
- introduction of modality, 57
- intuitionistic logic, 116
- equivalential fragment, 106
- positive fragment, 115
- intuitionistic propositional logic
 - implicative fragment, 115
- Intuitionistic Reductio ad Absurdum, 55
- isomorphic abstract logics, 21
- isomorphism theorem, 6, 8, 22, 41, 107
- K (modal logic)
 - extensions of, 120
- K**-congruence, 15
- Kleene algebra, 113
- Kleene lattice, 112
- Kleene's strong three-valued logic, 112
- Knuth, D.E., 14
- Lamport, L., 14
- lattice, 110
 - De Morgan, 111
 - distributive, 107
 - Kleene, 112
 - relatively pseudo-complemented, 115
- Leibniz, G.W., 16
- Leibniz congruence, 16
- Leibniz filter, 64
- Leibniz hierarchy, 29
- Leibniz operator, 17
- Lemmon, E.J., 118
- Lindenbaum, A., 29
- Lindenbaum-Tarski algebra, 29
- Lindenbaum-Tarski quotient, 29
- logic, 9, 26
 - 1-equivalential, 71
 - abstract, 17
 - algebraizable, 60

- almost inconsistent, 60
- congruential, 68
- conjunctive, 50
- defined by a Gentzen system, 77
- defined by an abstract logic, 31
- disjunctive, 54
- equivalential, 36
- finitary, 26
- four-valued, 111
- Fregean, 68
- fully Fregean, 68
- fully selfextensional, 48
- implicational, 105
- many-valued, 105
- modal, 57, 117
- non-monotonic, 9
- non-pathological, 59
- of constructive falsity, 106
- of lattices, 110
- of paradox, 105
- of positive implication, 99, 114
- paraconsistent, 56, 105, 124
- positive, 115
- preserving degrees of truth, 105
- protoalgebraic, 59
- pseudo-axiomatic, 70
- purely inferential version, 62
- regularly algebraizable, 71
- selfextensional, 48
- sentential, 9, 25
- sequential, 75
- strongly algebraizable, 93
- strongly selfextensional, 48
- substructural, 9
- three-valued, 112
- two-valued, 68
- weakly algebraizable, 66
- with semi-negation, 106
- logical congruence, 18
- logical filter, 27
- logical morphism, 20
- logical quotient, 21
- logical system, 26
- Loureiro, I., 125
- Łukasiewicz, J., 105
- Makinson, D., 5
- many-valued logic, 105
- matrix, 16
 - for \mathcal{S} , 27
 - generalized, 18, 33
 - reduced, 17
- matrix congruence, 16
- Meyer, R.K., 122
- modal logic, 57, 105, 117
 - normal, 118
 - quasi-classical, 117
 - quasi-normal, 118
 - strong version, 118
 - tetravalent, 125
 - weak version, 118
 - with intuitionistic base, 120
- modality, introduction of, 57
- model, 32
 - basic full, 34
 - full, 33
 - of a Gentzen system, 78
- Modus Ponens, 51
- monadic Boolean algebra, 118
- Monteiro, A., 6, 125
- natural deduction, 5
- Necessitation, Rule of, 118, 125
- Nelson, D., 106
- Németi, I., 66
- non-modal reduct, 119
- non-monotonic logics, 9
- non-pathological logic, 59

- normal modal algebra, 118
- normal modal logic, 118
- open problem, 14, 40, 48, 72, 75, 92, 101
- open set, 119
- paraconsistent logic, 56, 105, 124
 - maximal, 123
- paradox, logic of, 105
- Peirce's Law, 115
- Pigozzi, D., 1, 2, 5, 10, 12–14, 16, 25, 29, 59, 60, 66, 68, 71, 75, 83, 84, 86, 93, 94, 102
- positive implication algebra, 99
- positive implication, logic of, 114
- positive logic, 115
- Priest, G., 105
- projective generation, 20
- proof by cases, 53
- Property of Conjunction, 50
- Property of Disjunction, 54
- protoalgebraic logic, 59
- provability logic, 120
- pseudo-axiomatic logic, 70
- pseudo-Boolean algebra, 116
- pseudo-complemented distributive lattice, 113
- Pynko, A., 124
- quasi-classical modal logic, 117
- quasi-Hilbert algebra, 127
- quasi-normal modal logic, 118
- quotient matrix, 16
- R-algebra, 122
- Rasiowa, H., 1, 6, 36, 106, 114, 120
- reduced abstract logic, 23
- reduced matrix, 17
- Reductio ad Absurdum, 55
- reduction
 - of a matrix, 17
 - of an abstract logic, 23
- reduction process, 23, 44, 49
- regularly algebraizable logic, 71
- relatively pseudo-complemented lattice, 115
- Relevance Logic, 122
- Relevance Principle, 122
- Replacement (rule of \models_K), 83
- residuated lattices
 - logics of, 105
- Routley, R., 122
- rule
 - derived, 76
 - Gentzen-style, 45, 76
 - Hilbert-style, 46
 - structural, 76
- Rule of Necessitation, 57, 118
- \mathcal{S} -algebra, 36
- selfextensional, 48
- selfextensional logic
 - fully, 48
 - strongly, 48
- semantics, 30, 31
- semi-negation, logic with, 106
- semilattice, 90
- sentential logic, 9, *see also* logic
- sequent, 76
 - derivable, 77
 - of \mathfrak{G} , 77
- sequential logic, 75
- Sette, A.M., 123
- Sette algebras, 124
- \mathcal{S} -filter, 27
- Shoesmith, D.J., 5
- \mathcal{S} -matrix, 27
- Smiley, T., 5, 19, 33

- strong version of a modal logic, 118
- strong version of an abstract logic,
119
- stronger, 18
- strongly adequate, 81
- strongly algebraizable logic, 93
- strongly selfextensional logic, 48
- structural rule, 76
- substitution, 16
- substitution invariance, 26
- substructural logics, 9
- Suszko, R., 5, 20, 68
- Suszko's rules, 68
- Symmetry (rule of \models_{κ}), 83

- Tarski, A., 4, 10, 19, 29, 118
- Tarski congruence, 18
- Tarski operator, 19
- Taylor, P., 14
- tetravalent modal algebra, 125
- tetravalent modal logic, 125
- theorem, 17
- theory, 17, 26
- three-valued Łukasiewicz algebra, 125
- topological Boolean algebra, 118
- Transitivity (rule of \models_{κ}), 83
- translation, 66, 84
- trivial element, 56
- (**t,s**)-equivalent, 84
- turnstile, 76
- two-valued logic, 68
- type of a Gentzen system, 76, 77

- variable, 15
- Variable-Sharing Property, 122
- Verdú, V., 6, 11, 14, 20, 37

- Wajsberg, M., 105
- Weak Contraposition, Property of, 112