

A CORRECTION

J. V. RALSTON

The author has found that the constructions in [5, §§1, 2, 3] are contained in [1]. The estimates in §5 and hence the proof of Theorem I are not discussed in [1]. However, the proof of Theorem I, as well as the stronger results obtained using stronger stability hypotheses in [6], do follow from the results in [4]. These results have also been presented in [2].

By combining the recent results of R. Cushman [3] with [6, Appendix B], one can deduce that the integer p_0 in Theorem I is given by

$$\frac{\pi}{2}(\mu - n) \bmod 2,$$

where μ is the Morse index of Γ as a periodic geodesic. This makes the discussion in the final paragraph of §3 of [5] obsolete.

References

- [1] V. M. Babich, *Eigenfunctions concentrated in a neighborhood of a closed geodesic*, Math. Problems in Wave Propagation Theory, V. M. Babich, ed., Sem. Math., V. A. Steklov Math. Inst., Vol. 9, Leningrad, 1968. Translated by Consultants Bureau, New York, 1970.
- [2] V. M. Babich & V. S. Buldyrev, *Asymptotic methods in short wave diffraction problems*, Vol. 1 (Russian), Nauka, Moscow, 1972.
- [3] R. Cushman, *The relationship between the index of a strongly stable periodic linear Hamiltonian vectorfield and the index of its stability domain*, Duke Math. J. **45** (1978) 701–709, *Corrections to: . . .*, Duke Math. J. **46** (1979) 881–882.
- [4] M. F. Pyshkina, *Asymptotic behavior of eigenfunctions of the Helmholtz equation concentrated near a closed geodesic*, Math. Problems in Wave Propagation Theory. II, V. M. Babich, ed., Sem. Math., V. A. Steklov Math. Inst., Vol. 15, Leningrad, 1969; Translated by Consultants Bureau, New York, 1971.
- [5] J. V. Ralston, *Approximate eigenfunctions of the Laplacian*, J. Differential Geometry Vol. **12** (1977) 87–100.
- [6] ———, *On the construction of quasimodes associated with stable periodic orbits*, Commun. Math. Phys. **51** (1976), 219–242.

UNIVERSITY OF CALIFORNIA, LOS ANGELES

