

PERVERSE SHEAVES ON RANK STRATIFICATIONS

TOM BRADEN AND MIKHAIL GRINBERG

CONTENTS

1. Introduction	318
2. Preliminaries	319
2.1. Notation and conventions	319
2.2. Specialization and the Fourier transform	321
2.3. Totally conical stratifications	322
2.4. Fourier transform and perverse sheaves	323
2.5. Perverse sheaves on line bundles	323
3. Geometry of the rank stratifications	324
3.1. All matrices	325
3.2. Symmetric matrices	327
3.3. Skew-symmetric matrices	328
4. Statements of results	328
4.1. The quiver categories \mathcal{A}_n and \mathcal{B}_n	328
4.2. Perverse sheaves and quivers	332
4.3. The nearby cycles object	334
4.4. The hypercohomology functor	335
5. Microlocal perverse sheaves	337
5.1. Generalities	337
5.2. Microlocal geometry of conical stratifications	339
5.3. Microlocal perverse sheaves near a codimension-one stratum	340
5.4. Microlocal perverse sheaves through codimension one	342
6. Quivers for perverse sheaves on the rank stratifications	343
6.1. Construction of the functors Q^I, Q^{II}, Q^{III}	343
6.2. Proof of Theorem 4.6	345
7. Nearby cycles of the determinant	346
7.1. Morse groups and nearby cycles	346
7.2. Picard-Lefschetz theory	347
7.3. Proof of Theorem 4.12	349
8. A “Witten complex” for the rank stratification	352
8.1. Stratified Morse-Bott critical manifolds	352

Received 17 January 1997. Revision received 12 August 1997.

1991 *Mathematics Subject Classification*. Primary 32S60; Secondary 14D05.

Braden supported by a National Science Foundation graduate fellowship, a Sloan dissertation fellowship, and National Science Foundation grant number DMS 9304580.

Grinberg supported by a Fannie and John Hertz Foundation graduate fellowship.