

Addendum to: "G-invariantly resolvable Steiner 2-designs which are 1-rotational over G"^{*}

Marco Buratti

Fulvio Zuanni[†]

We wish to thank Ying Miao for having brought to our attention that difference family \mathcal{E} of Construction 2 of the paper in object does not work for t even. Anyway, keeping the same notation as in the paper, we point out that in both cases of t odd or even, a working \mathcal{E} is the following:

$$\mathcal{E} = \{(g_0, mx_0), (g_1, mx_1), \dots, (g_{k-1}, mx_{k-1}) \mid m \in \langle \delta^t \rangle N\} \cup \\ \cup \{ \{0\} \times \langle \delta^t \rangle n \mid n \in N \}$$

where N is a complete system of representatives for the cosets of $\langle \sqrt{\delta^t} \rangle$ in $\langle \sqrt{\delta} \rangle$.

Accordingly to the previous correction, difference family \mathcal{E} of Theorem 4 should be changed as follows.

$$\mathcal{E} = \{(0, \omega^{4ti+2j}x_0), (0, \omega^{4ti+2j}x_1), (1, \omega^{4ti+2j}x_2) \mid i = 0, 1, 2; 0 \leq j < t\} \cup \\ \cup \{(0, \omega^{2j}), (0, \omega^{4t+2j}), (0, \omega^{8t+2j}) \mid 0 \leq j < t\}$$

where ω is a primitive root in Z_p .

^{*}appeared in Bull. Belg. Math. Soc. 5 (1998), 221-235

[†]Dipartimento di Ingegneria Elettrica, Università de L'Aquila, I-67040 Poggio di Roio, L'Aquila, Italy. email:buratti@mat.uniroma1.it