



# ANNALES DE L'INSTITUT HENRI POINCARÉ

## PROBABILITÉS ET STATISTIQUES

|   |   |           |
|---|---|-----------|
| <b>The infinite Atlas process: Convergence to equilibrium</b> . . . . .                                       | <i>A. Dembo, M. Jara and S. Olla</i>                    | 607–619   |
| <b>Exponential functionals of spectrally one-sided Lévy processes conditioned to stay positive</b> . . . . .  | <i>G. Véchambre</i>                                     | 620–660   |
| <b>Location of the spectrum of Kronecker random matrices</b> . . . . .  | <i>J. Alt, L. Erdős, T. Krüger and Y. Nemiř</i>         | 661–696   |
| <b>Heat kernel estimates for anomalous heavy-tailed random walks</b> . . . . .                                | <i>M. Murugan and L. Saloff-Coste</i>                   | 697–719   |
| <b>On the exit time and stochastic homogenization of isotropic diffusions in large domains</b> . . . . .      | <i>B. Febrman</i>                                       | 720–755   |
| <b>On the spectral gap of spherical spin glass dynamics</b> . . . . .   | <i>R. Gheissari and A. Jagannath</i>                    | 756–776   |
| <b>Existence of Stein kernels under a spectral gap, and discrepancy bounds</b> . . . . .                      | <i>T. A. Courtade, M. Fatbi and A. Pananjady</i>        | 777–790   |
| <b>Hausdorff dimension of the scaling limit of loop-erased random walk in three dimensions</b> . . . . .      | <i>D. Shiraishi</i>                                     | 791–834   |
| <b>Condensation of a self-attracting random walk</b> . . . . .  | <i>N. Berestycki and A. Yadin</i>                       | 835–861   |
| <b>The speed of biased random walk among random conductances</b> . . . . .                                    | <i>N. Berger, N. Gantert and J. Nagel</i>               | 862–881   |
| <b>How round are the complementary components of planar Brownian motion?</b> . . . . .                        | <i>N. Holden, ř. Nacu, Y. Peres and T. S. Salisbury</i> | 882–908   |
| <b>Matrix Dirichlet processes</b> . . . . .   | <i>S. Li</i>  | 909–940   |
| <b>Parabolic Anderson model with rough or critical Gaussian noise</b> . . . . .                               | <i>X. Chen</i>  | 941–976   |
| <b>A new approach to the existence of invariant measures for Markovian semigroups</b> . . . . .               | <i>L. Beznea, I. Cîmpean and M. Röckner</i>             | 977–1000  |
| <b>Statistical physics on a product of trees</b> . . . . .  | <i>T. Hutchcroft</i>                                    | 1001–1010 |
| <b>Finite-time singularity of the stochastic harmonic map flow</b> . . . . .                                  | <i>A. Hocquet</i>                                       | 1011–1041 |
| <b>Transversal fluctuations for a first passage percolation model</b> . . . . .                               | <i>Y. Bakhtin and W. Wu</i>                             | 1042–1060 |
| <b>Continuous-state branching processes, extremal processes and super-individuals</b> . . . . .               | <i>C. Foucart and C. Ma</i>                             | 1061–1086 |
| <b>Bayesian nonparametric analysis of Kingman’s coalescent</b> . . . . .                                      | <i>S. Favaro, S. Feng and P. A. Jenkins</i>             | 1087–1115 |
| <b>Comparing mixing times on sparse random graphs</b> . . . . .   | <i>A. Ben-Hamou, E. Lubetzky and Y. Peres</i>           | 1116–1130 |
| <b>An isomorphism between branched and geometric rough paths</b> . . . . .                                    | <i>H. Boedibardjo and I. Chevyrev</i>                   | 1131–1148 |
| <b>On random walk on growing graphs</b> . . . . .   | <i>R. Huang</i>   | 1149–1162 |
| <b>On the equivalence between some jumping SDEs with rough coefficients and some non-local PDEs</b> . . . . . | <i>N. Fournier and L. Xu</i>                            | 1163–1178 |
| <b>Local fluctuations of critical Mandelbrot cascades</b> . . . . .   | <i>D. Buraczewski, P. Dyszewski and K. Kolesko</i>      | 1179–1202 |