

CONTENTS OF VOLUME 23

Articles

ADLER, ROBERT J., MIKOSCH, THOMAS, GADRIC, TAMAR AND KLÜPPELBERG, CLAUDIA. Parameter estimation for ARMA models with infinite variance innovations	305–326
ANDERSON, CHARLES AND PAL, NABENDU. A note on admissibility when precision is unbounded	593–597
ANDREWS, DONALD W. K. AND PLOBERGER, WERNER. Admissibility of the likelihood ratio test when a nuisance parameter is present only under the alternative	1609–1629
ARCONES, MIGUEL A. The asymptotic accuracy of the bootstrap of U -quantiles	1802–1822
BASU, SANJIB AND DASGUPTA, ANIRBAN. Robustness of standard confidence intervals for location parameters under departure from normality	1433–1442
BERGER, ROGER L. AND LIU, HUIMEI. Uniformly more powerful, one-sided tests for hypotheses about linear inequalities	55–72
BIRGÉ, LUCIEN AND MASSART, PASCAL. Estimation of integral functionals of a density	11–29
BORGAN, Ø., GOLDSTEIN, L. AND LANGHOLZ, B. Methods for the analysis of sampled cohort data in the Cox proportional hazards model	1749–1778
BUJA, ANDREAS, TIBSHIRANI, ROBERT AND HASTIE, TREVOR. Penalized discriminant analysis	73–102
CARROLL, R. J., KNICKERBOCKER, R. K. AND WANG, C. Y. Dimension reduction in a semiparametric regression model with errors in covariates	161–181
CHAN, GRACE, HALL, PETER AND POSKITT, D. S. Periodogram-based estimators of fractal properties	1684–1711
CHAN, NGAI HANG AND TERRIN, NORMA. Inference for unstable long-memory processes with applications to fractional unit root autoregressions	1662–1683
CHANG, TED AND KO, DAIJIN. M -estimates of rigid body motion on the sphere and in Euclidean space	1823–1847
CHAO, MIN-TE, LO, SHAW-HWA AND CHEN, KANI. On strong uniform consistency of the Lynden-Bell estimator for truncated data	440–449
CHEN, HANFENG. Tests following transformations	1587–1593
CHEN, HUNG. Asymptotically efficient estimation in semiparametric generalized linear models	1102–1129
CHEN, JIAHUA. Optimal rate of convergence for finite mixture models	221–233
CHEN, KANI, CHAO, MIN-TE AND LO, SHAW-HWA. On strong uniform consistency of the Lynden-Bell estimator for truncated data	440–449