AN IDENTITY IN ARITHMETIC

BY H. D. BLOCK AND JACOB MARSCHAK

Communicated by Mark Kac, January 20, 1959

During the course of a study¹ on Theories of Choice² the authors encountered the following arithmetical identity which appears to have some independent mathematical interest. Let N denote the set of integers $\{1, 2, \dots, n\}$; let M be a fixed subset of N and i a fixed element of M. For any permutation r of the set N let i_r denote that integer of N which is ranked in the ith position by the permutation r. Let R(i, M) denote the set of those permutations which rank i before the other elements of M. Let n positive numbers u_1, u_2, \dots, u_n be given. Then we have the identity

(1)
$$\left(\prod_{j=1}^n u_j\right) \sum_{r \in R(i,M)} \prod_{k=1}^n \left[\sum_{i=k}^n u_{i_r}\right]^{-1} = u_i / \sum_{j \in M} u_j.$$

From the nature of the functions appearing on each side (1), or from the proof, it is clear that the numbers u_k need not be restricted to be positive; indeed they could be any real or complex numbers, or elements of an arbitrary field, provided that no subset has zero sum.

The identity (1) becomes intuitively clear from the following probability considerations. Consider an urn with n coins, numbered 1, 2, \cdots , n; the size of the kth coin being u_k . The probability of a coin being chosen is proportional to its size. Suppose all n coins are successively drawn without replacement. The probability that the order in which they appear is a particular permutation r, is $\prod_{k=1}^{n} u_{k,r} / \sum_{j=k}^{n} u_{j,r}$, using conditional probabilities. Summing over all permutations of R(i, M) we see that the left side of (1) represents the marginal probability that i precedes the rest of M, disregarding the elements of N-M. On the other hand if we initially remove from the urn those coins whose numbers are the elements of N-M, then the probability that i is chosen first from the set M is given by the right side of (1).

The authors felt at first that these probability considerations furnished a proof of (1) in virtue of some theorem in measure theory which assured that the two probabilities mentioned above must be

¹ Research undertaken by the Cowles Commission for Research in Economics under a contract with the Office of Naval Research.

² Cowles Foundation Discussion Paper No. 66: Random orderings and stochastic theories of responses, by H. D. Block and J. Marschak, mimeographed. To be published in honor of H. Hotelling.