

THE ANNALS
of
STATISTICS

AN OFFICIAL JOURNAL OF THE
INSTITUTE OF MATHEMATICAL STATISTICS

VOLUME 16

1988

CONTENTS OF VOLUME 16

Special Invited Papers, Wald Lectures, Articles and Short Communications

AKRITAS, MICHAEL G. Rank tests with interval-censored data	1490–1502
AMARI, SHUN-ICHI AND KUMON, MASAYUKI. Estimation in the presence of infinitely many nuisance parameters—geometry of estimating functions	1044–1068
AMEMIYA, YASUO AND ANDERSON, T. W. The asymptotic normal distribution of estimators in factor analysis under general conditions	759–771
AMEMIYA, YASUO AND FULLER, WAYNE A. Estimation for the nonlinear functional relationship	147–160
ANDERSON, T. W. AND AMEMIYA, YASUO. The asymptotic normal distribution of estimators in factor analysis under general conditions	759–771
ARJAS, E. AND HAARA, P. A note on the asymptotic normality in the Cox regression model	1133–1140
ASSAF, DAVID. A dynamic sampling approach for detecting a change in distribution	236–253
BAI, CHONGEN AND OLSHEN, RICHARD A. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall .	953–956
BARNDORFF-NIELSEN, O. E. AND BLÆSILD, P. Combination of reproductive models	323–341
BARNDORFF-NIELSEN, O. E. AND JUPP, P. E. Differential geometry, profile likelihood, L -sufficiency and composite transformation models	1009–1043
BEDER, JAY H. A sieve estimator for the covariance of a Gaussian process	648–660
BERAN, RUDOLF. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	956–959
BICKEL, PETER J. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	959–961
BLÆSILD, P. AND BARNDORFF-NIELSEN, O. E. Combination of reproductive models	323–341
BOSE, ARUP. Edgeworth correction by bootstrap in autoregressions	1709–1722
BRILLINGER, DAVID R. The 1983 Wald Memorial Lectures: Some statistical methods for random process data from seismology and neurophysiology	1–54
BROWN, LAWRENCE D. Admissibility in discrete and continuous invariant nonparametric estimation problems and in their multinomial analogs	1567–1593
BUCKLAND, STEPHEN T., GARTHWAITE, PAUL H. AND LOVELL, HOWARD G. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	962–965

CAPÉRAÀ, PHILIPPE. Tail ordering and asymptotic efficiency of rank tests	470–478
CARLSTEIN, E. Nonparametric change-point estimation	188–197
CHAKRAVARTI, I. M. AND MORGAN, JOHN P. Block designs for first and second order neighbor correlations	1206–1224
CHAN, N. H. AND WEI, C. Z. Limiting distributions of least squares estimates of unstable autoregressive processes	367–401
CHAO, MIN-TE AND LO, SHAW-HWA. Some representations of the nonparametric maximum likelihood estimators with truncated data	661–668
CHEN, HUNG. Convergence rates for parametric components in a partly linear model	136–146
CHEN, HUNG. Lower rate of convergence for locating a maximum of a function	1330–1334
CHENG, CHING-SHUI AND COSTER, DANIEL C. Minimum cost trend-free run orders of fractional factorial designs	1188–1205
CHIU, SHEAN-TSONG. Weighted least squares estimators on the frequency domain for the parameters of a time series	1315–1326
CLAYTON, MURRAY K. AND WITMER, JEFFREY A. Two-stage bandits	887–894
CLINE, DAREN B. H. Admissible kernel estimators of a multivariate density	1421–1427
COSTER, DANIEL C. AND CHENG, CHING-SHUI. Minimum cost trend-free run orders of fractional factorial designs	1188–1205
COX, DENNIS D. Approximation of least squares regression on nested subspaces	713–732
COX, DENNIS D. Approximation of method of regularization estimators	694–712
COX, DENNIS, KOH, EUNMEE, WAHBA, GRACE AND YANDELL, BRIAN S. Testing the (parametric) null model hypothesis in (semiparametric) partial and generalized spline models	113–119
CUZICK, JACK. Rank regression	1369–1389
DABROWSKA, DOROTA M. Kaplan–Meier estimate on the plane .	1475–1489
DAHLHAUS, RAINER. Small sample effects in time series analysis: A new asymptotic theory and a new estimate	808–841
DE TURCKHEIM, E. AND PONS, O. Cox's periodic regression model	678–693
DEVROYE, LUC. Asymptotic performance bounds for the kernel estimate	1162–1179
DiCICCIO, THOMAS J. AND ROMANO, JOSEPH P. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	965–969
DONOHO, DAVID L. One-sided inference about functionals of a density	1390–1420
DONOHO, DAVID L. AND LIU, RICHARD C. Pathologies of some minimum distance estimators	587–608

DONOHO, DAVID L. AND LIU, RICHARD C. The "automatic" robustness of minimum distance functionals	552–586
DUPAČOVÁ, JITKA AND WETS, ROGER. Asymptotic behavior of statistical estimators and of optimal solutions of stochastic optimization problems	1517–1549
EDELMAN, DAVID. Estimation of the mixing distribution for a normal mean with applications to the compound decision problem	1609–1622
EFRON, B. Discussion of "Theoretical comparison of bootstrap confidence intervals" by Hall	969–972
EICK, STEPHEN G. The two-armed bandit with delayed responses	254–264
EPPS, T. W. Testing that a Gaussian process is stationary	1667–1683
FABIAN, VÁCLAV. Polynomial estimation of regression functions with the supremum norm error	1345–1368
FRIEDMAN, YAAKOV, GELMAN, ALEXANDER AND PHADIA, ESWAR. Best invariant estimation of a distribution function under the Kolmogorov-Smirnov loss function	1254–1261
FULLER, WAYNE A. AND AMEMIYA, YASUO. Estimation for the nonlinear functional relationship	147–160
GAJEK, LESŁAW. On the minimax value in the scale model with truncated data	669–677
GARTHWAITE, PAUL H., LOVELL, HOWARD G. AND BUCKLAND, STEPHEN T. Discussion of "Theoretical comparison of bootstrap confidence intervals" by Hall	962–965
GASSER, THEO AND KNEIP, ALOIS. Convergence and consistency results for self-modeling nonlinear regression	82–112
GELMAN, ALEXANDER, PHADIA, ESWAR AND FRIEDMAN, YAAKOV. Best invariant estimation of a distribution function under the Kolmogorov-Smirnov loss function	1254–1261
GHOSH, MALAY AND YANG, MING-CHUNG. Simultaneous estimation of Poisson means under entropy loss	278–291
GILL, RICHARD D., VARDI, YEHUDA AND WELLNER, JON A. Large sample theory of empirical distributions in biased sampling models	1069–1112
GRAY, ROBERT J. A class of k -sample tests for comparing the cumulative incidence of a competing risk	1141–1154
GRÜBEL, R. The length of the shorth	619–628
GUTTORP, PETER AND Ko, DAIJIN. Robustness of estimators for directional data	609–618
GUTTORP, PETER AND LOCKHART, RICHARD A. On the asymptotic distribution of quadratic forms in uniform order statistics	433–449
HAARA, P. AND ARJAS, E. A note on the asymptotic normality in the Cox regression model	1133–1140
HALL, PETER. Rejoinder	981–985

HALL, PETER. Theoretical comparison of bootstrap confidence intervals	927–953
HALL, PETER AND MARRON, J. S. Choice of kernel order in density estimation	161–173
HALLIN, MARC AND PURI, MADAN L. Optimal rank-based procedures for time series analysis: Testing an ARMA model against other ARMA models	402–432
HANNAN, E. J. AND POSKITT, D. S. Unit canonical correlations between future and past	784–790
HÄRDLE, W., JANSEN, P. AND SERFLING, R. Strong uniform consistency rates for estimators of conditional functionals	1428–1449
HÄRDLE, W. AND TSYBAKOV, A. B. Robust nonparametric regression with simultaneous scale curve estimation	120–135
HART, JEFFREY D. An ARMA type probability density estimator	842–855
HAUGHTON, DOMINIQUE M. A. On the choice of a model to fit data from an exponential family	342–355
HENZE, NORBERT. A multivariate two-sample test based on the number of nearest neighbor type coincidences	772–783
HOOPER, PETER M. Simultaneous estimation and prediction using the expected coverage measure criterion	265–277
HORN, PAUL S. On the stochastic ordering of absolute univariate Gaussian random variables	1327–1329
HU, INCHI. Repeated significance tests for exponential families	1643–1666
JANSEN, P., SERFLING, R. AND HÄRDLE, W. Strong uniform consistency rates for estimators of conditional functionals	1428–1449
JEGANATHAN, P. On the strong approximation of the distributions of estimators in linear stochastic models, I and II: Stationary and explosive AR models	1283–1314
JENSEN, SØREN TOLVER. Covariance hypotheses which are linear in both the covariance and the inverse covariance	302–322
JOE, HARRY. Majorization, entropy and paired comparisons	915–925
JUPP, P. E. AND BARNDORFF-NIELSEN, O. E. Differential geometry, profile likelihood, L -sufficiency and composite transformation models	1009–1043
KARUNAMUNI, ROHANA J. On empirical Bayes testing with sequential components	1270–1282
KEMPTHORNE, PETER J. Controlling risks under different loss functions: The compromise decision problem	1594–1608
KHMALADZE, E. V. An innovation approach to goodness-of-fit tests in R^m	1503–1516
KNEIP, ALOIS AND GASSER, THEO. Convergence and consistency results for self-modeling nonlinear regression	82–112
KO, DAIJIN AND GUTTORP, PETER. Robustness of estimators for directional data	609–618

KOH, EUNMEE, WAHBA, GRACE, YANDELL, BRIAN S. AND COX, DENNIS. Testing the (parametric) null model hypothesis in (semiparametric) partial and generalized spline models	113-119
KUMON, MASAYUKI AND AMARI, SHUN-ICHI. Estimation in the presence of infinitely many nuisance parameters—geometry of estimating functions	1044-1068
LAI, TZE LEUNG. Nearly optimal sequential tests of composite hypotheses	856-886
LE CAM, LUCIEN AND YANG, GRACE L. On the preservation of local asymptotic normality under information loss	483-520
LEE, CHU-IN CHARLES. Quadratic loss of order restricted estimators for treatment means with a control	751-758
LEHMANN, ERICH L. Comparing location experiments	521-533
LI, L. A. AND SEDRANSK, N. Mixtures of distributions: A topological approach	1623-1634
LIANG, TACHEN. On the convergence rates of empirical Bayes rules for two-action problems: Discrete case	1635-1642
LIM, YONG B. AND STUDDEN, W. J. Efficient D_s -optimal designs for multivariate polynomial regression on the q -cube	1225-1240
LIU, REGINA Y. Bootstrap procedures under some non-i.i.d. models	1696-1708
LIU, REGINA Y. AND SINGH, KESAR. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	978-979
LIU, RICHARD C. AND DONOHO, DAVID L. Pathologies of some minimum distance estimators	587-608
LIU, RICHARD C. AND DONOHO, DAVID L. The “automatic” robustness of minimum distance functionals	552-586
LO, ALBERT Y. A Bayesian bootstrap for a finite population	1684-1695
LO, SHAW-HWA AND CHAO, MIN-TE. Some representations of the nonparametric maximum likelihood estimators with truncated data	661-668
LOCKHART, RICHARD A. AND GUTTORP, PETER. On the asymptotic distribution of quadratic forms in uniform order statistics	433-449
LOH, WEI-YIN. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	972-976
LOVELL, HOWARD G., BUCKLAND, STEPHEN T. AND GARTHWAITE, PAUL H. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	962-965
MAJOR, P. AND REJTÓ, L. Strong embedding of the estimator of the distribution function under random censorship	1113-1132
MARRON, J. S. AND HALL, PETER. Choice of kernel order in density estimation	161-173
MATHEW, THOMAS AND SINHA, BIMAL KUMAR. Optimum tests in unbalanced two-way models without interaction	1727-1740

MCLEISH, D. L. AND SMALL, CHRISTOPHER G. Generalizations of ancillarity, completeness and sufficiency in an inference function space	534–551
MINTZ, MAX AND ZEYTINOGLU, MEHMET. Robust fixed size confidence procedures for a restricted parameter space	1241–1253
MORGAN, JOHN P. AND CHAKRAVARTI, I. M. Block designs for first and second order neighbor correlations	1206–1224
MUKERJEE, HARI. Monotone nonparametric regression	741–750
NABEYA, SEIJI AND TANAKA, KATSUTO. Asymptotic theory of a test for the constancy of regression coefficients against the random walk alternative	218–235
NEILL, JAMES W. Testing for lack of fit in nonlinear regression ..	733–740
NEUHAUS, GEORG. Addendum to: “Local asymptotics for linear rank statistics with estimated score functions”	1342–1343
NOGAMI, YOSHIKO. Convergence rates for empirical Bayes estimation in the uniform $U(0, \theta)$ distribution	1335–1341
OLSHEN, RICHARD A. AND BAI, CHONGEN. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall ..	953–956
OMAN, SAMUEL D. Confidence regions in multivariate calibration	174–187
PHADIA, ESWAR, FRIEDMAN, YAAKOV AND GELMAN, ALEXANDER. Best invariant estimation of a distribution function under the Kolmogorov-Smirnov loss function	1254–1261
PONS, O. AND DE TURCKHEIM, E. Cox’s periodic regression model	678–693
PORTNOY, STEPHEN. Asymptotic behavior of likelihood methods for exponential families when the number of parameters tends to infinity	356–366
POSKITT, D. S. AND HANNAN, E. J. Unit canonical correlations between future and past	784–790
PRAAGMAN, JAAP. Bahadur efficiency of rank tests for the change-point problem	198–217
PRENTICE, ROSS L. AND SELF, STEVEN G. Asymptotic distribution theory and efficiency results for case-cohort studies	64–81
PURI, MADAN L. AND HALLIN, MARC. Optimal rank-based procedures for time series analysis: Testing an ARMA model against other ARMA models	402–432
REJTÓ, L. AND MAJOR, P. Strong embedding of the estimator of the distribution function under random censorship	1113–1132
ROBINSON, J. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	976–977
ROMANO, JOSEPH P. On weak convergence and optimality of kernel density estimates of the mode	629–647
ROMANO, JOSEPH P. AND DICICCIO, THOMAS J. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	965–969
RUKHIN, ANDREW L. Loss functions for loss estimation	1262–1269
SCHENKER, NATHANIEL AND WELSH, A. H. Asymptotic results for multiple imputation	1550–1566

SEDRANSK, N. AND LI, L. A. Mixtures of distributions: A topological approach	1623–1634
SELF, STEVEN G. AND PRENTICE, Ross L. Asymptotic distribution theory and efficiency results for case-cohort studies	64–81
SEN, PRANAB KUMAR. Functional jackknifing: Rationality and general asymptotics	450–469
SERFLING, R., HÄRDLE, W. AND JANSSEN, P. Strong uniform consistency rates for estimators of conditional functionals	1428–1449
SHAO, JUN. On resampling methods for variance and bias estimation in linear models	986–1008
SHAW, J. E. H. A quasirandom approach to integration in Bayesian statistics	895–914
SINGH, KESAR AND LIU, REGINA Y. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	978–979
SINHA, BIMAL KUMAR AND MATHEW, THOMAS. Optimum tests in unbalanced two-way models without interaction	1727–1740
SMALL, CHRISTOPHER G. AND MCLEISH, D. L. Generalizations of ancillarity, completeness and sufficiency in an inference function space	534–551
SMYTHE, R. T. Conditional inference for restricted randomization designs	1155–1161
STEIN, MICHAEL L. Asymptotically efficient prediction of a random field with a misspecified covariance function	55–63
STUDDEN, W. J. AND LIM, YONG B. Efficient D_s -optimal designs for multivariate polynomial regression on the q -cube	1225–1240
SZKUTNIK, ZBIGNIEW. Most powerful invariant tests for binormality	292–301
TANAKA, KATSUTO AND NABEYA, SEIJI. Asymptotic theory of a test for the constancy of regression coefficients against the random walk alternative	218–235
TSYBAKOV, A. B. AND HÄRDLE, W. Robust nonparametric regression with simultaneous scale curve estimation	120–135
VAN DER VAART, A. W. Estimating a real parameter in a class of semiparametric models	1450–1474
VARDI, YEHUDA, WELLNER, JON A. AND GILL, RICHARD D. Large sample theory of empirical distributions in biased sampling models	1069–1112
VEALL, MICHAEL R. Discussion of “Theoretical comparison of bootstrap confidence intervals” by Hall	979–981
VOSS, D. T. Single-generator generalized cyclic factorial designs as pseudofactor designs	1723–1726
WAHBA, GRACE, YANDELL, BRIAN S., COX, DENNIS AND KOH, EUNMEE. Testing the (parametric) null model hypothesis in (semiparametric) partial and generalized spline models	113–119
WEI, C. Z. AND CHAN, N. H. Limiting distributions of least squares estimates of unstable autoregressive processes	367–401

WELLNER, JON A., GILL, RICHARD D. AND VARDI, YEHUDA. Large sample theory of empirical distributions in biased sampling models	1069–1112
WELSH, A. H. AND SCHENKER, NATHANIEL. Asymptotic results for multiple imputation	1550–1566
WETS, ROGER AND DUPAČOVÁ, JITKA. Asymptotic behavior of statistical estimators and of optimal solutions of stochastic optimization problems	1517–1549
WITMER, JEFFREY A. AND CLAYTON, MURRAY K. Two-stage bandits	887–894
YAJIMA, YOSHIHIRO. On estimation of a regression model with long-memory stationary errors	791–807
YANDELL, BRIAN S., COX, DENNIS, KOH, EUNMEE AND WAHBA, GRACE. Testing the (parametric) null model hypothesis in (semiparametric) partial and generalized spline models	113–119
YANG, GRACE L. AND LE CAM, LUCIEN. On the preservation of local asymptotic normality under information loss	483–520
YANG, MING-CHUNG AND GHOSH, MALAY. Simultaneous estimation of Poisson means under entropy loss	278–291
YATRACOS, YANNIS G. A lower bound on the error in nonparametric regression type problems	1180–1187
ZEYTINOGLU, MEHMET AND MINTZ, MAX. Robust fixed size confidence procedures for a restricted parameter space	1241–1253

Corrections

FREES, EDWARD W. Nonparametric renewal function estimation .	1741
TIBSHIRANI, ROBERT J. Discussion of “Jackknife, bootstrap and other resampling methods in regression analysis” by C. F. J. Wu	479
WELSH, A. H. One-step L -estimators for the linear model	481
WELSH, A. H. The trimmed mean in the linear model	480

Acknowledgement of Priority

TIERNEY, LUKE. An alternative regularity condition for Hájek’s representation theorem	926
---	-----