JOURNAL OF THE AMERICAN STATISTICAL ASSOCIATION December 1972 Volume 67 Number 340 Applications Statistics and Political Science James L. Hutter The Distribution by Age of the Frequency of First Marriage in a Female Cohort A. J. Coale and D. R. McNeil Stochastic Simulation of Monetary Rules in Two Macroeconometric Models J. Phillip Cooper and Stanley Fischer Inference for Markov Chains Having Stochastic Entry and Exit..... George T. Duncan and Lizbie G. Lin A Model Search Technique for Predictive Nominal Scale Multivariate Analysis Robert Messenger and Lewis Mandell A. E. Bottoms and Monica A. Walker The American Jury: A Critique The American Jury: A Critique An Application of Multivariate Analysis to Complex Sample Survey Data Gary G. Koch and Stanley Lemeshow The Keynesian Aggregate Supply Function for Labor . . James M. Holmes Note on Owner's Estimate of Housing Value John F. Kain and John M. Quigley The Distribution of Stock Returns R. R. Officer Asymmetric Stable Distributions of Stock Price Changes B. D. Fielitz and E. W. Smith Theory and Methods Linear Dynamic Recursive Estimation from the Viewpoint of Regression Analysis D. B. Duncan and S. D. Horn Dependence and Aging Aspects of Multivariate Survival... E. C. Brindley, Jr. and W. A. Thompson, Jr. . Gordon R. Antelman Interrelated Bernoulli Processes Estimation in Univariate and Multivariate Stable Distributions S. James Press Richard A. Groeneveld Asymptotically Optimal Group Rank Tests for Location. A Distribution-Free Normal Scores Test for Ordered Alternatives in the Randomized Block Design Walter R. Pirie and Myles Hollander More on Concepts of Statistical Evidence More on Concepts of Statistical Evidence An Analysis of a Two-Way Model with Interaction and No Replication Dallas E. Johnson and Franklin A. Graybill Allan Birnbaum Optimal Designs for Estimating the Slope of a Polynomial Regression V. N. Murty and W. J. Studden Test Data for Statistical Algorithms: Least Squares and ANOVA W. Keith Hastings Elicitation of Subjective Probabilities by Sequential Choices. Arlo D. Hendrickson and Robert J. Buehler Upper and Lower Probability Inferences from Ordered Multinomial Data Herbert Weisberg The Fitting of Straight Lines When Both Variables Are Subject to Error and the Ranks of the Means Are Known James H. Ware A Gaussian Approximation to the Distribution of a Definite Quadratic Form D. R. Jensen and Herbert Solomon . . . Dennis P. Tihansky Properties of the Bivariate Normal Cumulative Distribution Two Distributions Involving a Bessel Function G. M. Kaufman Estimation for Domains in Multi-Stage Jamping On the Asymptotic Power of Tests for Independence in Contingency Tables from Stratified Samples Gad Nathan Estimation and Hypothesis Testing for the Parameters of a Bivariate Exponential Distribution Bruce M. Bemis, Lee J. Bain and James J. Higgins Estimation of the Slope and Analysis of Covariance When the Concomitant Variable is Measured with Error James S. DeGracie and Wayne A. Fuller Normal Distribution A Probabilistic Model for Identifying Errors in Data Editing Joseph I. Naus, Thomas G. Johnson and Ramiro Montalvo BOOK REVIEWS INDEX TO VOLUME 67

For further information, please contact:

AMERICAN STATISTICAL ASSOCIATION

806 15th Street, N.W.

Washington, D. C. 20005

TECHNOMETRICS

A Journal of Statistics for the Physical, Chemical and Engineering Sciences

CONTENTS

TECHNOMETRICS, Vol. 14, No. 4, NOVEMBER, 1972

TECHNOMETRICS, Vol. 14, 140. 4, 140 Linder, 1972
Models and Estimation Methods in Visual Scanning Experiments
Extension of Sample Sizes and Percentage Points for Significance Tests of Outlying Observations Frank E. Grubbs and Glenn Beck
Table of the Percentage Points of the Trivariate t-Distribution with an Application to Uniform Confidence Bands Richard Trout and Bryant Chow
Computer Evaluation of the Multivariate Normal Integral Computer Solution of the Discrete Maximum Entropy Problem David Griffeatn Probability of Equipment Failure when Tolerances are Incorrect Lance W. Jayne and Edward W. Ross, Jr. The Identification Problem for a Mixture of Observations from Two Normal Populations P. R. Rayment On the Distribution of a Symmetric Statistic from a Mixed Population Javad Behboodian D. K. Shah and A. G. Phatak Choosing the Optimum Lot Size for a Reordering Policy with Instantaneous Emergency Deliveries Edwin L. Bradley and J. G. Saw
Estimating the Expected and the Optimal Probabilities of Misclassification
The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on sucinct communication among the physical scientist, engineer, statistician and mathematician. The journal papers describing new statistical techniques expected to be useful in these sciences, cation of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication. For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station Washington, D. C. 20004.

BIOMETRICS

Journal of the Biometric Society CONTENTS

December 1972

Vol. 28, No. 4 CONTENTS

The statistical analysis of chain-binomial epidemic models with several kinds of susceptibles. J. J. Gar The multifactorial model for the inheritance of liability to disease and its implications for relatives at risk R. N. Curnow Estimation of microbial viability. J. J. Thomas, N. A. Doughty, R. H. Fletcher, and J. G. Robertson Inverse sampling of a Poisson distribution. H. Weiler Inverse binomial sampling as a basis for estimating negative binomial population densities D. J. Gerrard and R. D. Cook Quantal response analysis for a mixture of populations J. R. Ashford and P. J. Walker Asymptotic and small-sample behavior of estimated Bayes rules for classifying time-dependent observations Bayesian estimation and design of experiments for growth rates when sampling from the Poisson distribution D. W. Behnken and D. G. Walts Double sampling with regression in comparative studies of carcass composition D. Connife and M. A. Moran Hybrid polynomial and periodic regression with and without missing observations. W. J. Hous worth Some designs and analyses for temporally independent experiments involving correlated bivariate responses S. C. Wu, J. S. Williams, and P. W. Mielke, Jr. An invariant test for the homogeneity of variances in a two-way classification. G. K. Shukla Convolution approach to the genetic analysis of quantitative characters of self-fertilized populations

Expected selection differentials for directional selection W. Y. Tan and W. C. Chang W. Y. Tan and W. C. Chang Genetic information given by a relative ... A. Jacquard Estimating selective values from field data. B. F. J. Manly

Notes

Correlation for power functions ... J. Good A characterization on misspecification in the general linear regression model S. H. Rosenberg and P. S. Levy A further note on the probability of disease transmission ... D. A. Griffiths

Biometrics is published quarterly. Its objects are to describe and exemplify the use of mathematical and statistical methods in biological and related sciences in a form assimilable by experimenters. Inquiries should be addressed to: Biometrics Business Office, Department of Experimental Statistics, North Carolina State University, Raleigh, North Carolina 27607.

TRABAJOS DE ESTADISTICA v de INVESTIGACION OPERATIVA

Review published by the "Instituto de Investigación Operativa y Estadística" Serrano, 123.-Madrid-6, Spain.

VOL. XXIII

CONTENTS

CUAD. 1 y 2

MA PILAR IBARROLA MUÑOZ.—La estimacion empírico Bayes en modelos de regresion lineal no ortogonales. R. INFANTE MACIAS.—Nota sobre programacion lineal estocástica: Evolución y estado actual. RASHID AHMAD.—Extension of the normal theory to spherical families. PROMILA ANAND.—Decomposition principle for indefinite quadratic programs.

EMMANUEL S. AZIZ.—A class of experimental designs.

R. C. Jain and J. K. Tallor.—A note on test of hypothesis about mean after preliminary testing. N. L. JOHNSON.—Inferences on sample size. Sequences of samples.

A. M. MATHAI.—The exact distribution of a criterion for testing the hypothesis that the covariance is diagonal. L. K. ROY.—The logarithmic distribution of first passage time of standard Brownian motion.

R. SINGH.—Admissible estimators of λ^{Γ} in gamma distribution with quadratic loss.

SS. SRIVASTAVA, R. C. GARG AND S. D. ARORA.—Two-sided a/s warfare with limited ammunition and range of fire power.

fire power.

G. K. VARMA.—On parametric linear fractional functionals programming.

J. E. WALSH.—Exact results for extensions of twofold nested ANOVA for variance components.

JAN LANKE.—A note on optimum sampling strategies.

Sixto Ríos.—Palabras pronunciades en la inauguración de la VI Reunión Nacional de 1.0. MANUEL ABEJÓN ADAMEZ.—Aplicaciones probabilísticas de la transformacion de Mellin. J. Mirás Amor.—Nota sobre errores de muestreo

Bibliografia

Cuestiones v Ejercicios

TRABAJOS DE ESTADISTICA Y DE INVESTIGACION OPERATIVA is published three issues a year. Annual subscription price is U.S. \$7; each part U.S. \$3.

All correspondence should be addressed to Prof. Sixto Ríos, Serrano 123, Madrid-6. Spain.

TECHNOMETRICS

A Journal of Statistics for the Physical, Chemical and Engineering Sciences

CONTENTS

TECHNOMETRICS, Vol. 14, No. 3, AUGUST, 1972

On the Most Economical Choice of a Life Testing Procedure for Exponentially Distributed Data. B. J. N. Blight Situations in Which the Arithmetic and Geometric Moving Averages are Inefficient Estimators

Size-Biased Sampling R. L. Scheaffer Alternative Multi-Level Continuous Sampling Plans R. L. Scheaffer Alternative Multi-Level Continuously Manufactured Product Redward P. C. Kao Subsampling a Mixture of Sampled Material G. H. Brown and N. I. Fisher On Designing Unknown-Sigma Sampled Plans Based on a Wise Class of Non-Normal Distributions Kinji Takagi Linear Order Statistic Estimation for the Two-Parameter Weibull and Extreme-Value Distributions from Type II Progressively Censored Samples Designing Control Samples Designing Order Samples Designing From the Weibull or Extreme-Value Distribution Lee J. Bain Extreme Values from a Lognormal Law with Applications to Air Pollution Problems N. D. Sing purwalla Small Sample Power of Some Tests of Constant Failure Rate W. W. Fercho and Larry J. Ringer Further Remarks on Maximum Likelihood Estimators for the Gamma Distribution L. R. Shenton and K. O. Bowman A New Test For, and Class of Transformations To, Normality Michael E. Tarter and Charles J. Kowalski The Effect of Estimation Error on a Geometric Moving Average Dean W. Wicher An Algorithm for Least Squares Estimation of Nonlinear Parameters When Some of the Parameters are Linear Richard H. Barham and Wanzer Drane

The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on succinct communication among the physical scientist, engineer, statistician and mathematician. The journal will accept for publication papers describing new statistical techniques expected to be useful in these sciences, papers illustrating the application of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication.

For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station Washington, D. C. 20004.

THE ANNALS OF MATHEMATICAL STATISTICS

INSTRUCTIONS FOR AUTHORS

Submission of Papers. Papers to be submitted for publication should be sent to the Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.) The original (or xerox copy) should be submitted with two additional copies on paper that will take ink corrections. The manuscript will not normally be returned to the author; when expressly requested by the author, one copy of the manuscript will be returned.

Preparation of Manuscripts. Manuscripts should be typewritten, entirely double-spaced, including references, with wide margins at sides, top and bottom. Dittoed or mimeographed papers are acceptable only if completely legible; xerox copies are preferable. When technical reports are submitted, all extraneous sheets and covers should be removed.

Submission of Reference Papers. Copies (preferably two) of unpublished or not easily available papers cited in the manuscript should be submitted with the manuscript.

Title and Abbreviated Title. The title should be descriptive and as concise as is feasible, i.e., it should indicate the topic of the paper as clearly as possible, but every word in it should be pertinent. An abbreviated title to be used as a running head is also required, and should be given below the main title. This should normally not exceed 35 characters. For example, a title might be "A Limit Theorem for Conditioned Recurrent Random Walk Attracted to a Stable Law," with the running head "Limit Theorem for Recurrent Random Walk" or possibly "Recurrent Random Walk Attracted to a Stable Law", depending on the emphasis to be conveyed.

Abstract. Each manuscript is required to contain an abstract, which will be printed immediately after the title, clearly separated from the rest of the paper. Its main purpose is to inform the reader quickly of the nature and results of the paper; it may also be used as an aid in retrieving information. The length of an abstract will clearly depend on the length and difficulty of the paper, but in general it should not exceed 150 words. It should be typed on a separate page, under the heading "Abstract", followed by the title of the paper. Formulas should be used as sparingly as possible. The abstract should not make reference to results or formulas in the body of the paper—it should be self-contained.

Footnotes. Footnotes should be reduced to a minimum and, where possible, should be replaced by remarks in the text or in the references; formulas in footnotes should be avoided. Footnotes in the text should be identified by superscript numbers and typed together, double-spaced, on a separate page.

Key Words. Included as the first footnote on page 1 should be the headings:

American Mathematical Society 1970 subject classification. Primary—; Secondary—. Key words and phrases:

The classification numbers representing the primary and secondary subjects of the article may be found with instructions for its use, as an Appendix to Mathematical Reviews Index to Volume 39, June 1970. (See, also, The Notices of the American Mathematical Society, June 1970, pp. 616-618, for more details.) The key words and phrases should describe the subject matter of the article; generally they should be taken from the body of the paper.

List of Symbols. A completely typewritten list of symbols, identified typographically, not mathematically, should be attached to the manuscript on a separate page. Distinguish between "oh" and "zero"; "ell" and "one"; "kappa" and "kay", etc. Indicate also when special type is required (Greek, German, script, boldface, etc.); other letters will be set in italics.

Figures and Tables. Figures, charts, and diagrams should be prepared in a form suitable for photographic reproduction and should be professionally drawn twice the size they are to be printed. (These need not be submitted until the paper has been accepted for publication.) Tables should be typed on separate pages with accompanying footnotes immediately below the table.

Formulas. Fractions in the text are preferably written with the solidus or negative exponent; thus, (a+b)/(c+d) is preferred to $\frac{a+b}{c+d}$, and

 $(2\pi)^{-1}$ or $1/(2\pi)$ to $\frac{1}{2\pi}$. Also, $a^{b(e)}$ and $a_{b(e)}$ are preferred to a^{b_e} and a_{b_e} , respectively. Complicated exponentials should be represented with the symbol exp. A fractional exponent is preferable

References. References should be typed double-spaced and should follow the style:

to a radical sign.

[5] Wilks, S. S. (1938). The large-sample distribution of the likelihood ratio for testing composite hypotheses. Ann. Math. Statist. 9 60-62.

In textual material, the format "... Wilks (1938) ..." is normally preferred to "... Wilks [5] ...". Multiple references can be distinguished as "... Wilks (1938a) ...". Abbreviations for journals should be taken from *Mathematical Reviews* Index to Volume 40, 1970, pp. 1683-1702.

Proofs. Author will ordinarily receive galley proofs. Corrected galley proofs should be sent to the Managing Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.)

Contents (Continued)

A note on fine and tight qualitative probabilities	1581	
Error estimates for the weak convergence to certain infinitely divisible laws	1592	
Coding theorem for stationary, asymptotically memoryless, continuous-time channels	1603	
Markovian decision processes with compact action spacesNagata Furukawa 1	612	
Stochastic order relationships between GI/G/k systems DAVID R. JACOBS, JR. AND SIEGFRIED SCHACH 1	623	
A representation of independent increment processes without Gaussian componentsThomas S. Ferguson and Michael J. Klass 1	634	
Short Communications	•	
Completeness for a family of multivariate normal distributions Justus Seely 1	644	
Alternative axiomatizations of one-way expected utilityPeter C. Fishburn 1	648	
Construction of two-level saturated symmetrical factorial designs of resolution VIBodh Raj Gulati 1	652	
On the marginal distributions of the latent roots of the multivariate beta matrix	.664	
The asymptotic non-central distribution of Hotelling's generalized T_{0^2}	671	
Uniform strong consistency of Rao-Blackwell distribution function estimators	678	
On estimation of tail end probabilities of the sample mean for linear stochastic processes		
Rates of convergence for weighted sums of random variables F. T. Wright 1	687	
The law of the iterated logarithm for the range of random walk NARESH C. JAIN AND WILLIAM E. PRUITT 10		
A note on the classical occupancy problem	698	
A threshold for log-concavity for probability generating functions and associated moment inequalities	702	
A theorem on obstructive distributions		
Hitting time distributions for general stochastic processes. Dudley Paul Johnson 17	716	
On limiting distributions of a random number of dependent random variables	719	
Convergence in distribution of random measures	727	
On two recent papers on ergodicity in nonhomogeneous Markov chains	732	
Conditions for metric transitivity for stationary Gaussian processes on groupsJulius Blum and Bennett Eisenberg 17	737	
Notes		
Correction to "Admissible Bayes character of T^2 -, R^2 -, and other fully invariant tests for classical multivariate normal problems" J. Kiefer and R. Schwartz 17	749	
Correction to "Multivariate procedures invariant under linear transformations"		
Acknowledgment of priority to "On averaging over distinct units in sampling with replacement"		
Book Review		
Review of "Foundations of Probability," by Alfred RényiFlavio Rodrigues and Gordon Simons 17	'4 5	