STATISTICAL THEORY AND METHOD ABSTRACTS

A Journal of the International Statistical Institute

The object of this abstracting service is to cover published papers concerned with statistical theory, including relevant aspects of probability and mathematical methods, and new contributions to statistical method. These abstracts provide valuable information on new developments for studying problems in many fields: such as frequency distributions, estimating and testing problems, sampling and experimental designs, variance analysis, spectral theory and other methods in time-series analysis, queueing theory, reliability and acceptance inspection. Journals appearing in all parts of the world, on mathematics and statistics, or on other fields and possible contribution of interest are regularly scanned for suitable papers. Abstracts are also prepared from collections of papers such as reports of conferences, symposia

and seminars: technical reports of experiment and research stations are covered.

The abstracts do not exceed 400 words, with occasional "double abstracts" for papers where this size is not sufficient to represent the paper. The language is English; the language of the original paper is indicated. The headings give the name and address of the author together with the Journal in which the paper is published moreover a note is added on the

number of references, tables and figures.

The classification scheme which is used in this Journal supplies a division of all abstracts in twelve main sections. The pages of the Journal are colour-tinted in accordance with these main sections. Each section is further sub-divided to indicate the main topic of the paper; a secondary number denotes the most important additional topic referred to by the author. A special index in each part links together these two classifications. This scheme is arranged to facilitate transfer to punch cards. Papers containing new statistical tables are listed in a separate index.

The abstracts are numbered serially, the volume number being inserted as a prefix. The Journal is published four times a year and contains approximately 1,000 abstracts. An author index, the secondary classification index and the new statistical tables index are published in issue and combined in a yearly supplement which also contains a list of all Journals represented

in the volume by one or more abstracts.

Annual Subscription

Single Number Loose Leaf Binders for Single Abstract Sheets

£7. 10s. (U.S.A. \$24.00) £2. 5s. (U.S.A. \$ 7.00) 16s. 3d. including postage and packing.

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1

TECHNOMETRICS

A Journal of Statistics for the Physical, Chemical and Engineering Sciences

CON ENTS

TECHNOMETRICS, Vol. 9, No. 3, AUGUST 1967

Methods of Obtaining the Average Sample Run Length of Cumulative Sum Schemes when the Cumulated Parameter is Non-Normal Kenneth W. Kempt Confidence Interval for the Availability Ratio Truman Lewis and H. L. Gray Three Dimensional Models of Extreme Vertices Designs for Four Component Mixtures W. J. Diamond On the Distribution of the Bivariate Range T. Cacoullos and H. DeCicco A Note on the Graphical Analysis of Multidimensional Contingency Tables

D. R. Cor and Elizabeth Lauh

QUERIES Degrees of Freedom for Chi-Square Additional Responses to Query 20 Book Reviews

Answered by H. Chernoff

The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on succinct communication among the physical scientist, engineer, statistician and mathematician. The journal will accept for publication papers describing new statistical techniques expected to be useful in these sciences, papers illustrating the application of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication.

For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station Washington, D. C. 20004.

JOURNAL OF THE

ROYAL STATISTICAL SOCIETY

THE JOURNAL OF THE ROYAL STATISTICAL SOCIETY is published in three series, SERIES A (GENERAL), four issues a year, annual subscription, post free, £5 4s. U. S. \$15: price each part 30s: Series B (Methodological), three issues a year, annual subscription post free, £4 2s. U. S. \$12: price each part 35s: SERIES C (APPLIED STATISTICS), three issues a year, annual subscription 30s.; U. S. \$5, price each part 15s.

Reviews; Current Notes; Library Accessions

Contents of SERIES B (METHODOLOGICAL), Vol. 29, PART 2, 1967

The analysis of association among many variates (with Discussion) E. J. WILLIAMS
On John's cyclic incomplete block designs W. H. CLATWORTHY
Formal expression which can be used for the determination of the operating characteristic and average sample number of a simple sequential test K. W. Kemp
A simple procedure for determining upper and lower limits for the average sample run length of a cumulative sum scheme K. W. Kemp
Models of the second kind in regression analysis P. R. Fisk
Inferences concerning a population correlation coefficient from one or possibly two samples subsequent to a preliminary test of significance S. R. Sriyastava and T. A. Bancroft
On a special subset giving an irregular fractional replicate of a 2th factorial experiment K. S. Banerjee and W. T. Federer

W. T. Federer
Optimization of a hot rolling mill D. C. Dowson
A non-parametric test for the bivariate two-sample location problem K. V. Mardia
Non-homogeneous branching Poisson processes P. A. W. Lewis
Methods of estimation involving discounting W. G. Gilchrist
A change-over design for testing a treatment factor at four equally spaced levels I. I. Berenblut
Tests of hypotheses concerning matched samples B. M. Bennett
Optimum utilization of auxiliary information: rps sampling of two units from a stratum T. V. Hanurav
On the choice of a strategy for a ratio method of estimation T. J. Rao
Considering statistical and time averages in a regulation problem E. Kounias
On a class of Gaussian processes for which the mean rate of crossings is infinite J. A. McFadden

The Royal Statistical Society 21, Bentinck Street, London, W. 1

SANKHYĀ

The Indian Journal of Statistics

CONTENTS OF SERIES A, VOL. 29, PART 2, 1967

The compound statistical decision problem Ester Samuel
The generalized Gompertz-Verhulst family of distributions
A class of permutation tests for stochastic independence, I
Asymptotic independence of certain statistics connected with the extreme order statistics in a bivariate dis-
tribution O. P. Srivastava
Asymptotic linearisation of non-linear hypotheses
Resolvable cyclic design H. A. David
Resolvable cyclic design H. A. David Some explicit results for the queue $GI/M/1$ with group service U. N. Bhat
An r-coin tossing game and the associated partition of generalised Fibonacci numbers S. G. MOHANTY
NOTE:
Wilk's tolerance limit sample size
Book Reviews Aivin Jay Harman
Book Reviews Abstracts of Technical Reports
Abstracts of Technical Reports

Orders for the Journal for distribution outside India are to be sent to:

Pergamon Press Ltd.. Pergamon Press Inc., Headington Hill Hall, or 122 East 55th Street, Oxford, England New York 22, USA

Orders for the Journal for distribution within India are to be sent to: Statistical Publishing Society, 204/1 Barrackpore Trunk Road,

Calcutta-35. India

THE INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

OFFICERS

President:

Theodore E. Harris, Department of Mathematics, University of Southern California, Los Angeles, California 90007

President-Elect:

Herman Chernoff, Department of Statistics, Stanford University, Stanford, California 94305

Executive Secretary:

G. E. Nicholson, Jr., Department of Statistics, University of North Carolina, Chapel Hill, North Carolina 27515

Program Secretary:

Joan Raup Rosenblatt, National Bureau of Standards, Washington, D.C. 20234

Treasurer:

George J. Resnikoff, Department of Statistics, California State College, Hayward, California 94542

Editor:

Z. W. Birnbaum, Department of Mathematics, University of Washington, Seattle, Washington 98105

The purpose of the Institute of Mathematical Statistics is to encourage the development, dissemination, and application of mathematical statistics.

Membership dues including a subscription to the ANNALS of MATHE-MATICAL STATISTICS are \$20.00 per year for residents of the United States or Canada and \$12.00 per year for residents of other countries. Special student rates of \$10.00 per year are available to students residing in the U.S. and Canada. Inquiries regarding membership in the Institute should be sent to the Treasurer of the Institute.

Membership in the Institute of Mathematical Statistics is not required of authors of papers in the Annals of Mathematical Statistics, and the fact of membership or non-membership is given no weight in the consideration of submitted manuscripts.

Contents (Continued)

Confidence interval of preassigned length for the Behrens-Fisher problem	
Saibal Banerjee	1175
Confidence intervals for the mean of a finite population	1280
Saibal Banerjee Confidence intervals for the mean of a finite population	1208
On the theory of rank order tests for location in the multivariate one sample problem	
Pranab Kumar Sen and Madan Lal Puri	1216
Asymptotically most powerful rank order tests for grouped data	
PRANAB KUMAR SEN	1229
An inequality concerning tests of fit of the Kolmogorov-Smirnov type	
Georges Vandewiele and Marc Noé	1240
Permutations without rising or falling w-sequences	1240
remutations without rising or failing w-sequences	1945
MORTON ABRAMSON AND W. O. J. MOSER Models for cataloguing problems	1055
Models for cataloguing problems	1200
Estimation of probability density by an orthogonal series STUART C. SCHWARTZ	1201
Asymptotic expansions associated with the nth power of a densityR. A. Johnson	1266
On the Glivenko-Cantelli theorem for infinite invariant measures	
Eugene M. Klimko	1273
Notes	
How to survive a fixed number of fair bets	1979
W. Molenaar and E. A. van der Velde	1001
Timid play is optimal. Timid play is optimal, II. David Freedman and Roger Purves David Freedman and Roger Purves	1201
Timid play is optimal, II	1284
Tests for the equality of coverience matrices under the intraclass correlation	
model	1286
The inverse of a certain matrix, with application Chandan K. Mustafi	1289
model	
strictional prime-powered lattice designsSATI MAZUMDAR	1293
A note on the unimodality of distribution functions of class L Tze-Chien sun	1296
Identifiability of mixtures of product measures	1300
Note on the infinite divisibility of exponential mixturesF. W. STEUTEL	1303
Infinite divisibility of integer-valued random variablesS. K. KATTI	1306
Correction Note	1309
Abstracts of Papers	
News and Notices	1317
Demost of the Atlanta Masting	1318
Report of the Atlanta Meeting	1322

MEETINGS OF THE INSTITUTE

ANNUAL MEETING - Washington, D. C. - December 27-30, 1967

Abstracts should be submitted in duplicate to the Managing Editor, P. L. Meyer, Department of Mathematics, Washington State University, Pullman, Washington, on abstract blanks which may be obtained from him or from any Secretary or Associate Secretary. Abstracts must be received at least 50 days before the first day of the meeting at which they are to be presented, indicating whether presented by title or in person. (Only one contributed paper may be given in person at any one meeting.) They may be printed prior to the publication of the report of the meeting. Ordinarily, each issue will contain those abstracts received at least 75 days before it appears. Abstracts should be limited to 200 words or the equivalent and should avoid displayed expressions and complicated formulae. They can be accepted from non-members of the IMS only if introduced by members. Abstracts must follow the stylistic requests on the abstract blank, or they may be returned.