Instructions to Authors

Communications in Mathematical Physics

The instructions should be read carefully before preparing the manuscript.

A. General

Papers submitted for publication should preferably be written in **English**.

A summary for Zentralblatt für Mathematik should be attached. Manuscripts (in duplicate) must be in their final form and typed on one side of the paper only in double-line spacing with wide margins. The author should also keep a copy of the manuscript. An abstract must be included. Normally, only printer's errors should be corrected in the proofs. A charge is made for extensive changes not due to typesetting errors, introduced at the proof stage.

Formulae should be typewritten whenever possible.

Special markings should be explained in a "Note to the printer" (see suggestions in section B). Copies produced by matrix printer are not accepted unless clearly legible.

Illustrations and diagrams should be submitted on separate sheets and not included in the text. They should either be good-quality glossy prints in the desired final size (inscriptions 2 mm high are recommended) or be drawn about twice the final size in India ink using clean uniform lines. In the latter case, letters and numbers should be about 4 mm high to allow for 50% reduction. The publisher reserves the right to reduce or enlarge illustrations and diagrams. The author should indicate in the margin of the manuscript where illustrations and diagrams are to be inserted.

Footnotes, other than those referring to the title of the paper, should be avoided. If absolutely necessary, they should be numbered consecutively and placed at the foot of the page on which they occur (not at the end of the article).

On the first page of the manuscript a short running title should be provided (not to exceed 70 typewriter strokes, including spaces).

The list of references at the end of the paper should always be in alphabetical order and include the names and initials of all authors (see examples below). Names of journals and book series should be abbreviated in accordance with Zentralblatt für Mathematik. Whenever possible, please replace all references to papers accepted for publication, preprints or technical reports by

the exact name of the journal, as well as the volume, first and last page numbers and year, if the article has already been published or accepted for publication.

When styling the references, the following examples should be observed:

Journal article:

1. or [T-Y] Tomboulis, E., Yaffe, L.: Finite temperature SU(2) lattice gauge theory. Commun. Math. Phys. 100, 313-341 (1985)

Complete book:

or [B-R] Bratelli, O., Robinson, D.W.: Operator algebras and quantum statistical mechanics, Vol II. Berlin, Heidelberg, New York: Springer 1981

Single contribution in a book:

3. or [G] Gromov, M.: Large Riemannian manifolds. In: Shiohama, K., Sakai, T., Sunada, T. (eds.) Curvature and topology of Riemannian manifolds. Proceedings, Katata 1985. Lecture Notes Mathematics, Vol. 1201, pp. 108–121. Berlin, Heidelberg, New York: Springer 1986

Citations in the text should be either (a) by numbers in square brackets, e.g., [1], or Tomboulis and Yaffe [1], referring to an alphabetically ordered and numbered list, or (b) by the author's initials in square brackets, e.g., [T-Y], or (c) by author and year in parentheses, e.g., Tomboulis and Yaffe (1971). Any one of these styles is acceptable if used consistently throughout the paper. In the third system, if there are two authors, both should be named, e.g., Agar and Douglas (1955); if a work with more than two authors is cites, only the first author's name plus "et al." need be given; e. g., Komor et al. (1979); if there is more than one reference by the same author or team of authors in the same year, then a, b, c, etc. should be added after the year both in the text and in the list of references.

One hundred (100) **offprints** of each paper will be supplied free of charge. Additional offprints are available in lots of 100, provided the order form is received with the corrected proof.

B. Color coding

Manuscripts must be marked according to the following rules unless produced on a golfball/daisy typewriter or on a good-quality printer and the desired fonts (Greek, script, special roman, boldface, etc.) are clearly recognizable. Special letters or symbols should be explained in a "Note to the printer". Unmarked manuscripts may have to be returned to the authors, which may cause a delay in publication.

1. Text

Manuscripts produced by computer typesetting with a daisy wheel or laser printer, or by manual typing with special fonts require marking only of special symbols, and distinguishing between 0 and O, 0 and o, and 1 and l. Special letters or symbols should be explained in a "Note to the Printer." In other cases the following instructions should be followed.

The words "Theorem", "Lemma", "Corollary", "Proposition" etc. are normally printed in bold-face, followed by the formulation in italics (to be underlined in the manuscript), the end of which should be clearly indicated. The words "Proof", "Remark", "Example", "Note" etc. are printed in italics with the formulation in ordinary (roman) typeface, and Definition in boldface. The text of the definition itself should be in roman except for the concept defined, which should be in italics. Words or sentences to be set in italics should be marked by single underlining. If the material underlined in the manuscript is to be typeset with underlining (and not set in italics), this must be explained to the printer.

2. Formulae

Letters in formulae are printed in *italics* and figures in roman, if not marked otherwise. It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $h_{fleth} a^{\forall}$. Spacing of indices and exponents must be specially indicated (A_{mn}^{nm}) otherwise they will be set (A_{mn}^{nm}) .

Underlining for special alphabets and typefaces should be done according to the following code:

Violet: Letters in formulae (l, O, o) to be distinguished from numerals (1, 0)

Brown: boldface (headings, boldface letters in

formulae)

Yellow: roman (abbreviations e.g. Re, Im, log,

sin, ord, id, lim, sup, etc.)

Red: Greek Green: script

Orange: special roman

Blue: Gothic Encircled: sanserif

The following are frequently confused and should be made unambiguous:

a', a^1 ; the symbol a and the indefinite article a;

c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z

Please take care to distinguish these capital letters by double underlining.

C. Examples

1. Special alphabets or typefaces

also the handwritten letters:

Boldface A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U,

V, W, X, Y, Z

Greek $\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu,$

 $\nu, \, \xi, \, o, \, \pi, \, \varrho, \, \sigma, \, \tau, \, \nu, \, \varphi, \, \phi, \, \chi, \, \psi, \, \omega$

Script $\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{2}, \mathcal{R}, \mathcal{F}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{C}, \mathcal{C$

 $W, \mathcal{X}, \mathcal{Y}, \mathcal{Z}$ a, b, c, d, e, f, g, h, i, j, k, l, m, n, c, p, q, r, s, t, u, v, w, x, y, z

Special roman A, B, C, ID, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, 1

Gothic

A, B, C, D, E, F, G, F, I, I, R, L, M, E, M, N, D, B, D, R, S, I, U, B, M, X, P, 3

a, b, c, b, e, f, g, h, i, j, f, I, m, n, o, p, q, r, s, t, u, v, w, x, n, z

Sanserif A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z

Final check:

- All formula characters unambiguous?
- Information on title page complete (title, name(s) of author(s), institute(s), complete address(es)?
- All figures enclosed?
- References complete and cross-checked?
- Text and end of theorems, lemmas etc. marked?
- Short running title given?
- Summary for Zentralblatt für Mathematik enclosed?

From Perturbative to Constructive Renormalization

Vincent Rivasseau


The last decade has seen striking progress in the subject of renormalization in quantum field theory. The old subject of perturbative renormalization has been revived by the use of powerful methods such as multiscale decompositions; precise estimates have been added to the initial theorems on finiteness of renormalized perturbation theory, with new results on its large order asymptotics. Furthermore, constructive field theory has reached one of its major goals, the mathematically rigorous construction of some renormalizable quantum field theories. Vincent Rivasseau, who has been actively involved in these developments, now describes them for a wider audience.

Cloth: \$45.00 ISBN 0-691-08530-7

Princeton University Press

PRICES ARE IN U.S. DOLLARS • ORDER FROM YOUR BOOKSELLER OR FROM ORDER DEPT., 3175 PRINCETON PIKE, LAWRENCEVILLE, NJ 08648 U.S.A.

E. Karkoschka, University of Arizona, Tuscon, AZ



The Observer's Sky Atlas

Translated from the German by E. Karkoschka 1990. VI, 130 pp. 60 figs. Softcover DM 26,-ISBN 3-540-51588-7

This sky atlas contains star charts and information for all those who observe the night sky with the naked eye, binoculars, or a small telescope, or who just wish to look at constellations and interesting objects. Equally useful for the beginning observer and the old hand, the atlas presents

- clearly arranged charts of all the stars visible with the naked eye (limiting magnitude 6^m)
- enlarged chart sections for binocular observation highlighting 250 interesting nebulae and stellar clusters (limiting magnitude 9^m)
- data on more than 1000 sky objects
- coordinates in equinox 2000.0
- distances of double stars until the year 2010


The Observer's Sky Atlas is a handy, indispensable companion for every observer.



^{□ 37-3,} Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan □ Room 701, Mirror Tower, 61 Mody Road, Tsimshatsui, Kowloon, Hong Kong □ Avinguda Diagonal, 468-4°C, E-08006 Barcelona



The magazine for mathematicians



US\$26.00 (suggested list price) plus carriage charges: FRG DM 11,93; other countries DM 17,75

Please hand to your bookseller or return to:

☐ Please send me a free sample copy

Address

Springer-Verlag Mathematics Marketing Tiergartenstraße 17 W-6900 Heidelberg F. R. Germany


])a	te/	2	ıgn	ıat	u	re

Name


Please note: I realize that I may cancel subscriptions within ten days by writing to the address on the order form, whereby the postmark date will suffice as proof that the cancellation was made within the deadline. I confirm my understanding of this by my second signature.

2nd signature: _

Textbooks on Theoretical Physics



1990. XIV. 431 pp. 144 figs. Softcover DM 68.-ISBN 3-540-52715-X



1990. IX, 191 pp. 50 figs. 16 colored plates. Softcover DM 34,-ISBN 3-540-52661-7

F.A. Scheck, University of Mainz

Mechanics

From Newton's Laws to Deterministic

A course in mechanics is of primary importance in any physics teaching program. Scheck's book integrates the various aspects of classical mechanics, relativistic mechanics, and modern topics such as deterministic chaos. Both the physical approach to mechanics and its mathematical foundations are emphasized. With elementary Newtonian mechanics as a starting point, the principles of canonical mechanics in Hamiltonian and Lagrangian formulations are outlined. Rigid bodies are treated in detail, and the basic concepts of special relativity are given. Particular emphasis is put on the geometrical aspects of mechanics, such as geometrical objects on manifolds. A chapter on stability and chaos concludes the book, introducing topics such as the long-time behavior of dynamical flows, deterministic chaos, and chaotic motion in celestial mechanics.

D. Stauffer, University of Cologne; H.E. Stanley, Boston, MA

From Newton to Mandelbrot

A Primer in Theoretical Physics

Translated from the German by A.H. Armstrong

From Newton to Mandelbrot takes the student on a tour of the most important landmarks of theoretical physics: classical, quantum, and statistical mechanics, relativity, electrodynamics, and, the most modern and exciting of all, the physics of fractals. The treatment is confined to the essentials of each area, and short computer programs, numerous problems, and beautiful colour illustrations round off this unusual textbook. Ideally

suited for a onevear course in theoretical physics it will prove indispensable in preparing and revising for exams.



 [☐] Heidelberger Platz 3, W-1000 Berlin 33, F.R Germany
 ☐ 175 Fitth Ave., New York, NY 10010, USA
 ☐ 8 Alexandra Rd., London SW 19 7JZ, England
 ☐ 26, rue des Carmes, F-75005 Paris, France □ 37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan □ Room 701 Mirror Tower, 61 Mody Road, Tsimshatsui, Kowloon, Hong Kong D Avinguda Diagonal, 468-4°C, E-08006 Barcelona, Spain

Mathematical Physics

Chief Editor A. Jaffe, Cambridge, MA

Editorial Board M. Aizenman, Princeton, NJ

H. Araki, Kyoto

A. Connes, Bures-sur-Yvette J.-P. Eckmann, Genève

M. E. Fisher, College Park, MD

J. Fröhlich, Zürich

K. Gawedzki, Bures-sur-Yvette

M. Herman, Palaiseau

J. L. Lebowitz, New Brunswick, NJ N. Yu. Reshetikhin, Cambridge, MA

B. Simon, Pasadena, CA Ya. G. Sinai, Moscow T. Spencer, Princeton, NJ S.-T. Yau, Cambridge, MA

Advisory Board M. F. Atiyah, Oxford

F. Hirzebruch, Bonn G. 't Hooft, Utrecht

R. Schrieffer, Santa Barbara, CA

I. Singer, Cambridge, MA C. N. Yang, Stony Brook, NY