HIROSHIMA MATHEMATICAL JOURNAL

VOLUME 40, NUMBER 1

MARCH, 2010

PUBLISHED BY

DEPARTMENT OF MATHEMATICS GRADUATE SCHOOL OF SCIENCE HIROSHIMA UNIVERSITY

Hiroshima Mathematical Journal

Editors

Kunimochi SAKAMOTO	(Managing Editor)
Yoshio AGAOKA	Akihiko INOUE
Seiichi KAMADA	Ryo KOBAYASHI
Makoto MATSUMOTO	Yoshihiro MIZUTA
Toshitaka NAGAI	Tatsuyuki NAKAKI
Hiraku NISHIMORI	Makoto SAKUMA
Ichiro SHIMADA	Hirofumi WAKAKI
Masafumi YOSHINO	

Hiroshima Mathematical Journal is a continuation of Journal of Science of the Hiroshima University, Series A, Vol. 1~Vol. 24 (1930~1960) and Journal of Science of the Hiroshima University, Series A-I, Vol. 25~34 (1961~1970).

Starting with Volume 4 (1974), each volume of Hiroshima Mathematical Journal consists of three numbers annually. This journal publishes original papers in pure and applied mathematics.

Copyright © by Editorial Board of Hiroshima Mathematical Journal Department of Mathematics, Graduate School of Science, Hiroshima University

> Printed by Letterpress Co., LTD. Hiroshima, Japan

Instructions for Authors

- 1. Manuscripts should be written in English and should contain
 - (i) title
 - (ii) name(s) of author(s)
 - (iii) abstract
 - (iv) 2000 Mathematics Subject Classification Numbers, and key words and phrases
 - (v) body of the paper
 - (vi) references
 - (vii) affiliation(s), address(es) and e-mail address(es)

in this order. For symbols and style conventions, authors should consult current issues of the journal. Color printing may be accepted with some possible charge.

- 2. Manuscripts should be submitted in duplicate to the HMJ office. Attached should be a separated sheet containing
 - (a) the title of the paper
 - (b) the mailing address (and an e-mail address) of the author who is responsible for proof-readings
 - (c) the running title (condensed title of less than 30 characters).

The manuscript will not usually be returned to the author.

It is preferred that manuscripts be prepared using the LaTeX2e style file of HMJ, which is available from the HMJ webpage, with no special macros. Then it is only necessary for the author to submit a LaTeX source file together with a pdf file (or a dvi file) and (a), (b) and (c) to the HMJ office by e-mail. If we have a trouble in handling the files, then the author may be asked to send a printed manuscript as well.

The LaTeX style file of HMJ, its documentation, and a sample tex file can be obtained from the HMJ webpage.

- 3. When the manuscript is accepted for publication, the author will be asked for the LaTeX source file and the pdf file (the dvi file) which must be identical to that of the final version of the manuscript.
- 4. The pdf files of papers published in the journal will be offered to the public without charge on the HMJ webpage. The author will be asked to give consent for the journal to publish electronically as well as in print. Authors reserve the right to post their papers on the authors' homepages.
- 5. Authors of papers published in the journal will have a total of 50 offprints for papers without charge.
- 6. The address and the e-mail address of the HMJ office are:

Hiroshima Mathematical Journal Department of Mathematics Graduate School of Science Hiroshima University Higashi-Hiroshima 739-8526 Japan Tel: +81-82-424-7350

Fax: +81-82-424-0710 E-mail: hmj@math.sci.hiroshima-u.ac.jp HMJ webpage: http://www.math.sci.hiroshima-u.ac.jp/hmj/index.html

CONTENTS

S. SATOH: A note on the sheet numbers of twist-spun knots	PAGE 1
5. SATON. A note on the sheet numbers of twist-spun knots	. 1
T. TERADA and H. YANAGIHARA: Sharp distortion estimates for <i>p</i> -Bloch functions	
N. NAKAGAWA: Moduli spaces for secondary Hopf surfaces	. 37
Ch. G. PHILOS and I. K. PURNARAS: An asymptotic result for second order linear nonautonomous neutral delay differential equations	
Y. JIAO: A note on singular integral operators with non doubling measures	. 65
M. KAWASHIMA: On the fundamental group of the complement of linear torus curves of maximal contact	
Y. SEKITANI and M. SHIROSAKI: On meromorphic functions sharing two one-point sets and two three-point sets	
Z. ASSYLBEKOV: Convergence rate of multinomial goodness-of-fit statistics to chi-square distribution	