THE ANNALS
of
STATISTICS

AN OFFICIAL JOURNAL OF
THE INSTITUTE OF MATHEMATICAL STATISTICS

VOLUME 13

1985

Institute of Mathematical Statistics is collaborating with JSTOR to digitize, preserve, and extend access to *The Annals of Statistics.*
www.jstor.org

CONTENTS OF VOLUME 13

Articles, Invited Papers, and Short Communications

ABRAMOVITCH, LAVY AND SINGH, KESAR. Edgeworth corrected pivotal statistics and the bootstrap 116–132

ANDERSON, T. W., STEIN, CHARLES AND ZAMAN, ASAD. Best invariant estimation of a direction parameter 526–533

ANSLEY, CRAIG F. AND KOHN, ROBERT. Estimation, filtering, and smoothing in state space models with incompletely specified initial conditions 1286–1316

ASSAF, DAVID AND ZAMIR, SHMUEL. Optimal sequential search: A Bayesian approach 1213–1221

BASSETT, GILBERT AND KOENKER, ROGER. On Boscovich's estimator 1625–1628

BERAN, RUDOLF AND SRIVASTAVA, MUNI S. Bootstrap tests and confidence regions for functions of a covariance matrix 95–115

BERRY, DONALD A. AND CLAYTON, MURRAY K. Bayesian nonparametric bandits 1523–1534

BOOKSTEIN, FRED L. Discussion 481

BOOS, DENNIS D. A converse to Scheffé's theorem 423–427

BORGAN, ØRNULF AND RAMLAU-HANSEN, HENRIK. Demographic incidence rates and estimation of intensities with incomplete information 564–582

BOYLES, R. A., MARSHALL, A. W. AND PROSCHAN, F. Inconsistency of the maximum likelihood estimator of a distribution having increasing failure rate average 413–417

BRESLOW, NORMAN AND MOORE, DIRK. Discussion 875–876

BROWN, L. D. AND FARRELL, R. H. All admissible linear estimators of a multivariate Poisson mean 282–294

BROWN, L. D. AND FARRELL, R. H. Complete class theorems for estimation of multivariate Poisson means and related problems 706–726

BROWN, MARK. A measure of variability based on the harmonic mean, and its use in approximations 1239–1243

BUJA, ANDREAS AND STUETZLE, WERNER. Discussion 484–490

CARROLL, RAYMOND J. AND STEFANSKI, LEONARD A. Covariate measurement error in logistic regression 1335–1351

CHENG, PING AND WU, C. F. J. Discussion 490–493

CHOW, YUN-SHYONG AND GRENANDER, ULF. A sieve method for the spectral density 998–1010

CLAYTON, MURRAY K. AND BERRY, DONALD A. Bayesian nonparametric bandits 1523–1534

CLAYTON, MURRAY K. A Bayesian nonparametric sequential test for the mean of a population 1129–1139

COHEN, MICHAEL P. AND KUO, LYNN. The admissibility of the empirical distribution function 262–271

COHEN, ARTHUR, LO, SHAW-HWA AND SINGH, KESAR. Estimating a quantile of a symmetric distribution 1114–1128

COLLINS, JOHN R. AND WIENS, DOUGLAS P. Minimax variance M-estimators in ϵ-contamination models 1078–1096
COX, D. R. Discussion 493–494
CROWLEY, JOHN AND TSAI, WEI-YANN. A large sample study of generalized maximum likelihood estimators from incomplete data via self-consistency 1317–1334
CSÖRGŐ, SÁNDOR, DEHEUVELS, PAUL AND MASON, DAVID. Kernel estimates of the tail index of a distribution 1050–1077
CUZICK, JACK. Asymptotic properties of censored linear rank tests 133–141
DAVIS, LINDA JUNE. Consistency and asymptotic normality of the minimum logit chi-squared estimator when the number of design points is large 947–957
DAWID, A. P. Calibration-based empirical probability 1251–1273
DAWID, A. P. Rejoinder 1283
DEHEUVELS, PAUL, CSÖRGŐ SÁNDOR AND MASON, DAVID. Kernel estimates of the tail index of a distribution 1050–1077
DEVROYE, LUC. A note on the L_1 consistency of variable kernel estimates 1041–1049
DEY, DIPAK K. AND SRINIVASAN, C. Estimation of a covariance matrix under Stein's loss 1581–1591
DIACONIS, PERSI. Discussion 494–496
DIACONIS, PERSI AND EFRON, BRADLEY. Testing for independence in a two-way table: New interpretations of the chi-square statistic 845–874
DIACONIS, PERSI AND EFRON, BRADLEY. Rejoinder 905–913
DICKEY, JAMES M. Discussion 877–881
DONOHO, DAVID, JOHNSTONE, IAIN, ROUSSEEUW, PETER AND STAHEL, WERNER. Discussion 496–499
DOSS, HANI. Bayesian nonparametric estimation of the median; part I: Computation of the estimates 1432–1444
DOSS, HANI. Bayesian nonparametric estimation of the median; part II: Asymptotic properties of the estimates 1445–1464
EFRON, BRADLEY AND DIACONIS, PERSI. Testing for independence in a two-way table: New interpretations of the chi-square statistic 845–874
EFRON, BRADLEY AND DIACONIS, PERSI. Rejoinder 905–913
FAHRMEIR, LUDWIG AND KAUFMANN, HEINZ. Consistency and asymptotic normality of the maximum likelihood estimator in generalized linear models 342–368
FALK, MICHAEL. Asymptotic normality of the kernel quantile estimator 428–433
FARRELL, R. H. AND BROWN, L. D. All admissible linear estimators of a multivariate Poisson mean 282–294
FARRELL, R. H. AND BROWN, L. D. Complete class theorems for estimation of multivariate Poisson means and related problems 706–726
FAREWELL, V. T., MATTHEWS, D. E. AND PYKE, R. Asymptotic

score-statistic processes and tests for constant hazard against a change-point alternative 583–591
FIENBERG, STEPHEN E. Discussion 882–884
FINSTER, MARK. Estimation in the general linear model when the accuracy is specified before data collection 663–675
FREES, EDWARD W. AND RUPPERT, DAVID. Sequential nonparametric age replacement policies 650–662
FRIEDMAN, JEROME H. Discussion 475–481
FUJIKOSHI, YASUNORI. An error bound for an asymptotic expansion of the distribution function of an estimate in a multivariate linear model 827–831
GENEST, CHRISTIAN AND SCHERVISH, MARK J. Modeling expert judgments for Bayesian updating 1198–1212
GHOSH, MALAY, MEEDAN, GLEN, AND VARDEMAN, STEPHEN. Some admissible nonparametric and related finite population sampling estimators 811–817
GNANADESIKAN, R. AND KETTENRING, J. R. Discussion 500–502
GOODMAN, LEO A. The analysis of cross-classified data having ordered and/or unordered categories: Association models, correlation models, and asymmetry models for contingency tables with or without missing entries 10–69
GOODMAN, LEO A. Discussion 887–892
GOOD, I. J. Discussion 885–886
GRAY, ROBERT J. AND PIERCE, DONALD A. Goodness-of-fit tests for censored survival data 552–563
GRENANDER, ULF AND CHOW, YUN-SHYONG. A sieve method for the spectral density 998–1010
GUTTORP, PETER AND SIEGEL, ANDREW F. Consistent estimation in partially observed random walks 958–969
HAEUSLER, E. AND TEUGELS, J. L. On asymptotic normality of Hill's estimator for the exponent of regular variation 743–756
HALLIN, MARC, INGENBLEEK, JEAN-FRANCOIS AND PURI, MADAN L. Linear serial rank tests for randomness against ARMA alternatives 1156–1181
HALL, PETER AND WELSH, A. H. Adaptive estimates of parameters of regular variation 331–341
HARTIGAN, J. A. AND HARTIGAN, P. M. The dip test of unimodality 70–84
HARTIGAN, P. M. AND HARTIGAN, J. A. The dip test of unimodality 70–84
HASTIE, TREVOR AND TIBSHIRANI, ROBERT. Discussion 502–508
HATHAWAY, RICHARD J. A constrained formulation of maximum-likelihood estimation for normal mixture distributions 795–800
HÄRDLE, WOLFGANG AND MARRON, JAMES STEPHEN. Optimal bandwidth selection in nonparametric regression function estimation 1465–1481

HECKMAN, NANCY E. A local limit theorem for a biased coin design for sequential tests 785–788
HECKMAN, NANCY E. A sequential probability ratio test using a biased coin design 789–794
HEDAYAT, A. S. AND MAJUMDAR, DIBYEN. Families of A-optimal block designs for comparing test treatments with a control ... 757–767
HUBER, PETER J. Projection Pursuit 435–475
HUBER, PETER J. Rejoinder 522–525
HUDSON, H. M. Adaptive estimators for simultaneous estimation of Poisson means 246–261
HU, INCHI. A uniform bound for the tail probability of Kolmogorov-Smirnov statistics 821–826
HWANG, JIUNN TZON. Universal domination and stochastic domination: Estimation simultaneously under a broad class of loss functions 295–314
INGENBLEEK, JEAN-FRANCOIS, PURI, MADAN L. AND HALLIN, MARC. Linear serial rank tests for randomness against ARMA alternatives 1156–1181
JANSSEN, P., JUREČKOVÁ, J. AND VERAVERBEKE, N. Rate of convergence of one- and two-step M-estimators with applications to maximum likelihood and Pitman estimators 1222–1229
JOHNSON, DALLAS E. AND NEILL, JAMES W. Testing linear regression function adequacy without replication 1482–1489
JOHNSTONE, IAIN, ROUSSEEUW, PETER, STAHEL, WERNER AND DONOHO, DAVID. Discussion 496–499
JONES, M. C. Discussion 508–510
JUPP, P. E. AND SPURR, B. D. Sobolev tests for independence of directions 1140–1155
JUREČKOVÁ, J., VERAVERBEKE, N. AND JANSSEN, P. Rate of convergence of one- and two-step M-estimators with applications to maximum likelihood and Pitman estimators 1222–1229
KALLENBERG, WILBERT C. M. On moderate and large deviations in multinomial distributions 1554–1580
KARIYA, TAKEAKI AND SINHA, BIMAL KUMAR. Nonnull and optimality robustness of some tests 1182–1197
KAUFMANN, HEINZ AND FAHRMEIR, LUDWIG. Consistency and asymptotic normality of the maximum likelihood estimator in generalized linear models 342–368
KEENAN, DANIEL MACRAE. Asymptotic properties of minimization estimators for time series parameters 369–382
KEENER, ROBERT. Further contributions to the "two-armed bandit" problem 418–422
KERSHAW, CHRISTOPHER D. Asymptotic properties of $\overline{w}$, an estimator of the ED50 suggested for use in up-and-down experiments in bio-assay 85–94
KETTENRING, J. R. AND GNANADESIKAN, R. Discussion 500–502

KOENKER, ROGER AND BASSETT, GILBERT. On Boscovich's estimator 1625–1628
KOHN, ROBERT AND ANSLEY, CRAIG F. Estimation, filtering, and smoothing in state space models with incompletely specified initial conditions 1286–1316
KUO, LYNN AND COHEN, MICHAEL P. The admissibility of the empirical distribution function 262–271
LAMBERT, DIANE. Robust two-sample permutation tests 606–625
LARICCIA, VINCENT N. AND MASON, DAVID M. Optimal goodness-of-fit tests for location/scale families of distributions based on the sum of squares of L-statistics 315–330
LAU, TAI-SHING AND STUDDEN, W. J. Optimal designs for trigonometric and polynomial regression using canonical moments . 383–394
LEONARD, TOM. Discussion 893–897
LINDSAY, BRUCE G. Using empirical partially Bayes inference for increased efficiency 914–931
LIU, REGINA Y. C. AND VAN RYZIN, JOHN. A histogram estimator of the hazard rate with censored data 592–605
LI, KER-CHAU. From Stein's unbiased risk estimates to the method of generalized cross-validation 1352–1377
LO, SHAW-HWA. Estimation of a symmetric distribution 1097–1113
LO, SHAW-HWA, SINGH, KESAR AND COHEN, ARTHUR. Estimating a quantile of a symmetric distribution 1114–1128
MAJUMDAR, DIBYEN AND HEDAYAT, A. S. Families of A-optimal block designs for comparing test treatments with a control . . . 757–767
MALLOWS, C. L. Discussion on Vardi's paper 204–205
MARDEN, JOHN I. Combining independent one-sided noncentral t or normal mean tests 1535–1553
MARRON, JAMES STEPHEN AND HÄRDLE, WOLFGANG. Optimal bandwidth selection in nonparametric regression function estimation 1465–1481
MARRON, JAMES STEPHEN. An asymptotically efficient solution to the bandwidth problem of kernel density estimation 1011–1023
MARSHALL, A. W., BOYLES, R. A., AND PROSCHEN, F. Inconsistency of the maximum likelihood estimator of a distribution having increasing failure rate average 413–417
MASON, DAVID M. AND LARICCIA, VINCENT N. Optimal goodness-of-fit tests for location/scale families of distributions based on the sum of squares of L-statistics 315–330
MASON, DAVID, CSÖRGŐ, SÁNDOR AND DEHEUVELS, PAUL. Kernel estimates of the tail index of a distribution 1050–1077
MATTHEWS, D. E., FAREWELL, V. T. AND PYKE, R. Asymptotic score-statistic processes and tests for constant hazard against a change-point alternative 583–591
MAURO, DAVID. A combinatoric approach to the Kaplan-Meier estimator 142–149

McCULLAGH, PETER AND PREGIBON, DARYL. Discussion 898–900
MEEDAN, GLEN, GHOSH, MALAY AND VARDEMAN, STEPHEN. Some admissible nonparametric and related finite population sampling estimators 811–817
MILLER, JR., RUPERT G. Discussion 510–513
MOORE, DIRK AND BRESLOW, NORMAN. Discussion 875–876
NATARAJAN, JAYALAKSHMI AND STRAWDERMAN, WILLIAM E. Two-stage sequential estimation of a multivariate normal mean under quadratic loss 1509–1522
NEILL, JAMES W. AND JOHNSON, DALLAS E. Testing linear regression function adequacy without replication 1482–1489
NUSSBAUM, MICHAEL. Spline smoothing in regression models and asymptotic efficiency in L_2 984–997
OEHLERT, GARY W. The random average mode estimator 1418–1431
PIEGORSCH, WALTER W. Admissible and optimal confidence bands in simple linear regression 801–810
PIERCE, DONALD A. AND GRAY, ROBERT J. Goodness-of-fit tests for censored survival data 552–563
PIERCE, DONALD A. Discussion 901–902
PLACKETT, R. L. Discussion 903
POLLAK, MOSHE. Optimal detection of a change in distribution .. 206–227
PORTNOY, STEPHEN. Asymptotic behavior of M-estimators of p regression parameters when p^2/n is large II: Normal approximation 1403–1417
PREGIBON, DARYL AND McCULLAGH, PETER. Discussion 898–900
PROSCHEN, F., BOYLES, R. A., AND MARSHALL, A. W. Inconsistency of the maximum likelihood estimator of a distribution having increasing failure rate average 413–417
PURI, MADAN L., HALLIN, MARC AND INGENBLEEK, JEAN-FRANCOIS. Linear serial rank tests for randomness against ARMA alternatives 1156–1181
PYKE, R., MATTHEWS, D. E., AND FAREWELL, V. T. Asymptotic score-statistic processes and tests for constant hazard against a change-point alternative 583–591
QUANG, PHAM XUAN. Robust sequential testing 638–649
QUINE, M. P. AND ROBINSON, J. Efficiencies of chi-square and likelihood ratio goodness-of-fit tests 727–742
RAMLAU-HANSEN, HENRIK AND BORGAN, ØRNULF. Demographic incidence rates and estimation of intensities with incomplete information 564–582
REEDS, JAMES A. Asymptotic number of roots of Cauchy location likelihood equations 775–784
RITOV, YA'ACOV. Robust Bayes decision procedures: Gross error in the data distribution 626–637
ROBINSON, J. AND QUINE, M. P. Efficiencies of chi-square and likelihood ratio goodness-of-fit tests 727–742
ROSENBLATT AND F. J. SAMANIEGO, M. Julius R. Blum 1922–1982 1–9

ROTH, ARTHUR J. Variances of the Kaplan-Meier estimator and its quantiles under certain fixed censoring models 1230–1238
ROUSSEEUW, PETER, STAHEL, WERNER, DONOHO, DAVID AND JOHNSTONE, IAIN. Discussion 496–499
RUKHIN, ANDREW. Estimating a ratio of normal parameters 1616–1624
RUPPERT, DAVID. A Newton-Raphson version of the multivariate Robbins-Monro procedure 236–245
RUPPERT, DAVID AND FREES, EDWARD W. Sequential nonparametric age replacement policies 650–662
SALEH, A. K. MD. EHSANES AND SEN, PRANAB KUMAR. On some shrinkage estimators of multivariate location 272–281
SCHÄFER, HELMUT. A note on data-adaptive kernel estimation of the hazard and density function in the random censorship situation 818–820
SCHERVISH, MARK J. Discussion 1274–1282
SCHERVISH, MARK J. AND GENEST, CHRISTIAN. Modeling expert judgments for Bayesian updating 1198–1212
SCOTT, DAVID W. Averaged shifted histograms: Effective nonparametric density estimators in several dimensions 1024–1040
SEN, PRANAB KUMAR AND SALEH, A. K. MD. EHSANES. On some shrinkage estimators of multivariate location 272–281
SHEPP, L. A. Discussion 513–515
SIEGEL, ANDREW F. AND GUTTORP, PETER. Consistent estimation in partially observed random walks 958–969
SILVAPULLÉ, MERVYN J. Asymptotic behavior of robust estimators of regression and scale parameters with fixed carriers 1490–1497
SINGH, KESAR, COHEN, ARTHUR AND LO, SHAW-HWA. Estimating a quantile of a symmetric distribution 1114–1128
SINGH, KESAR AND ABRAMOVITCH, LAVY. Edgeworth corrected pivotal statistics and the bootstrap 116–132
SINHA, BIMAL KUMAR AND KARIYA, TAKEAKI. Nonnull and optimality robustness of some tests 1182–1197
SKOVGAARD, IB M. A second order investigation of asymptotic ancillarity 534–551
SPECKMAN, PAUL. Spline smoothing and optimal rates of convergence in nonparametric regression models 970–983
SPROULE, RAYMOND N. Sequential nonparametric fixed-width confidence intervals for U-statistics 228–235
SPURR, B. D. AND JUPP, P. E. Sobolev tests for independence of directions 1140–1155
SRINIVASAN, C. AND DEY, DIPAK K. Estimation of a covariance matrix under Stein's loss 1581–1591
SRIVASTAVA, MUNI S. AND BERAN, RUDOLF. Bootstrap tests and confidence regions for functions of a covariance matrix 95–115
STADJE, WOLFGANG. Estimation problems for samples with measurement errors 1592–1615
STAHEL, WERNER, DONOHO, DAVID, JOHNSTONE, IAIN AND

ROUSSEEUW, PETER. Discussion 496–499
STEFANSKI, LEONARD A. AND CARROLL, RAYMOND J. Covariate measurement error in logistic regression 1335–1351
STEIN, CHARLES, ZAMAN, ASAD AND ANDERSON, T. W. Best invariant estimation of a direction parameter 526–533
STIJNEN, THEO. On the asymptotic behaviour of empirical Bayes tests for the continuous one-parameter exponential family 403–412
STONE, CHARLES J. Additive regression and other nonparametric models 689–705
STRAWDERMAN, WILLIAM E. AND NATARAJAN, JAYALAKSHMI. Two-stage sequential estimation of a multivariate normal mean under quadratic loss 1509–1522
STUDDEN, W. J. AND LAU, TAI-SHING. Optimal designs for trigonometric and polynomial regression using canonical moments . 383–394
STUETZLE, WERNER AND BUJA, ANDREAS. Discussion 484–490
SUNDBERG, ROLF. Discussion 903–904
SWITZER, PAUL. Discussion 515–517
TEUGELS, J. L. AND HAEUSLER, E. On asymptotic normality of Hill's estimator for the exponent of regular variation 743–756
TIBSHIRANI, ROBERT AND HASTIE, TREVOR. Discussion 502–508
TSAI, WEI-YANN AND CROWLEY, JOHN. A large sample study of generalized maximum likelihood estimators from incomplete data via self-consistency 1317–1334
TUKEY, JOHN. Discussion 517–518
VAN DAWEN, R. A note on the characterization of optimal return functions and optimal strategies for gambling problems 832–835
VAN RYZIN, JOHN AND LIU, REGINA Y. C. A histogram estimator of the hazard rate with censored data 592–605
VARDI, Y. Empirical distributions in selection bias models 178–203
VERAVERBEKE, N., JANSSEN, P. AND JUREČKOVÁ, J. Rate of convergence of one- and two-step M-estimators with applications to maximum likelihood and Pitman estimators 1222–1229
WAHBA, GRACE. A comparison of GCV and GML for choosing the smoothing parameter in the generalized spline smoothing problem 1378–1402
WAHBA, GRACE. Discussion 518–521
WANG, JANE-LING. Strong consistency of approximate maximum likelihood estimators with applications in nonparametrics 932–946
WEI, C. Z. Asymptotic properties of least-squares estimates in stochastic regression models 1498–1508
WELLNER, JON A. A heavy censoring limit theorem for the product limit estimator 150–162
WELSH, A. H. AND HALL, PETER. Adaptive estimates of parameters of regular variation 331–341
WIENS, DOUGLAS P. AND COLLINS, JOHN R. Minimax variance M-estimators in ε-contamination models 1078–1096

WIJSMAN, ROBERT A. Proper action in steps, with application to density ratios of maximal invariants 395–402
WOODROOFE, MICHAEL. Estimating a distribution function with truncated data 163–177
WOODROOFE, MICHAEL. Asymptotic local minimaxity in sequential point estimation 676–688
WU, C. F. J. AND CHENG, PING. Discussion 490–493
YATRACOS, YANNIS G. Rates of convergence of minimum distance estimators and Kolmogorov's entropy 768–774
ZAMAN, ASAD, ANDERSON, T. W. AND STEIN, CHARLES. Best invariant estimation of a direction parameter 526–533
ZAMIR, SHMUEL AND ASSAF, DAVID. Optimal sequential search: A Bayesian approach 1213–1221

Corrections

CHALONER, KATHRYN. Correction to "Optimal Bayesian experimental design for linear models" 836
DAVIS, LINDA JUNE. Comments on a paper by T. Amemiya on estimation in a dichotomous logit regression model 1629
JOSHI, V. M. A conjecture of Berry regarding a Bernoulli two-armed bandit 1249
WOODROOFE, MICHAEL AND TAKAHASHI, HAJIME. Correction to "Asymptotic expansions for the error probabilities of some repeated significance tests" 837

Book Reviews

SILVERMAN, BERNARD W. Reviews of *Nonparametric Functional Estimation* by B. L. S. Prakasa Rao and *Nonparametric Density Estimation: The L_1 View* by Luc DeVroye and László Györfi 1630–1638
BINGHAM, CHRISTOPHER. A review of *Statistics on Spheres* by Geoffrey S. Watson 838–844