Applied Dynamic Programming

By Richard Bellman and Stuart Dreyfus

Dynamic Programming has become more and more widely known and adopted as a valuable tool for the treatment of many challenging problems confronting decision-making agencies in the economic, industrial, scientific, and even political spheres of modern life. Not only graduate students in mathematics and economics, but also engineers and research workers in "operations analysis" will find interest in the book as it takes them into the computational aspects of applying the techniques of dynamic programming. A RAND Corporation Research Study.

400 pages. \$8.50

Guide to Tables in Mathematical Statistics

By J. Arthur Greenwood and H. O. Hartley

This Guide catalogues a large selection of tables belonging to the field of mathematical statistics, the bulk of which were originally issued between 1900 and 1954, but some of which relate to works as early as 1799 and as late as 1960. As well as filling a need for those actively engaged in the computational side of mathematical statistics, this work offers valuable reference to the professional computer faced with a statistical problem and to the statistician called upon to compute.

1075 pages. \$8.50



Order from your bookstore, or
PRINCETON UNIVERSITY PRESS
Princeton, New Jersey

Have You Completed the *Questionnaire* of the MATHEMATICS AND STATISTICS SECTION

of the

NATIONAL REGISTER OF SCIENTIFIC AND TECHNICAL PERSONNEL?

On behalf of the Institute of Mathematical Statistics and various mathematical organizations the American Mathematical Society is assembling and maintaining a register of mathematicians, statisticians, and mathematical scientists. The mathematics register is a section of the National Register of Scientific and Technical Personnel, which is an official responsibility of the National Science Foundation.

The main objective of the Register is to provide up-to-date information on the scientific manpower resources of the United States. It is also increasingly valuable to our profession as a source of statistical information.

At the request of the National Science Foundation, the American Mathematical Society has mailed the 1962 reporting forms to its section in the National Register. We are counting again on the splendid cooperation accorded to the previous cycle of the Register by most of the mathematicians and mathematical scientists.

If you received a National Register questionnaire from the American Mathematical Society, won't you please fill it in now and send it to the Headquarters Offices of the Society at 190 Hope Street, Providence 6, Rhode Island.

If you have never received a questionnaire and feel that you are qualified for inclusion in the Register, please send a note to that effect to the above address.

Albert H. Bowker President

Russian-English Dictionary of Mathematical Terms

Compiled by A. J. Lohwater in collaboration with S. H. Gould

COMPLETE COVERAGE OF ALL BRANCHES OF MATHEMATICS

15000 definitions grammar section

288 pages \$7.70

25% discount to members

AMERICAN MATHEMATICAL SOCIETY

190 HOPE STREET,

PROVIDENCE 6, RHODE ISLAND

INTERNATIONAL JOURNAL OF ABSTRACTS STATISTICAL THEORY AND METHOD

A Journal of the International Statistical Institute

The aim of this journal of abstracts is to give complete coverage of published papers in the field of statistical theory (including associated aspects of probability and other mathematical methods) and new published contributions to statistical method.

All contributions in the following five journals—being wholly devoted to this field—are abstracted: Annals of Mathematical Statistics; Biometriks; Journal, Royal Statistical Society (Series B); Bulletin of Mathematical Statistics; Annals, Institute of Statistical Mathematics; and a further group of six journals are abstracted on a virtually complete basis as follows: Biometrics; Metron; Review, International Statistical Institute; Technometrics; Sankhyā. There are about 250 other journals partly devoted to statistical theory and method from which the appropriate papers are abstracted.

The abstracts are about 400 words long—the recommendation of UNESCO for the "long" abstract service: they are in the English language although the original language of the paper is noted on the abstract together with the name of the abstractor. In addition the address of the author(s) are given in detail to facilitate contact in order to obtain further detail or request an off-print. The journal is published quarterly and contains approximately 1000 abstracts per year.

A scheme of classification has been developed for the abstracts that is flexible and facilitates the transfer of code numbers to punched cards. A unique aspect of this journal is that the pages are colour-tinted according to the main sections of classification. This method of colour-coding the pages provides a distinctive and powerful visual aid in the identification of abstracts in whatever manner the journal is filed for reference.

Annual Subscription

£5 (U.S.A. and Canada \$16.00)

Single Number

30s. (U.S.A. and Canada \$4.50)

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1

JOURNAL OF THE AMERICAN STATISTICAL ASSOCIATION

Number 298 Volume 57 June, 1962

On the Foundations of Statistical Inference	stephan Severo Daniel
Development of Sampling Plans by Using Sequential (Item by Item) Selection Techniques and Computers	Digital Cezucha dberger ung Li ngman egative . Rider Takács

For further information, please contact:

AMERICAN STATISTICAL ASSOCIATION

810 18th Street, N.W.

Washington 6, D. C.

BIOMETRIKA

Volume 49, Parts 1 and 2

Contents

June 1962

Leslie, P. H. A stochastic model for two competing species of Tribolium and its application to some experimental data. Sampford, M. R. Methods of cluster sampling with and without replacement for clusters of unequal sizes. Schreddern, M. A. and Armitage, P. A family of closed sequential procedures. Watson, G. S. Goodness-of-fit tests on a circle. II. Mosimann, James E. On the compound multinomial distribution, the multivariate B-distribution, and correlations among proportions. Attquilam, M. The estimation of residual variance in quadratically balanced least-squares problems and the robustness of the F-test. Box, G. E. P. and Watson, G. S. Robustness to non-mornality of regression tests. Young, D. H. Two alternatives to the standard \(\frac{\chi}{2} \) etc. At the hypothesis of equal cell frequencies. Walker, A. M. Large-sample estimation of parameters for autoregressive processes with moving-average residuals. Kendall, M. G. Ranks and measures. Daniels, H. E. Processes generating permutation expansions. Parry, William, Ergodic properties of some permutation processes. Saw, J. G. Efficient moment estimators when the variables are dependent with special reference to type II censored normal data. Tanner, J. C. A thocretical analysis of delays at an uncontrolled intersection. Page, E. S. A modified control chartwith warning lines. Snow, Barbara A. S. The third moment of Kendall's tau in normal samples. Pearson, E. S. and Snow, Barbara A. S. Tests for rank correlation coefficients III. Distribution of the transformed Kendall coefficient. Shenton, L. R. and Wallington, P. A. The bias of moment estimators with an application to the negative binomial distribution. Bradlet, Ralph A. and Gart, John J. The asymptotic properties of ML estimators when sampling from associated populations. Katti, S. K. and Guilland, John. Efficiency of certain methods of estimation for the negative binomial and the Newman type A distributions. Patti, G. P. Maximum likelihood estimation for the negative binomial and the Newman type A distri

Miscellanea: Contributions by G. G. Alway; H. E. Daniels; W. J. Ewens and P. D. Finch; J. Gani; Gerald J. Glasser; E. J. Hannan; Shirley E. Hitchcock; Joseph B. Keller; A. M. Kshirsagar; J. L. Mott; R. S. Pinkham; G. P. Steck and D. B. Owen; P. S. Swamy; J. S. Williams; J. Wise.

Reviews Other Books Received Corrigenda

The subscription, payable in advance, is 54/- (Or \$8.00) per volume (including postage). Cheques should be made payable to Biometrika, crossed "a/c Biometrika Trust" and sent to The Secretary, Biometrika Office, University College, London, W.C.1. All foreign cheques must be drawn on a Bank having a London agency.

Issued by THE BIOMETRIKA OFFICE, University College, London.

THE INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

OFFICERS

President:

A. H. Bowker, Department of Statistics, Stanford University, Stanford, California

President-Elect:

T. W. Anderson, Department of Mathematical Statistics, Columbia University, New York 27, New York

Secretary:

G. E. Nicholson, Jr., Department of Statistics, University of North Carolina, Chapel Hill, North Carolina

Treasurer:

Gerald Lieberman, Institute of Mathematical Statistics, Sequoia Hall, Stanford University, Stanford, California

Editor:

J. L. Hodges, Jr., Department of Statistics, University of California, Berkeley 4, California

The purpose of the Institute of Mathematical Statistics is to encourage the development, dissemination, and application of mathematical statistics.

Membership dues including a subscription to the ANNALS OF MATHE-MATICAL STATISTICS are \$10.00 per year for residents of the United States or Canada and \$5.00 per year for residents of other countries. There are special rates for students and for some other classes of members. Inquiries regarding membership in the Institute should be sent to the Treasurer of the Institute.

Membership in the Institute of Mathematical Statistics is not required of authors of papers in the Annals of Mathematical Statistics, and the fact of membership or non-membership is given no weight in the consideration of submitted manuscripts.

Contents (Continued)

Conditional Probability Operators	634
Relations between Weak and Uniform Convergence of Measures with Applications	
R. Ranga Rao	659
An Extension of the Arc Sine Law	
An Invariance Principle in Renewal TheoryJohn Lamperti	
Games Associated with a Renewal Process	
A Random Interval Filling Problem	70 2
Discrete Dynamic Programming	719
Estimating the Infinitesimal Generator of a Continuous Time Finite State Markov Process	727
A Markovian Model for the Analysis of the Effects of Marginal Testing on System	
ReliabilityBETTY J. FLEHINGER	754
On the General Time Dependent Queue with a Single Server	
J. KEILSON AND A. KOOHARIAN	767
Notes: Two More Criteria Equivalent to D-Optimality of DesignsJ. Kiefer	700
A Contour-Integral Derivation of the Non-Central Chi-Square Distribution	194
FRANK McNolty	796
A Characterization of the Inverse Gaussian Distribution C. G. Khatri	
Null Distribution and Bahadur Efficiency of the Hodges Bivariate Sign Test	000
A. Joffe and Jerome Klotz	803
Note on Multivariate Goodness-of-Fit TestsJUDAH ROSENBLATT	807
The Uniqueness of the Spacing of Observations in Polynomial Regression for	
Minimax Variance of the Fitted Values	810
Correction Notes	
Abstracts of Papers	
Correction to Abstract	
News and Notices	
Report of the New York City Meeting	841
Publications Received	

MEETINGS OF THE INSTITUTE

TENTATIVE SCHEDULE

EUROPEAN REGIONAL MEETING— Dublin, Ireland, September 3-5, 1962

ANNUAL MEETING-Minneapolis, Minnesota, September 7-10, 1962

Abstracts should be submitted in duplicate to the Editor, on abstract blanks which can be found in the back of every Annals, beginning with the March 1961 issue, or can be obtained from the IMS Secretary. Abstracts must be received at least 50 days before the first day of the meeting at which they are to be presented, indicating whether presented by title or in person. (Only one contributed paper may be given in person at any one meeting.) They may be printed prior to the publication of the report of the meeting. Those received by April 30 will appear in the September Annals, by July 31 in December, etc. Abstracts should be limited to 200 words or the equivalent, and should avoid displayed expressions and complicated formulae. They can be accepted from non-members of the IMS only if introduced by members. Abstracts must follow the stylistic requests on the abstract blank, or they may be returned.