

## Contents

Atkinson, D., Johnson, P. W., Warnock, R. L.: Construction of Analytic, Unitary Scattering Amplitudes from a Given Differential Cross-Section: A Refined Analysis . . . . .	221
Bancel, D., Choquet-Bruhat, Y.: Existence, Uniqueness, and Local Stability for the Einstein-Maxwell-Boltzman System . . . . .	83
Barnes, A.: On Birkhoff's Theorem in General Relativity . . . . .	75
Becchi, C.: Absence of Strong Interaction Corrections to the Axial Anomaly in the $\sigma$ Model . . . . .	97
Bleher, P. M., Sinai, Ja. G.: Investigation of the Critical Point in Models of the Type of Dyson's Hierarchical Models . . . . .	23
Choquet-Bruhat, Y., s. Bancel, D. . . . .	83
Davies, E. B.: The Harmonic Oscillator in a Heat Bath . . . . .	171
Davies, E. B.: Exact Dynamics of an Infinite-Atom Dicke Maser Model . . . . .	187
Flume, R.: Nonlinear Realization of Chiral Symmetries and Localizability . . . . .	165
Fonte, G., Mignani, R., Schiffrer, G.: Solution of the Hartree-Fock Equations. . . . .	293
Gallavotti, G., s. di Liberto, F., <i>et al.</i> . . . . .	259
Griffiths, R. B., s. Simon, B. . . . .	145
Haag, R., Kadison, R. V., Kastler, D.: Asymptotic Orbits in a Free Fermi Gas . . . . .	1
Hawking, S. W.: A Variational Principle for Black Holes . . . . .	323
Hughston, L. P., Sommers, P.: The Symmetries of Kerr Black Holes . . . . .	129
Humi, M.: Finite Dimensional Representations of the $SU(2)$ -Current Lie Algebra . . . . .	207
Johnson, P. W., s. Atkinson, D., <i>et al.</i> . . . . .	221
Kadison, R. V., s. Haag, R., <i>et al.</i> . . . . .	1
Kastler, D., s. Haag, R., <i>et al.</i> . . . . .	1
Kühn, J., Seiler, E.: Light Cone Expansion and Four Point Function . . . . .	253
Ledrappier, F.: Mesures d'équilibre sur un reseau . . . . .	119
di Liberto, F., Gallavotti, G., Russo, L.: Markov Processes, Bernoulli Schemes, and Ising Model . . . . .	259
Lindblad, G.: Entropy, Information and Quantum Measurements . . . . .	305
Mignani, R., s. Fonte, G., <i>et al.</i> . . . . .	293
Radin, Ch.: Dynamics of Limit Models . . . . .	283
Russo, L., s. di Liberto, F., <i>et al.</i> . . . . .	259
Sachs, R. K.: Spacetime $b$ -Boundaries . . . . .	215

Schiffrer, G., s. Fonte, G., <i>et al.</i> . . . . .	293
Seiler, E., s. Kühn, J. . . . .	253
Sewell, G. L.: States and Dynamics of Infinitely Extended Physical Systems . . . . .	43
Silver, H., s. Thompson, C. J. . . . .	53
Simon, B., Griffiths, R. B.: The $(\phi^4)_2$ Field Theory as a Classical Ising Model . . . . .	145
Sinai, Ja. G., s. Bleher, P. M. . . . .	23
Sommers, P., s. Hughston, L. P. . . . .	129
Sullivan, W. G.: Potentials for almost Markovian Random Fields . . . . .	61
Svetlichny, G.: On the Domains of Generalized Operators . . . . .	243
Thomas, L. E.: Time Dependent Approach to Scattering from Impurities in a Crystal . . . . .	335
Thompson, C. J., Silver, H.: The Classical Limit of $n$ -Vector Spin Models . . . . .	53
Warnock, R. L., s. Atkinson, D. <i>et al.</i> . . . . .	221
Woolley, M. L.: On the Role of the Killing Tensor in the Einstein-Maxwell Theory . . . . .	135
Erratum	
Frehland, E.: Exact Gravitational Field of the Infinitely Long Rotating Hollow Cylinder . . . . .	258

Indexed in Current Contents

## INSTRUCTIONS TO AUTHORS

### A. General

Papers submitted for publication may be written in English, French or German.

Manuscripts must be in their **final form**, typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestion overleaf.

To speed up publication, authors will receive **only one set of proofs**: provisionally numbered page proofs. Authors are requested to **correct typographical errors only**; they will be charged for corrections involving changes, additions or deletions to the original manuscript.

**Diagrams** should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction  $\times \frac{1}{2}$ ). The author should mark in the margin of the manuscript where diagrams may be inserted.

**Footnotes**, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

**References** to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles**: names and initials of all authors, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

### *Examples*

Bombieri, E., Giusti, E.: *Inventiones math.* **15**, 24–46 (1971).

Tate, J. T.: *p*-Divisible Groups. In: *Proceedings of a Conference on Local Fields*, pp. 158–183. Berlin-Heidelberg-New York: Springer 1967.

## B. Marking

### 1. Text

The words “**Theorem**”, “**Lemma**”, “**Corollary**”, “**Proposition**” etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).

The words “*Proof*”, “*Remark*”, “*Definition*”, “*Note*” etc. are printed in italics with the formulation in ordinary typeface.

Words or sentences to be set in italics should be marked by single underlining.

### 2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.

It will help the printer if in doubtful cases the position of indices and exponents is marked thus:  $b^{\hat{p}}$ ,  $a^{\check{v}}$ . Spacing of indices and exponents must be specially indicated ( $A_m^{n,m}$ ) otherwise they will be set ( $A_m^{nm}$ ).

Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface headings, boldface letters in formulae
yellow:	upright (abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numeral 1, and zero (to distinguish them from the small letter <i>l</i> and the capital letter <i>O</i> )

The following are frequently confused:

$\cup$ , **u**,  $\cup$ , *U*;  $\circ$ , *o*, *O*, 0;  $\times$ , *x*, *X*,  $\kappa$ ;  $\vee$ , *v*, *V*;  $\theta$ ,  $\Theta$ ,  $\phi$ ,  $\Phi$ ,  $\emptyset$ ;  $\psi$ ,  $\Psi$ ;  $\varepsilon$ ,  $\epsilon$ ;

$a'$ ,  $a^1$ ; the symbol *a* and the indefinite article *a*;

also the handwritten Roman letters:

*c*, *C*; *e*, *l*; *I*, *J*; *k*, *K*; *o*, *O*; *p*, *P*; *s*, *S*;  $\ast$  *u*, *U*; *v*, *V*; *w*, *W*; *x*, *X*; *z*, *Z*;

Please take care to distinguish them in some way.

## C. Examples


### 1. Special alphabets or typefaces

Script	<i>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</i> <i>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</i>
Sanserif	<b>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</b> <b>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</b>
Gothic	<b>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</b> <b>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</b>
Boldface	<b>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</b> <b>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</b>
Special Roman	<b>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, 1</b>
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \epsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, \omicron, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

### 2. Notations

preferred form	instead of	preferred form	instead of
$A^*$ , $b^{\sim}$ , $\gamma'$ , $\nu$ , $\mathbf{v}$	$\bar{A}$ , $\bar{b}$ , $\bar{\gamma}$ , $\bar{v}$	$f: A \rightarrow B$	$A \xrightarrow{f} B$
lim sup, lim inf	$\overline{\lim}$ , $\underline{\lim}$		$\cos \frac{1}{x}$
inj lim, proj lim	$\overrightarrow{\lim}$ , $\overleftarrow{\lim}$	$\cos(1/x)$	$\sqrt{a + \frac{b}{x}}$
$\exp(-(x^2 + v^2)/a^2)$	$e^{-\frac{x^2+v^2}{a^2}}$	$(a + b/x)^{1/2}$	
$f^{-1}$	$f^{-1}$		

the most widely used  
scientific information system in the world



# Try any edition free for 4 weeks.

Nearly 200,000 professionals of all types use the *Current Contents*® system every week to locate and obtain new journal articles relevant to their work. And they've got good reasons.

*Current Contents* is the most comprehensive, least complicated way to make sure you learn of new developments in your field while they're still new. Just an hour a week spent scanning any edition of *Current Contents* lets you sort through everything that's published in a thousand or more journals. With CC® it's easy to pick out just those articles you want to read. Without handling the journals. Without increasing your journal subscription expenses.

Find out why so many people like you use *Current Contents*. Get more information and a free 4-week subscription by completing the coupon.

©1973 ISI

Please start my free 4-week subscription to the *Current Contents*® edition checked below:

- Life Sciences
- Physical & Chemical Sciences
- Agriculture, Biology & Environmental Sciences
- Behavioral, Social & Educational Sciences
- Engineering & Technology
- Clinical Practice

Name \_\_\_\_\_

Title \_\_\_\_\_

Organization \_\_\_\_\_

Street Address \_\_\_\_\_

City \_\_\_\_\_ State/Province \_\_\_\_\_

Zip \_\_\_\_\_ Country \_\_\_\_\_

**ISI** Institute for Scientific Information

351

325 Chestnut St., Philadelphia, Pa., U.S.A. 19106 Tel.: (215) 923-3300, Cable: SCINFO, TELEX: 84-5305

The journal you are reading and 5000 others are regularly covered in *CURRENT CONTENTS*®.

# Communications in Mathematical Physics

Volume 33 · Number 4 · 1973

---

## Contents

di Liberto, F., Gallavotti, G., Russo, L.: Markov Processes, Bernoulli Schemes, and Ising Model . . . . .	259
Radin, Ch.: Dynamics of Limit Models . . . . .	283
Fonte, G., Mignani, R., Schiffrer, G.: Solution of the Hartree-Fock Equations . . . . .	293
Lindblad, G.: Entropy, Information and Quantum Measurements . . . . .	305
Hawking, S. W.: A Variational Principle for Black Holes . . . . .	323
Thomas, L. E.: Time Dependent Approach to Scattering from Impurities in a Crystal . . . . .	335

Indexed in Current Contents

---

Responsible for advertisements:

L. Siegel, D 1000 Berlin 15, Kurfürstendamm 237

Telephone: (0 30) 8 83 01 31, Telex 01-85 411

Springer-Verlag Berlin · Heidelberg · New York

Printers: Brühlsche Universitätsdruckerei, Gießen

Printed in Germany — © by Springer-Verlag Berlin · Heidelberg 1973