

## AUTHOR INDEX

- Albers W. 16, 131  
 Andrews D.F. 67, 69, 131  
 Bahadur R.R. 99, 131  
 Barndorff-Nielsen O. 3, 16, 22, 55, 87, 89, 129, 131  
 Berry A.C. 8, 131  
 Bhattacharya R.N. 1, 7, 8, 16, 42, 45, 131  
 Bickel, P.J. 8, 15, 16, 67, 69, 131  
 Bjerve S. 8, 132  
 Blackwell D. 129, 132  
 Blaesild P. 31, 132  
 Bolthausen E. 129, 132  
 Callaert H. 8, 15, 132  
 Chaganty N.R. 54, 132  
 Chan Y. 8, 132  
 Charlier C.V.L. 9, 132  
 Chebyshev P.L. 9, 132  
 Chernoff H. 56, 132  
 Chesher A. 129, 132  
 Cicchitelli G. 56, 132  
 Copson E.T. 22, 132  
 Cox D.R. 11, 16, 22, 87, 129, 131, 133  
 Cramffir H. 1, 11, 14, 80, 81, 82, 133  
 Daniels H.E. (For references in text, see hints to Sections in Reference List), 133  
 David H.A. 56, 60, 133  
 Davison A.C. 109, 129, 133  
 DeBruijn N.G. 22, 133  
 Debye P. 26, 133  
 Dinges H. 100, 134  
 Durbin J. 3, 47, 48, 55, 84, 85, 88, 89, 129, 134  
 Easton G.S. 52, 56, 134  
 Edgeworth F.Y. 9, 134  
 Efron B. 79, 134  
 Embrechts P. 129, 134  
 Esscher F. 1, 134  
 Esseen C.G. 8, 134  
 Feller W. 1, 8, 11, 13, 32, 81, 83, 134  
 Feuerverger A. 109, 111, 112, 134  
 Field C.A. (For references in text, see hints to Sections in Reference List), 134, 135, 140  
 Fisher R.A. 89, 135  
 Gamkrelidzt N.G. 32, 135  
 Gastwirth J.L. 56, 132  
 Ghosh J.K. 16, 42, 45, 131  
 Goldstein R.B. 97, 135  
 Good I.J. 129, 135  
 Gotze F. 15, 131  
 Grad H. 16, 135  
 Hall P. 11, 16, 103, 107, 135  
 Hampel F.R. (For references in text, see hints to Sections in Reference List), 131, 135,

- 136
- Helmets R. 8, 16, 56, 57, 60, 136
- Helstrom C.W. 123, 124, 125, 127, 129, 136
- Henrici P. 4, 136
- Hinkley D.V. 11, 109, 129, 133
- Hodges J.L.Jr. 129, 132
- Hoefding W. 15, 137
- Hoglund T. 123, 139
- Holly A. 16, 129, 137
- Holst L. 123, 139
- Hougaard P. 87, 88, 137
- Huber P.J. 42, 48, 65, 67, 69, 72, 104, 114, 117, 131, 137
- Imhof J.P. 129, 137
- James G.S. 46, 64, 137
- Janssen P. 8, 15, 132
- Jeffreys B.S. 30, 137
- Jeffreys H. 30, 137
- Jensen J.L. 31, 129, 132, 134, 137
- Johns M.V. 56, 129, 132, 137
- Kadane J.B. 129, 140
- Keilson J. 129, 137
- Kendall M. 11, 138
- Khinchin A.I. 1, 32, 138
- Kullback S. 32, 36, 138
- Lambert D. 114, 138
- Lugannani R. 37, 48, 77, 94, 102, 129, 138
- Maejima M. 129, 134
- Massam H. 41, 79, 135
- Mayne A.J. 46, 64, 137
- McCullagh P. 16, 80, 89, 138
- Parr W. 56, 138
- Pedersen B.V. 16, 131
- Peters S. 129, 132
- Petrov V.V. 129, 138
- Phillips P.C.B. 129, 137, 138
- Pollard D. 1, 7, 138
- Quine M.P. 123, 139
- Rao R.R. 1, 7, 8, 131
- Reid N. 3, 86, 87, 89, 90, 138
- Renyi A. 71, 138
- Rice S.O. 37, 48, 77, 94, 102, 123, 126, 129, 136, 138
- Richter W. 81, 82, 83, 138
- Rieder H. 118, 138
- Riemann B. 26, 139
- Ritcey J.A. 7, 125, 127, 129, 136, 139
- Robinson J. 94, 123, 129, 139
- Rogers W.H. 67, 69, 131
- Ronchetti E. (For references in text, see hints to Sections in Reference List), 134, 135, 136, 139
- Rousseeuw P.J. 15, 114, 116, 117, 118, 136, 139
- Schucany W. 56, 138

Serfling R. 1, 7, 139  
Sethuraman J. 54, 132  
Shorack G.R. 56, 139  
Skovgaard I.M. 16, 88, 89, 139  
Spady R.H. 74, 129, 132, 140  
Stahel W.A. 15, 114, 116, 117, 118, 136  
Stigler S.M. 56, 140  
Stuart A. 11, 138  
Teugels J.L. 129, 134  
Tierney L. 129, 140  
Tingley M. A. 37, 44, 55, 65, 94, 102, 105, 106, 107, 140  
Tukey J.W. 56, 67, 69, 131, 140  
van Zwet W.R. 8, 15, 16, 56, 131, 136, 140  
Veraverbeke N. 15, 132  
Visek J.A. 113, 140  
von Mises R. 15, 55, 118, 140  
Wallace D.L. 9, 140  
Watson G.N. 30, 140  
Weisberg H. 56, 140  
Welsh A. 109, 139  
Wierman J. 8, 132  
Wu E. 97, 135

## SUBJECT INDEX

- ancillary statistic 89
- approximation
  - diagnostic 41
  - Edgeworth, see Edgeworth expansion
  - high order 1
  - Laplacian 2
  - low order 1, 3
  - normal, see normal
  - saddlepoint, see saddlepoint approximation
  - small sample asymptotic, see small sample asymptotics
  - Stirling's 2
- arithmetic mean
  - distribution 1, 3, 7
  - exponential random variables 84, 97
  - Gamma random variables 19-21, 23
  - inverse normal 97
  - saddlepoint approximation 22-41, 30, 94-100
  - uniform random variables 17-19, 36-38, 40, 98
- associate density, see conjugate distribution
- asymptotic
  - expansion 4, 30
  - explosion 7
  - normal, see normal
  - theory 1, 90
- Bahadur half slope 99
- Bernoulli numbers 4
- Berry-Esseen theorem 4-5
  - arithmetic mean 7-8
  - best constant 8
  - bound 8
  - general statistics 14-16
  - L-statistics 8
  - symmetric functions 8
  - U-statistics 8
- bletter values 56
- bootstrap 3, 94, 102, 107, 109
- Borel set 47
- Cauchy-Riemann differential equations 22-23
- Cauchy theorem 123
- censored likelihood ratio test 114
- center, see conjugate distribution
- central limit theorem 4, 7-8
  - error 4
  - general space 7
  - new proof via small sample asymptotics 79-80
- channel 127-128
- characteristic function 9, 10, 13, 29, 46, 52
- Charlier differential series 9

- complex plane 22, 52, 63
- conditional inference 2, 88-90
- confidence intervals 3, 102-107
  - algorithm 103-104
  - coverage 106-107
  - location-scale problem 104-106
  - nuisance parameters 102
  - regression 74
  - robust 71, 102-107
  - tests 102-103, 107
- configuration 103
- conjugate distribution 1, 3, 32-36, 100
  - centering equation 35, 43-44, 55, 63, 76, 81, 86, 89, 92
  - definition 32, 62, 73, 76, 81, 91
  - exponential family 86
  - extreme 33-34
  - multivariate M-estimators 62-64
  - one-dimensional M-estimators 42-43
  - optimality 36
  - uniform 32-33
- correlation coefficient 106, 129
- cumulant generating function 9, 26, 34, 52, 53, 54, 86, 95, 101, 103, 104, 106
- cumulants
  - general statistic 53
  - mean 9, 10
  - M-estimators 44, 46, 64
- dependence
  - location and scale M-estimators 71-72
  - measures 71-72
- density estimation, see nonparametric density estimation
- detection probability 125-126
- diffeomorphism 100
- differential operator 9
- distributions
  - Beta 100
  - Cauchy 48-51, 65-71, 98
  - chi<sup>2</sup> 7, 97
  - contaminated normal 48-50, 98, 106, 112-113, 114, 115
  - cosine 41, 110
  - exponential 40, 59-61, 84, 97
  - extreme 33-34, 38-39, 76-78, 108, 110
  - Gamma 19-21, 23, 31, 100
  - inverse normal 31, 97, 100
  - logistic 56-59
  - noncentral F 129
  - normal, see normal
  - slash 65-71
  - Student 65-71, 100, 106
  - uniform 17-19, 32-33, 36-38, 40, 48, 65, 76-78, 98, 108, 110
  - U-shape 110

- Edgeworth expansion 1, 3, 4-21, 99
  - approximation 14
  - comparison with small sample asymptotics 36, 57-61, 80-84
  - convergence 14
  - error 14, 18-21
  - formal 9-11
  - in exponent 83-84
  - integrability condition 11, 13
  - local 1, 35, 43, 52-53
  - L-statistics 16, 56-61
  - multivariate 16-17, 42, 62
  - numerical examples 17-21, 56-61, 84
  - polynomial behavior 18, 60-61
  - proof for cumulative distribution 13
  - proof for density 11-13
  - quantiles, see Fisher-Cornish expansion
  - sum of random variables 9-11
  - U-statistics 14-16
- empirical distribution function 15, 103
- empirical process 7
- Esseen's smoothing lemma 13
- exploratory data analysis 56
- exponential family 3, 31, 35, 75, 86-87
- exponential tilting, see conjugate distribution
- false alarm probability 7, 125-126
- false dismissal probability 127
- Fisher consistency 117
- Fisher-Cornish expansion 11, 99
- Fourier
  - inversion 9, 10, 12, 26, 52, 63, 95
  - transform 1, 13, 48, 63
- F-test 2
- function
  - analytic 22
  - Bessel 4
  - Binet 4-6
  - characteristic, see characteristic function
  - cumulant generating, see cumulant generating function
  - developing 9, 10
  - entropy 100, 101
  - Gamma 4
  - hypergeometric 26
  - implicit function theorem 45
  - moment generating, see moment generating function
- functional 15
- Gaussian quadrature 108
- Hermite polynomials
  - multivariate 16
  - univariate 9-11, 82
- Hopital's rule 117
- Huber estimator

- definition 48
- exact distribution 48, 98
- location 65
- Proposal 2 65-67, 70-71, 104-106
- saddlepoint approximation 48-51, 98
- studentized 70-71
- variance 68
- IMSL 108
- influence function
  - estimators 15, 55
  - level 116, 119-122
  - power 116, 119-122
  - tail area 114-117
  - tests 114, 116-117, 118-122
- information
  - expected 87
  - theory 32, 71-72
- kurtosis 11, 30
- Laplace transform 79
- Laplacian approximation 94, 99, 115
- large deviations 3, 75, 80-84, 101
  - index 99
- lattice distributions 13, 32
- least squares 2, 73-74
- Legendre transform 80, 101
- L-estimators
  - approximation of the distribution 3
  - asymptotic distribution 56, 57-59
  - as. most efficient L-est. under the logistic distribution 56-59
  - Berry-Esseen bound 8
  - Edgeworth expansion 16, 56
  - exact distribution 56, 60
  - jackknife 56
  - saddlepoint approximation 42, 56-61
  - trimmed mean 59-61
- level curves 23, 25, 28
- likelihood ratio test 114
- linearization
  - general statistic 1, 55
  - M-estimators 42, 45, 62
  - U-statistics 15-16
- log-linear models 87
- maximum likelihood estimators
  - curved exponential families 87-88
  - distribution 16, 55
  - exponential families 86-87
  - logistic regression 90-93
  - M-estimators 42
- mean, see arithmetic mean
- M-estimators
  - approximation of the distribution 3

- confidence intervals 102-107
- cumulants 44, 46, 64
- definition 42, 62, 72-73, 102, 115
- exact distribution 42, 48
- Fisher consistency 117
- joint distribution 67-68, 70
- linearization 42, 45, 62
- location 65
- median 51-52, 113, 119-122
- regression 72-74
- saddlepoint approximation for multivariate 61-74
- saddlepoint approximation for one-dimensional 42-52
- scale 65
- studentized 70-71
- variance 68
- moment generating function 26, 42, 52, 53, 63, 73, 125-126, 128
- moments 11
- Monte Carlo 57, 67-69, 105-106
- NAG library 36, 108
- Neyman-Pearson lemma 125
- nonparametric density estimation 3, 38-41, 109-113
  - bias 111, 113
- normal
  - approach to normality 77-79
  - approximation 7-8, 32, 57-59, 76, 82, 89, 95, 125
  - asymptotic 1, 7-8, 117
  - coherent theory for distributions close 100
  - density 9-11, 46, 67, 83, 102, 104, 116-117
  - developing function 10
  - diagnostic function 79
  - distribution 2, 7, 9-11, 65-71, 101, 106
  - multivariate 64
  - probability paper 69
  - role in probability theory 75
- nuisance parameters 102
- order statistics, *see* L-estimators
- orthogonal trajectories 23, 24, 28
- outlook 130
- path
  - deformation 28
  - integration 22, 26-28
  - steepest ascent 24, 28
  - steepest descent 24-25, 28
- prediction intervals 113
- Princeton Robustness Study 67-69
- pseudovariance 67-69
- receiver 125, 127
- recenter, *see* conjugate distribution
- regression
  - linear 3, 72-74
  - logistic 75, 87, 90-93



- nonlinear 87
- renormalization 2, 31, 48, 53, 59, 72, 75-76, 82, 86
- rescaling, see renormalization
- robust statistics
  - applications of small sample asymptotics 2, 113-122
  - approach based on influence functions 114
  - balance between robustness and efficiency 122
  - gross-error model 118
  - maximum level 118-122
  - minimax approach 114
  - minimum power 118-122
  - robustness of efficiency 116
  - robustness of validity 116
  - testing 114, 115, 118-122
  - see also confidence intervals, Huber estimator, influence function, M-estimators
- saddlepoint
  - definition 23, 24, 25, 27, 95
  - equation 30, 34, 53, 95, 101, 108, 123
  - singularity 95
  - uniqueness 27
- saddlepoint approximations
  - ancillary statistic 89-90
  - arithmetic mean 22-41, 30, 36, 76-80, 109
  - Bayesian statistic 129
  - birth processes 129
  - comparison with Edgeworth approximations 36, 57-61, 80-84
  - computing 3, 31, 48, 75, 108-109
  - conditional 88-90
  - conditions 43, 53, 62, 129
  - confidence intervals 102-107, 129
  - definition 1
  - double 88
  - econometrics 129
  - error 14, 31, 36-41, 47-48, 53, 65, 76, 89, 97, 99-100, 106-107, 109
  - exact 31, 51-52, 97
  - general one-dimensional 52-55
  - history 22, 87
  - Huber estimator 48-51, 98
  - iterated 55
  - Legendre transform 80
  - L-estimators 56-61
  - logistic regression 90-93
  - Markov processes 129
  - maximum likelihood estimators 55, 86-88
  - median 51-52, 113, 119-122
  - M-estimators 42-52, 47, 61-74, 64, 98, 109
  - $n=1$  38-41, 109-113
  - noncentral F-distribution 129
  - numerical examples 36-41, 49-51, 56-61, 65-72, 76-78, 84, 90,

- 97-98, 110, 119-121, 124, 127
- permutation tests 129
- quantiles 51-52
- regression 72-74
- renormalization, see renormalization
- serial correlation coefficient 129
- signal detection 125-129
- software 130
- sufficient statistics 55, 84-86
- tail area 37, 53, 59, 65, 94-102, 115, 125-126, 129
- techniques 1
- time series 86
- transformation models 89
- trimmed least squares estimator 74
- variance 68
- via conjugate distribution 32-36, 53-54
- via method of steepest descent 26-32, 52-53
- Wilcoxon test 122-124
- see also small sample asymptotics
- signal detection 7, 125-129
- signal-to-noise ratio 125, 127
- singularity 95
- skewness 11, 30
- small sample asymptotics
  - approach to normality 77-78
  - density estimation 109-113
  - empirical version 3, 109
  - expansion of logarithmic derivative 2, 52, 75-76
  - Hampel's technique 75-80
  - history 75
  - name 2
  - new proof of central limit theorem 79-80
  - numerical examples 76-78, 84
  - relationship to classical approaches 75
  - relationship to Edgeworth expansions 80-84
  - relationship to large deviations 75, 80-84
  - relationship to saddlepoint techniques 75, 80-84
  - renormalization, see renormalization
  - robust testing 113-122
  - see also saddlepoint approximations
- steepest descent
  - application 26-32, 122-124, 126
  - history 26
  - method 1, 3, 22-26
- sufficient statistics 3, 55, 75, 84-86, 88, 89
- target
  - echo 125
  - fluctuating 125, 127
  - steady 125
  - Swerling Case IV 127
- Taylor expansion 9, 12, 36, 45, 103

trapezoidal rule 123-124, 126-127  
t-statistic  
    robust 42, 70-71, 105-106  
unbiasedness 89  
U-statistics  
    asymptotic distribution 15  
    Berry-Esseen theorem 8  
    definition 14  
    Edgeworth expansion 14-16  
    linearization 15, 16  
von Mises expansion 15, 55, 118  
Watson's lemma 30  
white noise 125  
Wiener germ 100, 101  
Wilcoxon test 15, 122-124

