

Bibliography

AIDS CLINICAL TRIALS GROUP (1993). A randomized blinded trial to evaluate the safety and tolerance of high versus low dose zidovudine administered to children with human immunodeficiency virus, Protocol 128, Version 6.0 (final). National Institute of Allergy and Infectious Diseases, Washington, DC.

AMEMIYA, T. (1973). Regression analysis when the dependent variable is truncated normal. *Econometrika* **41** 997–1016.

AMEMIYA, T. (1985). *Advanced Econometrics*. Cambridge University Press.

ANDERSON, D. A. and AITKIN, M. (1985). Variance component models with binary response: interviewer variability. *J. Roy. Statist. Soc. Ser. B* **47** 203–210.

BAKER, S.G. (1995). Marginal regression models for repeated binary data with outcome subject to non-ignorable non-response. *Biometrics* **51** 1042–1052.

BAKER, S. G. and LAIRD, N. M. (1988). Regression analysis with categorical data subject to nonignorable nonresponse. *J. Amer. Statist. Assoc.* **83** 62–69.

BARNDORFF-NIELSEN, D. E. and COX, D.R. (1994) *Inference and Asymptotics*. Chapman and Hall, London.

BISHOP, Y.M.M., FIENBERG, S.E. and HOLLAND, P.W. (1975). *Discrete Multivariate Analysis*. MIT Press, Cambridge, MA.

BLOOMFIELD, P. and WATSON, G.S. (1975). The inefficiency of least squares. *Biometrika* **62** 121–128.

BRADY, M.T., MCGRATH, N., BROUWERS, P., GELBER, R., FOWLER, M.G., YOGEV, R., HUTTON, N., BRYSON, Y.J., MITCHELL, C.D., FIKRIG, S., BORKOWSKY, W., JIMENEZ, E., MCSHERRY, G., RUBINSTEIN, A., WILFERT, C.M., MCINTOSH, K., ELKINS, M.M., WEINTRUB, P.S. and THE PEDIATRIC AIDS CLINICAL TRIALS GROUP (1996). Randomized study of the tolerance and efficacy of high- versus low-dose zidovudine in Human Immunodeficiency Virus-infected children with mild to moderate symptoms (AIDS Clinical Trials Group 128). *J. Infectious Diseases* **173** 1097–1106

BRESLOW, N.E. and CLAYTON, D.G. (1993). Approximate inference in generalized linear mixed models. *J. Amer. Statist. Assoc.* **88** 9–25.

BRESLOW, N.E. and LIN, X. (1995). Bias correction in generalized linear mixed models with a single component of dispersion *Biometrika* **82** 81–91.

CARROLL, R.J., WU, C.F.J. and RUPPERT, D. (1988). The effect of estimating weights in weighted least squares. *J. Amer. Statist. Assoc.* **83** 1045–1054.

COX, D.R. (1972). The analysis of multivariate binary data. *Appl. Statist.* **21**:113–20.

CRESSIE, N. (1991). *Spacial Statistics*. Wiley, New York.

CRESSIE, N. and LAHIRI, S.N. (1993). The Asymptotic Distribution of REML Estimators, *J. Multivariate Analysis* **45** 217–233.

DAWID, A.P. (1979). Conditional independence in statistical theory (with discussion). *J. Roy. Statist. Soc. Ser. B* **41** 1–31.

DE GRUTTOLA, V. and TU, X.M. (1994). Modeling progression of CD4-lymphocyte count and its relationship to survival time. *Biometrics* **50** 1003–1014.

- DEMPSTER, A.P. LAIRD, N.M. and RUBIN, D.B. (1977). Maximum-likelihood with incomplete data via the EM algorithm. *J. Roy. Statist. Soc. Ser. B* **39** 1–38.
- DIGGLE, P.J. (1988). An approach to the analysis of repeated measures. *Biometrics* **44** 959–971.
- DIGGLE, P.J. and KENWARD, M.G. (1994). Informative drop-out in longitudinal data analysis. *Appl. Statist.* **43** 49–93.
- DIGGLE, P.J., LIANG, K.Y. and ZEGER, S.L. (1994). *The Analysis of Longitudinal Data*, 1st ed. Clarendon Press, Oxford.
- DOCKERY, D.W., WARE, J.H., FERRIS, B.G., JR, GLICKSBERG, D.S., FAY, M.E., SPIRO, A. and SPEIZER, F.E. (1985). Distribution of forced expiratory volume in one second and forced vital capacity in healthy white, adult never-smokers in six US cities. *Am. Rev. Respir. Dis.* **131** 511–20.
- DONNELLY, C., LAIRD, N. M. and WARE, J.H. (1995). Predication and creation of smooth curves for temporarily correlated longitudinal data. *J. Amer. Statist. Assoc.* **90** 984–989.
- DWYER, P.S. (1967). Some applications of matrix derivatives in multivariate analysis. *J. Amer. Statist. Assoc.* **62** 607–625.
- EKHOLM, A. and SKINNER, C. (1998). The Muscatine children's obesity data reanalysed using pattern mixture models. *Appl. Statist.* **47** 251–263.
- FISCHL, M.A., PARKER, C.B., PETTINELLI, C., WULFSOHN, M., HIRSCH, M.S., COLLIER, A.C., ANTONISKIS, D., HO, M., RICHMAN, D.D., FUCHS, E., MERIGAN, T.C., REICHMAN, R.C., GOLD, J., STEIG-BIBEL, N., LEOUNG, G.S., RASHEED, S., TSIATIS, A. and THE AIDS CLINICAL TRIALS GROUP (1990). Randomized controlled trial of a reduced daily dose of Zidovudine in patients with the acquired immunodeficiency syndrome. *New England Journal of Medicine* **323** 1009–1019.
- FISHER, R.A. (1925). Theory of statistical estimation. *Proc. Cambridge Phil. Soc.* **22** 700–725.

FITZMAURICE, G.M. and LAIRD, N.M. (1993). A likelihood-based method for analysing longitudinal binary responses. *Biometrika* **80** 141–51.

FITZMAURICE, G.M. and LAIRD, N.M. (2000). Generalized linear mixture models for handling nonignorable dropouts in longitudinal studies. *Biostatistics* **1** 141–156.

FITZMAURICE, G.M., LAIRD, N.M. and LIPSITZ, S.R. (1994). Analysing incomplete longitudinal binary responses: a likelihood-based approach. *Biometrics* **50** 601–12.

FITZMAURICE, G.M., LAIRD, N.M. and ROTNITZKY, A.G. (1993). Regression models for discrete longitudinal responses (with discussion). *Statist. Sci.* **8** 284–309.

FITZMAURICE, G.M., LAIRD, N.M. and ZAHNER, G.E.P. (1996). Multivariate logistic models for incomplete binary responses. *J. Amer. Statist. Assoc.* **91** 99–108.

FOLLMAN, D. and WU, M. (1995). An approximate generalized linear model with random effects for informative missing data. *Biometrics* **51** 151–168.

FREEDMAN, D.A. and PETERS, S. (1984). Bootstrapping a regression equation: some empirical results. *J. Amer. Statist. Assoc.* **79** 97–106.

GILMORE, A.R., ANDERSON, R.D. and RAE, A.L. (1985). The analysis of binomial data by a generalized linear mixed model. *Biometrika* **72** 593–599.

GLONEK, G.F.V. (1999). On identifiability in models for incomplete binary data, *Statist. Probab. Lett.* **41** 191–197.

GLONEK, G.F.V. and MCCULLAGH, P. (1995). Multivariate logistic models. *J. R. Stat. Soc. Ser. B Stat. Methodol.* **57** 533–546.

GOLDSTEIN, H. (1991). Nonlinear likelihood approaches to variance component estimation and to related problems. *J. Amer. Statist. Assoc.* **72** 320–340.

GREEN, P.J. (1987). Penalized likelihood for general semi-parametric regression models. *International Statistical Review* **55** 245–259.

GREENLEES, W.S., REECE, J.S. and ZIESCHANG, K.D. (1982). Imputation of missing values when the probability of response depends on the variable being imputed. *J. Amer. Statist. Assoc.* **77** 251–261.

GRIZZLE, J.E. and ALLEN, D.M. (1969). Analysis of growth and dose response curves. *Biometrics* **25** 357–381.

GRIZZLE, J.E., STARMER, C.F. and KOCH, G.G. (1969). Analysis of categorical data by linear models. *Biometrics* **25** 489–504.

HARVILLE, D.A. (1977). Maximum likelihood approaches to variance component estimation and to related problems. *J. Amer. Statist. Assoc.* **72** 320–338.

HARVILLE, D.A. (1999). *Matrix Algebra from a Statisticians Perspective*. Springer, New York.

HECKMAN, J. (1976). The common structure of statistical models of truncation, sample selection and limited dependent variables, and a simple estimator for such models. *Annals of Economic and Social Measurement* **5/4** 475–492.

HINDE, J. (1982). Compound Poisson regression models. In *GLIM 82: Proceedings of the International Conference on Generalized Linear Models* (R. Gilchrist, ed.) 109–121. Springer, New York.

HOGAN, J.W. and LAIRD, N.M. (1997a). Mixture models for the joint distribution of repeated measures and event times. *Statistics in Medicine* **16** 239–257.

HOGAN, J.W. and LAIRD, N.M. (1997b). Model-based approaches to analyzing incomplete longitudinal and failure time data. *Statistics in Medicine* **16** 259–272.

HOPPER, J.L., HIBBERT, M.E., MACASKILL, G.T., PHELAN, P.D. and LANDAU, L.I. (1991). Longitudinal analysis of lung function growth in healthy children and adolescents. *J. Appl. Physiol.* **70** 770–777.

HUBER, P. (1967). The behavior of maximum likelihood estimates under nonstandard conditions. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability* (L.M. LeCam and J. Neyman, eds.) 221–233. University of California Press, Berkeley.

HURNY, C., BERNHARD, J., COATES, A., CASTIGLIONE-GERTSCH, M., PETERSON, H., GELBER, R., FORBES, J., RUDESTAM, C., SIMONCINI, E., CRIVELLARI, D., GOLDBIRSCH, A. and SENN, H. (1996). Impact of adjuvant therapy on quality of life in women with node-positive operable breast cancer. *The Lancet* **347** 1279–1284.

JENNRICH, R.I. (1969). Asymptotic properties of nonlinear least squares estimators. *Ann. Math. Statist.* **20** 633–643.

JENNRICH, R.I. and SCHULCHTER, M.D. (1986). Unbalanced repeated-measures models with structured covariance matrices. *Biometrics* **42** 805–820.

JOHNSON, N.L. and KOTZ, S. (1970). *Distributions in Statistics, Continuous Univariate Distributions* **2**. Houghton-Mifflin, Boston.

JOHNSON, R.A. and WICHERN, D.W. (1992). *Applied Multivariate Analysis*. Prentice Hall, Englewood Cliffs, NJ.

KACKAR, R.N. and HARVILLE, D.A. (1981). Unbiasedness of two-stage estimation and prediction procedures for mixed linear models. *Comm. Statist. A—Theory Methods* **10** 1249–1261.

KALBFLEISCH, J.D. and SPROTT, D.A. (1970). Applications of likelihood methods to models involving large numbers of parameters (with discussion). *J. Roy. Statist. Soc. Ser. B* **32** 175–208. [Correction (1972) **34** 124–125].

KALBFLEISCH, J.D. and SPROTT, D.A. (1973). Marginal and conditional likelihoods, *Sankhyā Ser. A* **35** 311–328.

KALBFLEISCH, J.D. and SPROTT, D.A. (1976). On tests of significance (with discussion). In *Foundations of Probability Theory, Statistical Inference, and Statistical Theories of Science. Vol. II: Foundations and*

Philosophy of Epistemic Applications of Probability Theory 259–272. Reidel, Dordrecht.

KALBFLEISCH, J.D. and PRENTICE, R.L. (1980). *The Statistical Analysis of Failure Time Data*. Wiley, New York.

LAUER, R.M. (1975). Coronary heart disease risk factors in school children: The Muscatine study. *J. Pediatrics* **86** 697–706.

KNUIMAN, M. and LAIRD, N. (1990). Parameter estimation in variance component models for binary response data. In *Proceedings of the International Symposium on Advances in Statistical Methods for Genetic Improvement of Livestock* (D. Gianola and K. Hammond, eds.) 194–207. Springer, New York.

LAIRD, N.M. (1978). Empirical Bayes methods for two-way tables. *Biometrika* **65** 581–590.

LAIRD, N.M., DONNELLY, C. and WARE, J.H. (1992). Longitudinal studies with continuous responses. *Stat. Methods Med. Res.* **1** 3–25.

LAIRD, N.M., FITZMAURICE, G.M. and SCHWARTZ, A.G. (2000). The analysis of case-control data: epidemiologic studies of familial aggregation. *Handbook of Environmental and Public Health Statistics* **18** 465–482.

LAIRD, N.M. and WARE, J.H. (1982). Random effects models for longitudinal data: an overview of recent results. *Biometrics* **38** 963–974.

LANGE, N. and LAIRD, N.M. (1989). The effect of covariance structure on variance estimation in balanced growth-curve models with random parameters. *J. Amer. Statist. Assoc.* **84** 241–247.

LAPIERRE, Y.D., NAI, N.V., CHAUNARD, G., AWAD, A.G., SAXENA, B., JAMES, B., MCCLURE, D.J., BAKISH, D., MAX, P., MANCHANDA, R., BEAUDRY, P., BLOOM, D., ROTSTEIN, E., ANCILL, R., SANDOR, P., SLADEN-DEW, N., DURAND, C., CHANDRASENA, R., HORN, E., ELLIOT, D., DAS, M., RAVINDRA, A. and MATSOS, G. (1990). A controlled dose-ranging study of remoxipride and haloperidol in schizophrenia—a Canadian multicentre trial. *Acta Psychiatrica Scandinavica* **82** 72–76.

- LIANG, K.Y. and ZEGER, S.L. (1986). Longitudinal data analysis using generalized linear models. *Biometrika* **73** 13–22.
- LIANG, K.Y., ZEGER, S.L. and QAQISH, B. (1992). Multivariate regression analyses for categorical data (with discussion). *J. Roy. Statist. Soc. Ser. B* **54** 3–40.
- LIN, X. and BRESLOW, N.E. (1996). Bias correction in generalized linear mixed models with multiple components of dispersion. *J. Amer. Statist. Assoc.* **91** 1007–1016.
- LIPSITZ, S.R., LAIRD, N.M. and HARRINGTON, D.P. (1990). Maximum likelihood regression models for paired binary data. *Statistics in Medicine* **9** 1517–1525.
- LIPSITZ, S.R., LAIRD, N.M. and HARRINGTON, D.P. (1991). Generalized estimating equations for correlated binary data using the odds ratio as a measure of association. *Biometrika* **78** 153–160.
- LITTLE, J.A. (1995). Modeling the drop-out mechanism in repeated-measure studies. *J. Amer. Statist. Assoc.* **90** 1112–1121.
- LITTLE, J.A. and RUBIN, D.B. (1987). *Statistical Analysis with Missing Data*. Wiley, New York.
- LITTLE, R.J.A. (1993). Pattern-mixture models for multivariate incomplete data. *J. Amer. Statist. Assoc.* **88** 125–134.
- LIU, C. and RUBIN, D.B. (1994). The ECME Algorithm: a simple extension of EM and ECM with faster monotone convergence. *Biometrika* **81** 633–648.
- MACHIN, D., FARLEY, T., BUSCA, B., CAMPBELL, M. and D'ARCANGUES, C. (1988). Assessing changes in vaginal bleeding patterns in contraceptive women. *Contraception* **38** 165–179.
- MCCULLAGH, P. and NELDER, J.A. (1989). *Generalized Linear Models*, 2nd ed. Chapman and Hall, London.
- MCCULLOCH, C.E. and SEARLE, S.R. (2001). *Generalized, Linear, and Mixed Models*. Wiley, New York.

- MCGILCHRIST, C.A. and AISBETT, C.W. (1991). Restricted BLUP for mixed linear models. *Biometrical J.* **33** 131–141.
- MCLACHLAN, G.J. and KRISHNAN, T. (1996). *The EM Algorithm and Extensions*. Wiley, New York.
- MORI, M., WOODWORTH, G.G. and WOOLSON, R.F. (1992). Application of empirical Bayes inference of estimation of rate of change in the presence of informative right censoring. *Statistics in Medicine* **11** 621–631.
- MORRISON, D.F. (1990). *Multivariate Statistical Methods*. McGraw-Hill, New York.
- NAUMOVA, E.N., MUST, A. and LAIRD, N.M. (2001). Evaluating the impact of “critical periods” in longitudinal studies of growth using piecewise mixed effects models. *International Journal of Epidemiology* **30** 1332–1341.
- NEUHAUS, J.M., KALBFLEISCH, J.D. and HAUCK, W.W. (1991). A comparison of cluster-specific and population-averaged approaches for analyzing correlated binary data. *Internat. Statist. Rev.* **59** 25–35.
- NEYMAN J and SCOTT, E.L. (1951). On certain methods of estimating the linear structural relation between two variables. *Ann. Math. Statist.* **22** 352–361.
- NEWHEY, W.K. and MCFADDEN, D. (1994). Large sample estimation and hypothesis testing. In *Handbook of Econometrics* (R.F. Engle and D.L. McFadden, eds.) **4** 2111–2245. North-Holland, Amsterdam.
- PATTERSON, H.D. and THOMPSON, R. (1971). Recovery of inter-block information when block sizes are unequal. *Biometrika* **58** 545–554.
- PRENTICE, R.L. (1988). Correlated binary regression with covariates specific to each binary observation. *Biometrics* **44** 1033–1048.
- RAO, C.R. (1973). *Linear Statistical Inference and Its Applications*, 2nd ed. Chapter 4, p. 220. Wiley, New York.

- REMON, M. (1984). On a concept of partial sufficiency: L-sufficiency. *Internat. Statist. Rev.* **52** 127–136.
- ROBINS, J.M. (1987). A graphical approach to the identification and estimation of causal parameters in mortality studies with sustained exposure periods. *J. Chronic Diseases* **40** 139S–161S.
- ROBINS, J.M. (1989). The control of confounding intermediate variables. *Statistics in Medicine* **8** 679–701.
- ROBINS, J.M. and GILL, R.D. (1997). Non-response models for the analysis of non-monotone ignorable missing data. *Statistics in Medicine* **16** 39–56.
- ROBINS, J.M., ROTNITZKY, A. and ZHAO, L.P. (1995). Analysis of semiparametric regression models for repeated outcomes in the presence of missing data. *J. Amer. Statist. Assoc.* **90** 106–121.
- ROBINSON, G.K. (1991). That BLUP is a good thing: estimation of random effects. *Statist. Sci.* **6** 15–32.
- RUBIN, D.B. (1976). Inference and missing data. *Biometrika* **63** 581–592.
- RUBIN, D.B. (1978). Bayesian inference for causal effects: the role of randomization. *Ann. Statist.* **6** 34–58.
- SCHALL, R. (1991). Estimation in generalized linear models with random effects. *Biometrika* **40** 917–927.
- SCHULCHTER, M.D. (1992). Methods for the analysis of informatively censored longitudinal data. *Statistics in Medicine* **11** 1861–1870.
- SCHWARTZ, A.G., YANG, P. and SWANSON, G.M. (1996). Familial Risk of lung cancer among nonsmokers and their relatives. *Amer. J. Epidemiology* **144** 554–562.
- SEARLE, S.R. (1987). *Linear Models for Unbalanced Data*. Wiley, New York.

- SEARLE, S.R., CASELLA, G. and MCCULLOCH, C.E. (1992). *Variance Components*. Wiley, New York.
- SPROTT, D.A. (1975). Marginal and conditional sufficiency. *Biometrika* **75** 599–605.
- STIRATELLI, R., LAIRD, N.M. and WARE, J.H. (1985). Random effects models for serial observations with dichotomous response. *Biometrics* **40** 961–972.
- SZATROWSKI, T.H. (1980). Explicit maximum likelihood estimates from balanced data in the mixed model of the analysis of variance. *Ann. Statist.* **8** 811–819.
- SZATROWSKI, T.H. and MILLER, J.J. (1980). Necessary and sufficient conditions for explicit solutions in the multivariate normal estimation problem for patterned means and covariances. *Ann. Statist.* **8** 802–810.
- TROXEL, A.B., LIPSITZ, S.R. and HARRINGTON, D.P. (1998). Marginal models for the analysis of longitudinal measurements with nonignorable non-monotone missing data. *Biometrika* **85** 661–672.
- TSIATIS, A.A., DE GRUTTOLA, V. and WULFSOHN, M.S. (1996). Modeling the relationship of survival to longitudinal data measured with error: applications to survival and CD4 counts in patients with AIDS. *J. Amer. Statist. Assoc.* **90** 27–37.
- VONESH, E.F. and CARTER, R.L. (1992). Mixed effect nonlinear regression for unbalanced repeated measures. *Biometrics* **48** 1–18.
- WALD, A. (1949). Note on the consistency of the maximum likelihood estimate. *Ann. Math. Statist.* **20** 595–601.
- WARE, J.H., DOCKERY, D.W., LOUIS, T.A., XU, X., FERRIS, B.G. JR. and SPEIZER, F.E. (1990). Longitudinal and cross-sectional estimates of pulmonary function decline in never-smoking adults. *Amer. J. Epidemiology* **132** 685–700.
- WEDDERBURN, R.W.M. (1974). Quasi-likelihood functions, generalized linear models, and the Gauss-Newton method. *Biometrika* **61** 439–447.

WHITE, H. (1980). A heteroskedasticity-consistent covariance matrix estimator and a direct test for heteroskedasticity. *Econometrica* **48** 817–838.

WOOLSON, R.F. and CLARKE, W.R. (1984). Analysis of categorical incomplete longitudinal data. *J. Roy. Statist. Soc. Ser. A* **147** 87–99.

WU, C.F. J. (1983). On the convergence properties of the EM algorithm. *Ann. Statist.* **11** 95–103.

WU, M.C. and BAILEY, K.R. (1988). Analysing changes in the presence of informative right censoring caused by death and withdrawal. *Statistics in Medicine* **7** 337–346.

WU, M.C. and BAILEY, K.R. (1989). Estimation and comparison of changes in the presence of informative right censoring: conditional linear model. *Biometrics* **45** 939–955.

WU, M.C. and CARROLL, R.J. (1988) Estimation and comparison of changes in the presence of informative right censoring by modeling the censoring process. *Biometrics* **44** 174–188. [Correction (1991) **47** 357.]

ZEGER, S.L. and LIANG, K.Y. (1986). Longitudinal data analysis for discrete continuous outcomes. *Biometrics* **42** 121–130.

ZEGER, S.L., LIANG, K.Y. and ALBERT, P.S. (1988). Models for longitudinal data: a generalized estimating equation approach. *Biometrics* **44** 1049–1060.

ZHAO, L.P. and PRENTICE, R.L. (1990). Correlated binary regression using a quadratic exponential model. *Biometrika* **77** 642–8.