

Index

- Affine dependence:
 - invariance of, 405
 - measure of, 404, 418, 419
 - between random vectors, 403
- Affinely equivalent, 404
- Almost invariant function, 287
- Ancillary, 285
- Ancillary statistic, 465
- Angles between subspaces:
 - definition, 61
 - geometric interpretation, 61
- Action group, *see* Group

- Beta distribution:
 - definition, 320
 - noncentral, 320
 - relation to F , 320
- Beta random variables, products of, 236, 321, 323
- Bilinear, 33
- Bivariate correlation coefficient:
 - density has monotone likelihood ratio, 459
 - distribution of, 429, 432
- Borel σ -algebra, 70
- Borel measurable, 71

- Canonical correlation coefficients:
 - as angles between subspaces, 408, 409
 - definition, 408
 - density of, 442
 - interpretation of sample, 421
 - as maximal correlations, 413
 - model interpretation, 456
 - and prediction, 418
 - population, 408
 - sample, as maximal invariant, 425
- Canonical variates:
 - definition, 415
 - properties of, 415
- Cauchy-Schwarz Inequality, 26
- Characteristic function, 76
- Characteristic polynomial, 44
- Chi-square distribution:
 - definition, 109, 110
 - density, 110, 111
- Compact group, invariant integral on, 207
- Completeness:
 - bounded, 466
 - independence, sufficiency and, 466
- Complex covariance structure:
 - discussion of, 381
 - example of, 370
- Complex normal distribution:
 - definition, 374, 375
 - discussion of, 373
 - independence in, 378
 - relation to real normal distribution, 377
- Complex random variables:
 - covariance of, 372
 - covariance matrix of, 375
 - mean of, 372
 - variance of, 372
- Complex vector space, 39
- Complex Wishart distribution, 378
- Conditional distribution:
 - for normal variables, 116, 117
 - in normal random matrix, 118

- Conjugate transpose, 39
- Correlation coefficient, density of in normal sample, 329
- Covariance:
 - characterization of, 75
 - of complex random variables, 372
 - definition, 74
 - of outer products, 96, 97
 - partitioned, 86
 - properties of, 74
 - of random sample, 89
 - between two random variables, 28
- Covariance matrix, 73
- Cyclic covariance:
 - characterization of, 365
 - definition, 362
 - diagonalization of, 366
 - multivariate, 368

- Density, of maximal invariant, 272, 273–277
- Density function, 72
- Determinant:
 - definition, 41
 - properties of, 41
- Determinant function:
 - alternating, 40
 - characterization of, 40
 - definition, 39
 - as n -linear function, 40
- Direct product, 212
- Distribution, induced, 71

- Eigenvalue:
 - and angles between subspaces, 61
 - definition, 44
 - of real linear transformations, 47
- Eigenvector, 45
- Equivariant, 218
- Equivariant estimator, in simple linear model, 157
- Equivariant function:
 - description of, 249
 - example of, 250
- Error subspace, *see* Linear model
- Estimation:
 - Gauss-Markov Theorem, 134
 - linear, 133
 - of variance in linear model, 139
- Expectation, 71

- Factorization, *see* Matrix
- F** Distribution:
 - definition, 320
 - noncentral, 320
 - relation to beta, 320
- F** test, in simple linear model, 155

- Gauss-Markov estimator:
 - definition, 135
 - definition in general linear model, 146
 - discussion of, 140–143
 - equal to least squares, 145
 - existence of, 147
 - in k -sample problem, 148
 - for linear functions, 136
 - in MANOVA, 151
 - in regression model, 135
 - in weakly spherical linear model, 134
- Generalized inverse, 87
- Generalized variance:
 - definition, 315
 - example of, 298
- Gram-Schmidt Orthogonalization, 15
- Group:
 - action, 186, 187
 - affine, 187, 188
 - commutative, 185
 - definition, 185
 - direct product, 212
 - general linear, 186
 - isotropy subgroup, 191
 - lower triangular, 185, 186
 - normal subgroup, 189, 190
 - orthogonal, 185
 - permutation matrices, 188, 189
 - sign changes, 188, 189
 - subgroup, 186
 - topological, 195
 - transitive, 191
 - unimodular, 200
 - upper triangular, 186

- Hermitian matrix, 371
- Homomorphism:
 - definition, 218
 - on lower triangular matrices, 230, 231
 - matrices, on non-singular, 230
- Hotelling's T^2 :
 - complex case of, 381
 - as likelihood ratio statistic, 402

- Hypothesis testing, invariance in, 263**
- Independence:**
- in blocks, testing for, 446
 - characterization of, 78
 - completeness, sufficiency and, 466
 - decomposition of test for, 449
 - distribution of likelihood ratio test for, 447
 - likelihood ratio test for, 444, 446
 - MANOVA model and, 453, 454
 - of normal variables, 106, 107
 - of quadratic forms, 114
 - of random vectors, 77
 - regression model and, 451
 - sample mean and sample covariance, 126, 127
 - testing for, 443, 444
- Inner product:**
- definition, 14
 - for linear transformations, 32
 - norm defined by, 14
 - standard, 15
- Inner product space, 15**
- Integral:**
- definition, 194
 - left invariant, 195
 - right invariant, 195
- Intraclass covariance:**
- characterization of, 355
 - definition, 131, 356
 - multivariate version of, 360
- Invariance:**
- in hypothesis testing, 263
 - and independence, 289
 - of likelihood ratio, 263
 - in linear model, 296, 256, 257
 - in MANOVA model with block covariance, 353
 - in MANOVA testing problem, 341
 - of maximum likelihood estimators, 258
- Invariance and independence, example of, 290–291, 292–295**
- Invariant densities:**
- definition, 254
 - example of, 255
- Invariant distribution:**
- example of, 282–283
 - on $n \times p$ matrices, 235
 - representation of, 280
- Invariant function:**
- definition, 242
 - maximal invariant, 242
- Invariant integral:**
- on affine group, 202, 203
 - on compact group, 207
 - existence of, 196
 - on homogeneous space, 208, 210
 - on lower triangular matrices, 200
 - on matrices ($n \times p$ of rank p), 213–218
 - on m -frames, 210, 211
 - and multiplier, 197
 - on non-singular matrices, 199
 - on positive definite matrices, 209, 210
 - relatively left, 197
 - relatively right, 197, 198
 - uniqueness of, 196
 - see also* Integral
- Invariant measure, on a vector space, 121–122**
- Invariant probability model, 251**
- Invariant subspace, 49**
- Inverse Wishart distribution:**
- definition, 330
 - properties of, 330
- Isotropy subgroup, 191**
- Jacobian:**
- definition, 166
 - example of, 168, 169, 171, 172, 177
- Kronecker product:**
- definition, 34
 - determinant of, 67
 - properties of, 36, 68
 - trace of, 67
- Lawley-Hotelling trace test, 348**
- Least squares estimator:**
- definition, 135
 - equal to Gauss-Markov estimator, 145
 - in k -sample problem, 148
 - in MANOVA, 151
 - in regression model, 135
- Lebesgue measure, on a vector space, 121–125**
- Left homogeneous space:**
- definition, 207
 - relatively invariant integral on, 208–210
- Left translate, 195**
- Likelihood ratio test:**
- decomposition of in MANOVA, 349
 - definition, 263

- Likelihood ratio test** (*Continued*)
- in MANOVA model with block covariance, 351
 - in MANOVA problem 340
 - in mean testing problem, 384, 390
- Linear isometry:**
- definition, 36
 - properties of, 37
- Linear model:**
- error subspace, 133
 - error vector, 133
 - invariance in, 156, 157, 256, 257
 - with normal errors, 137
 - regression model, 132
 - regression subspace, 133
 - weakly spherical, 133
- Linear transformation:**
- adjoint of, 17, 29
 - definition, 7
 - eigenvalues, *see* Eigenvalues
 - invertible, 9
 - matrix of, 10
 - non-negative definite, 18
 - null space of, 9
 - orthogonal, 18
 - positive definite, 18
 - range of, 9
 - rank, 9
 - rank one, 19
 - self-adjoint, 18
 - skew symmetric, 18
 - transpose of, 17
 - vector space of, 7
- Locally compact, 194**
- MANOVA:**
- definition, 150
 - maximum likelihood estimator in, 151
 - with normal errors, 151
- MANOVA model:**
- with block diagonal covariance, 350
 - canonical form of, 339
 - with cyclic covariance, 366
 - description of, 336
 - example of, 308
 - and independence, 453, 454
 - with intraclass covariance, 356
 - maximum likelihood estimators in, 337
 - under non-normality, 398
 - with non-normal density, 462
 - testing problem in, 337
- MANOVA testing problem:**
- canonical form of, 339
 - complex case of, 379
 - description of, 337
 - with intraclass covariance structure, 359
 - invariance in, 341
 - likelihood ratio test in, 340, 347
 - maximal invariant in, 342, 346
 - maximal invariant parameter in, 344
 - uniformly most powerful test in, 345
- Matrix t distribution:**
- definition, 330
 - properties of, 330
- Matrix:**
- definition, 10
 - eigenvalue of, 44
 - factorization, 160, 162, 163, 164
 - lower triangular, 44, 159
 - orthogonal, 25
 - partitioned positive definite, 161, 162
 - positive definite, 25
 - product, 10
 - skew symmetric, 25
 - symmetric, 25
 - upper triangular, 159
- Maximal invariant:**
- density of, 278–279
 - example of, 242, 243, 246
 - parameter, 268
 - and product spaces, 246
 - representing density of, 272
- Maximum likelihood estimator:**
- of covariance matrix, 261
 - invariance of, 258
 - in MANOVA model, 151
 - in simple linear model, 138
- Mean value, of random variable, 72**
- Mean vector:**
- of coordinate random vector, 72
 - definition, 72
 - for outer products, 93
 - properties of, 72
 - of random sample, 89
- M -frame, 38**
- Modulus, right hand, 196**
- Monotone likelihood ratio:**
- for non-central chi-squared, 468, 469
 - for non-central F , 469
 - for non-central Student's t , 470
 - and totally positive of order 2, 467
- Multiple correlation coefficient:**

- definition, 434
- distribution of, 434
- Multiplier:**
 - on affine group, 204
 - definition, 197
 - and invariant integral, 197
 - on lower triangular matrices, 201
 - on non-singular matrices, 199
- Multivariate beta distribution:**
 - definition, 331
 - properties of, 331, 332
- Multivariate F distribution:**
 - definition, 331
 - properties of, 331
- Maximal invariant, *see* Invariant function**
- Multivariate General Linear Model, *see* MANOVA**

- Non-central chi-squared distribution:**
 - definition, 110, 111
 - for quadratic forms, 112
- Noncentral Wishart distribution:**
 - covariance of, 317
 - definition, 316
 - density of, 317
 - mean of, 317
 - properties of, 316
 - as quadratic form in normals, 318
- Normal distribution:**
 - characteristic function of, 105, 106
 - complex, *see* Complex normal distribution
 - conditional distribution in, 116, 117
 - covariance of, 105, 106
 - definition, 104
 - density of, 120–126
 - density of normal matrix, 125
 - existence of, 105, 106
 - independence in, 106, 107
 - mean of, 105, 106
 - and non-central chi-square, 111
 - and quadratic forms, 109
 - relation to Wishart, 307
 - representation of, 108
 - for random matrix, 118
 - scale mixture of, 129, 130
 - sufficient statistic in, 126, 127, 131
 - of symmetric matrices, 130
- Normal equations, 155, 156**

- Orbit, 241**
- Order statistic, 276–277**

- Orthogonal:**
 - complement, 16
 - decomposition, 17
 - definition, 15
- Orthogonal group, definition, 23**
- Orthogonally invariant distribution, 81**
- Orthogonally invariant function, 82**
- Orthogonal projection:**
 - characterization of, 21
 - definition, 17
 - in Gauss–Markov Theorem, 134
 - random, 439, 440
- Orthogonal transformation, characterization of, 22**
- Orthonormal:**
 - basis, 15
 - set, 15
- Outer product:**
 - definition, 19
 - properties of, 19, 30

- Parameter, maximal invariant, 268**
- Parameter set:**
 - definition, 146
 - in linear models, 146
- Parameter space, 252**
- Partitioning, a Wishart matrix, 310**
- Pillai trace test, 348**
- Pitman estimator, 264–267**
- Prediction:**
 - affine, 94
 - and affine dependence, 416
- Principal components:**
 - and closest flat, 457, 458
 - definition, 457
 - low rank approximation, 457
- Probability model, invariant, 251**
- Projection:**
 - characterization of, 13
 - definition, 12

- Quadratic forms:**
 - independence of, 114, 115
 - in normal variables, 109

- Radon measure:**
 - definition, 194
 - factorization of, 224
- Random vector, 71**
- Regression:**
 - multivariate, 451

- Regression (*Continued*)
 - and testing for independence, 451
 - Right translate, 195
 - Roy maximum root test, 348, 349
 - Regression model, *see* Linear model
 - Regression subspace, *see* Linear model
 - Relatively invariant integral, *see* Invariant integral

- Sample correlation coefficient, as a maximal invariant, 268–271
- Scale mixture of normals, 129, 130
- Self adjoint transformations, functions of, 52
- Singular Value Decomposition Theorem, 58
- Spectral Theorem:
 - and positive definiteness, 51
 - statement of, 50, 53
- Spherical distributions, 84
- Sufficiency:
 - completeness, independence and, 466
 - definition, 465
- Symmetry model:
 - definition, 361
 - examples of, 361

- Topological group, 195
- Trace:
 - of linear transformation, 47
 - of matrix, 33
 - sub- k , 56
- Transitive group action, 191
- Two way layout, 155

- Uniform distribution:
 - on M -frames, 234
 - on unit sphere, 101
- Uncorrelated:
 - characterization of, 98
 - definition, 87
 - random vectors, 88

- Uniformly most powerful invariant test, in MANOVA problem, 345

- Vector space:
 - basis, 3
 - complementary subspaces, 5
 - definition, 2
 - dimension, 4
 - direct sum, 6
 - dual space, 8
 - finite dimensional, 3
 - linearly dependent, 3
 - linearly independent, 3
 - linear manifold, 4
 - subspace, 4

- Weakly spherical:
 - characterization of, 83
 - definition, 83
 - linear model, 133
- Wishart constant, 175
- Wishart density, 239, 240
- Wishart distribution:
 - characteristic function of, 305
 - convolution of two, 306
 - covariance of, 305
 - definition, 303
 - density of, 239, 240
 - for nonintegral degrees of freedom, 329
 - in MANOVA model, 308
 - mean of, 305
 - noncentral, *see* Noncentral Wishart distribution
 - nonsingular, 304
 - partitioned matrix and, 310
 - of quadratic form, 307
 - representation of, 303
 - triangular decomposition of, 313, 314
- Wishart matrix:
 - distribution of partitioned, 311
 - ratio of determinants of, 319