

REFERENCES

- Albers, W., Bickel, P.J., and van Zwet, W.R. (1976), "Asymptotic Expansions for the Power of Distribution Free Tests in One-Sample Problem", *Annals of Statistics* 4, 108-156. [2.5]
- Andrews, D.F., Bickel, P.J., Hampel, F.R., Huber, P.J., Rogers, W.H., and Tukey, J.W. (1971), *Robust Estimates of Location: Survey and Advances*, Princeton University Press, Princeton, NJ. [4.5]
- Bahadur, R.R. (1971), *Some Limit Theorems in Statistics*, Soc. Ind. Appl. Math., Philadelphia. [6.2]
- Barndorff-Nielsen, O. (1980), "Conditionality Resolutions", *Biometrika* 67, 293-310. [5.4]
- Barndorff-Nielsen, O. (1983), "On a Formula for the Distribution of the Maximum Likelihood Estimator," *Biometrika* 70, 343-365. [4.3, 5.4, 5.5]
- Barndorff-Nielsen, O. (1984), "On Conditionality Resolution and the Likelihood Ratio for Curved Exponential Families", *Scandinavian Journal of Statistics* 11, 157-170. [5.5]
- Barndorff-Nielsen, O. (1986), "Inference on Full or Partial Parameters Based on the Standardized Signed Log Likelihood Ratio", *Biometrika* 73, 307-322. [5.5]
- Barndorff-Nielsen, O., and Cox, D.R. (1979), "Edgeworth and Saddle-point Approximations with Statistical Applications" (with discussion), *Journal of the Royal Statistical Society, B*, 41, 279-312. [2.6, 7.6]
- Barndorff-Nielsen, O., and Cox, D.R. (1989), *Asymptotic Techniques For Use in Statistics*, London: Chapman and Hall. [3.2]
- Barndorff-Nielsen, O., and Pedersen, B.V. (1979), "The Bivariate Hermite Polynomials Up to Order Six", *Scandinavian Journal of Statistics* 6, 127-128. [2.6]
- Berry, A.C. (1941), "The Accuracy of the Gaussian Approximation to the Sum of Independent Variates", *Transactions of the American Mathematical Society* 49, 122-136. [2.2]
- Bhattacharya, R.N., and Ghosh, J.K. (1978), "On the Validity of the Formal Edgeworth Expansion", *Annals of Statistics* 6, 434-451. [2.6, 4.2]
- Bhattacharya, R.N., and Rao, R.R. (1976), *Normal Approximation and Asymptotic Expansions*, New York: Wiley. [1.1, 2.2]
- Bickel, P.J. (1974), "Edgeworth Expansions in Nonparametric Statistics", *Annals of Statistics* 2, 1-20. [2.2, 2.5]
- Bickel, P.J., Götze, F., and van Zwet, W.R. (1986), "The Edgeworth Expansion For

- U-statistics of Degree Two", *Annals of Statistics* 14, 1463-1484. [2.5]
- Bjerve, S. (1977), "Error Bounds for Linear Combinations of Order Statistics", *Annals of Statistics* 5, 237-255. [2.2]
- Blackwell, D., and Hodges, J.L., Jr. (1959), "The Probability in the Extreme Tail of a Convolution", *Annals of Mathematical Statistics* 30, 1113-1120. [7.6]
- Blaesild, P., and Jensen, J.L. (1985), "Saddlepoint Formulas for Reproductive Exponential Models", *Scandinavian Journal of Statistics* 12, 193-202. [3.3]
- Bolthausen, E. (1986), "Laplace Approximations for Markov Process Expectations", *Probability Theory and Related Fields* 72, 305-318. [7.6]
- Callaert, H., and Janssen, P. (1978), "The Berry -Esseen Theorem for U-statistics", *Annals of Statistics* 6, 417-421. [2.2]
- Callaert, H., Janssen, P., and Veraverbeke, N. (1980), "An Edgeworth Expansion for U-statistics", *Annals of Statistics* 8, 299-312. [2.5]
- Chaganty, N.R., and Sethuraman, J. (1985), "Large Deviations Local Limit Theorems for Arbitrary Sequences of Random Variables", *Annals of Probability* 13, 95-114. [4.3]
- Chaganty, N.R., and Sethuraman, J. (1986), "Multidimensional Large Deviation Local Limit Theorems," *Journal of Multivariate Analysis* 20, 190-204. [4.3]
- Chan, Y., and Wierman, J. (1977), "On the Berry-Esseen Theorem for U-statistics", *Annals of Probability* 5, 136-139. [2.2]
- Charlier, C.V.L. (1905), "Uber das Fehlergesetz", *Ark. Mat. Astr. och Fys.* 2, 9 pp. [2.3]
- Charlier, C.V.L. (1906), "Uber die Darstellung Willkürlicher Funktionen, *Ark. Mat. Astr. och Fys.* 20, 35 pp. [2.3]
- Chebyshev, P.L. (1890), "Sur deux théorèmes relatifs aux probabilités", *Acta Math.* 14, 305-315. [2.3]
- Chernoff, H., Gastwirth, J.L., and Johns, M.V. (1967), "Asymptotic Distribution of Linear Combinations of Functions of Order Statistics With Applications to Estimation," *Annals of Mathematical Statistics* 38, 52-72. [4.4]
- Chesher, A., Peters, S., and Spady, R. (1989), "Approximations to the Distributions of Heterogeneity Tests in the Censored Normal Linear Regression Model," University of Bristol, manuscript. [7.6]
- Cicchitelli, G. (1976), "The Sampling Distribution of Linear Combinations of Order Statistics," *Metron* 34, 269-302. [4.4]
- Copson, E.T. (1965), *Asymptotic Expansions*, Cambridge: Cambridge University Press.

[3.2]

- Cox, D.R. (1958), "The Regression Analysis of Binary Sequences", *Journal of the Royal Statistical Society, B*, 20, 215–242. [5.4]
- Cox, D.R., and Hinkley, D.V. (1974), *Theoretical Statistics*, London: Chapman and Hall. [2.3]
- Cramer, H. (1938), "Sur un nouveau théorème-limite de la théorie des probabilités," in *Actualités Scientifiques et Industrielles*, Vol.736, Paris: Hermann & Cie. [1.1, 5.3]
- Cramer, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ. [5.3]
- Cramer, H. (1962), *Random Variables and Probability Distributions*, Cambridge Tracts, 2nd edition. [2.4]
- Daniels, H.E. (1954), "Saddlepoint Approximations in Statistics," *Annals of Mathematical Statistics* 25, 631–650. [1.1, 3.1, 3.3, 5.2, 5.3, 5.4, 7.6]
- Daniels, H.E. (1955), Discussion on the paper by Box and Andersen (1955), *Journal of the Royal Statistical Society, B*, 27–28. [1.1, 7.6]
- Daniels, H.E. (1956), "The Approximate Distribution of Serial Correlation Coefficients", *Biometrika* 43, 169–185. [7.6]
- Daniels, H.E. (1960), "Approximate Solutions of Green's Type for Univariate Stochastic Processes", *Journal of the Royal Statistical Society, B*, 22, 376–401. [7.6]
- Daniels, H.E. (1980), "Exact Saddlepoint Approximations," *Biometrika* 67, 53–58. [3.3]
- Daniels, H.E. (1982), "The Saddlepoint Approximation for a General Birth Process", *Journal of Applied Probability* 19, 20–28. [7.6]
- Daniels, H.E. (1983), "Saddlepoint Approximations for Estimating Equations," *Biometrika* 70, 89–96. [3.3, 4.3, 6.2]
- Daniels, H.E. (1987), "Uniform Approximations for Tail Probabilities", *International Statistical Review* 55, 37–48. [3.3, 3.5, 6.2]
- David, H.A. (1981), *Order Statistics*, 2nd ed., New York: Wiley. [4.4]
- Davison, A.C., and Hinkley, D.V. (1988), "Saddlepoint Approximations in Resampling Methods", *Biometrika* 75, 417–431. [7.2, 7.6]
- De Bruijn, N.G. (1970), *Asymptotic Methods in Analysis*, 3rd ed., Amsterdam: North-Holland. [3.2]
- Debye, P. (1909), *Math. Ann.* 67, 535–558. [3.2]

- Dinges, H. (1986a), "Wiener Germs Applied to the Tails of M-estimators", Preprint 352, Sonderforschungsbereich 123, University of Heidelberg. [6.2]
- Dinges, H. (1986b), "Asymptotic Normality and Large Deviations", Preprint 377, Sonderforschungsbereich 123, University of Heidelberg. [6.2]
- Dinges, H. (1986c), "Theory of Wiener Germs II", Preprint 378, Sonderforschungsbereich 123, University of Heidelberg. [6.2]
- Durbin, J. (1980a), "Approximations for Densities of Sufficient Estimators," *Biometrika* 67, 311-333. [4.2, 4.3, 5.4, 5.5]
- Durbin, J. (1980b), "The Approximate Distribution of Partial Serial Correlation Coefficients Calculated From Residuals from Regression on Fourier Series", *Biometrika* 67, 335-349. [7.6]
- Easton, G.S., and Ronchetti, E. (1986), "General Saddlepoint Approximations With Applications to L-statistics", *Journal of the American Statistical Association* 86, 420-430. [4.3, 4.4]
- Edgeworth, F.Y. (1905), "The Law of Error", *Cambridge Philos. Trans* 20, 36-66 and 113-141. [2.3]
- Efron, B. (1981), "Transformation Theory: How Normal is a Family of Distributions?", *Annals of Statistics* 10, 323-339. [5.2]
- Efron, B. (1987), "Better Bootstrap Confidence Intervals", *Journal of the American Statistical Assoc.* 82, 171-200. [5.2]
- Embrechts, P., Jensen, J.L., Maejima, M., and Teugels, J.L. (1985), "Approximations for Compound Poisson and Polya Processes", *Advances in Applied Probability* 17, 623-637. [7.6]
- Esscher, F. (1932), "On the Probability Function in Collective Risk Theory," *Scandinavian Actuarial Journal* 15, 175-195. [1.1]
- Esseen, C.G. (1942), "On the Liapounoff Limit of Error in the Theory of Probability", *Ark. Mat. Astr. och Fys.* 28A, 19pp. [2.2]
- Feller, W. (1971), *An Introduction to Probability and Its Applications*, Vol. 2, New York: Wiley. [1.1, 2.2, 2.4, 3.4, 5.3]
- Feuerverger, A. (1989), "On the Empirical Saddlepoint Approximation", *Biometrika* 76, 457-464. [7.2]
- Field, C.A. (1982), "Small Sample Asymptotic Expansions for Multivariate M-estimates," *Annals of Statistics* 10, 672-689. [4.2, 4.3, 4.5]
- Field, C.A. (1985), "Approach to Normality of Mean and M-estimators of Location", *Canadian Journal Statistics* 13, 201-210. [5.2]

- Field, C.A., and Hampel, F.R. (1982), "Small-sample Asymptotic Distributions of M-estimators of Location", *Biometrika* 69, 29–46. [4.2, 5.2, 5.3]
- Field, C.A. and Massam, H. (1987), "A Diagnostic Function for the Saddlepoint Approximations to the Distribution of an M-estimate of Location", Technical Report, Dalhousie University. [3.5, 5.2]
- Field, C.A., and Ronchetti, E. (1985), "A Tail Area Influence Function and Its Application to Testing," *Communications in Statistics C*, 4, 19–41. [7.3]
- Field, C.A., and Wu, E. (1987), "Extreme Tail Areas of a Linear Combination of Chi-squares", Technical Report, Dalhousie University. [6.2]
- Fisher, R.A. (1934), "Two New Properties of Maximum Likelihood", *Proc. Royal Soc. A* 144, 285–307. [5.5]
- Gamkrelidzt, N.G. (1980), "A Method for Proving the Central Limit Theorem", *Theory of Probability and its Applications* 25, 609–614. [3.3]
- Goldstein, R.B. (1973), "Chi-square Quantiles", *Algorithm 451*, CACM, 451–453. [6.2]
- Good, I.J. (1957), "Saddlepoint Methods for the Multinomial Distribution", *Annals of Mathematical Statistics* 28, 861–881. [7.6]
- Good, I.J. (1961), "The Multivariate Saddlepoint Method and Chi-squared for the Multinomial Distribution", *Annals of Mathematical Statistics* 32, 535–548. [7.6]
- Grad, H. (1949), "Note on N-Dimensional Hermite Polynomials", *Communications on Pure and Applied Mathematics* 2, 325–330. [2.6]
- Hall, P. (1983), "Inverting an Edgeworth Expansion", *Annals of Statistics* 11, 569–576. [2.3, 2.5]
- Hall, P. (1988), "Theoretical Comparison of Bootstrap Confidence Intervals", *Annals of Statistics* 16, 927–953. [6.3]
- Hampel, F.R. (1968), "Contributions to the Theory of Robust Estimation," Ph.D. Thesis, University of California, Berkeley. [2.5, 4.3, 7.3]
- Hampel, F.R. (1973), "Some Small-sample Asymptotics," in *Proceedings of the Prague Symposium on Asymptotic Statistics*, ed. Hajek, J., Prague: Charles University, 109–126. [1.1, 2.7, 3.3, 5.2, 5.3, 7.3]
- Hampel, F.R. (1974), "The Influence Curve and Its Role in Robust Estimation," *Journal of the American Statistical Association* 69, 383–393. [2.5, 4.3]
- Hampel, F.R. (1983), "The Robustness of Some Nonparametric Procedures", in *A Festschrift for Erich L. Lehmann: In Honor of his Sixty-Fifth Birthday*, eds. Bickel, P.J., Doksum, K.A., Hodges, J.L. Jr., Statistics/Probability Series, Belmont (CA): Wadsworth. [7.3]

- Hampel, F.R., Ronchetti, E.M., Rousseeuw, P.J., and Stahel, W.A. (1986). *Robust Statistics: the Approach Based on Influence Functions*, New York: Wiley. [2.5, 7.3]
- Helmers, R. (1977), "The Order of the Normal Approximation for Linear Combinations of Order Statistics With Smooth Weights Functions", *Annals of Probability* 5, 940-953. [2.2]
- Helmers, R. (1979), "Edgeworth Expansions for Trimmed Linear Combinations of Order Statistics," in *Proceedings of the Second Prague Symposium on Asymptotic Statistics*, eds. Mandl, P. and Huskova, M., Prague: Charles University, 221-232. [2.5, 4.4]
- Helmers, R. (1980), "Edgeworth Expansions for Linear Combinations of Order Statistics With Smooth Weight Functions," *Annals of Statistics* 8, 1361-1374. [2.5, 4.4]
- Helmers, R., and van Zwet, W.R. (1982), "The Berry-Esseen Bound for U-statistics", in *Statistical Decision Theory and Related Topics*, eds. Gupta, S.S. and Berger, J.O., Vol. 1, Academic Press, 497-512. [2.2]
- Helstrom, C.W. (1978), "Approximate Evaluation of Detection Probabilities in Radar and Optical Communications", *IEEE Transactions on Aerospace and Electronic Systems*, AES-14, 4, 630-640. [7.5]
- Helstrom, C.W. (1979), "Performance Analysis of Optical Receivers by the Saddlepoint Approximation", *IEEE Transactions on Communications*, COM-27, 1, 186-191. [7.5]
- Helstrom, C.W. (1985), "Computation of Photoelectron Counting Distributions by Numerical Contour Integration", *Journal of the Optical Society of America* 2, 674-6812. [7.5]
- Helstrom, C.W. (1986a), "Calculating Error Probabilities for Intersymbol and Cochannel Interference", *IEEE Transactions on Communications*, COM-34, 5, 430-435. [7.5]
- Helstrom, C.W. (1986b), "Significance Probabilities for Wilcoxon Rank Tests Evaluated by Numerical Contour Integration", manuscript. [7.4]
- Helstrom, C.W., and Rice, S.O. (1984), "Computation of Counting Distributions Arising from a Single-Stage Multiplicative Process", *Journal of Computational Physics* 54, 289-324. [7.5]
- Helstrom, C.W., and Ritcey, J.A. (1984), "Evaluating Radar Detection Probabilities by Steepest Descent Integration", *IEEE Transactions on Aerospace and Electronic Systems*, AES-20, 5, 624-634. [7.5]
- Helstrom, C.W., and Ritcey, J.A. (1985), "Evaluation of the Noncentral F-Distribution by Numerical Contour Integration", *SIAM Journal of Scientific and Statistical Computing* 6, 505-514. [7.6]
- Henrici, P. (1977), *Applied and Computational Complex Analysis*, Vol. 2, New York:

Wiley. [2.1]

- Hoeffding, W. (1948), "A Class of Statistics With Asymptotically Normal Distributions", *Annals of Mathematical Statistics* 19, 293–325. [2.5]
- Holly, A. (1986), "Tensor Components of Multivariate Hermite Polynomials and Moments of a Multivariate Normal Distribution", Cahier 8701, Département d'économétrie et d'économie politique, HEC, Université de Lausanne, Switzerland. [2.6, 7.6]
- Holly, A., and Phillips, P.C.B. (1979), "A Saddlepoint Approximation to the Distribution of the k-Class Estimator of a Coefficient in a Simultaneous System", *Econometrica* 47, 1527–1547. [7.6]
- Hougaard, P. (1985), "Saddlepoint Approximations for Curved Exponential Families", *Statistics and Probability Letters* 3, 161–166. [5.4]
- Huber, P.J. (1964), "Robust Estimation of a Location Parameter", *Annals of Mathematical Statistics* 35, 73–101. [4.2, 4.5]
- Huber, P.J. (1965), "A Robust Version of the Probability Ratio Test", *Annals of Mathematical Statistics* 36, 1753–1758. [7.3]
- Huber, P.J. (1967), "The Behaviour of Maximum Likelihood Estimates Under Non-standard Conditions", *Proc. Fifth Berkeley Symp. Math. Stat. Prob.* 1, 221–233. [4.2, 7.3]
- Huber, P.J. (1981), *Robust Statistics*, New York: Wiley. [4.5, 6.3, 7.3]
- Imhof, J.P. (1961), "Computing the Distribution of Quadratic Forms in Normal Variables", *Biometrika* 48, 419–426. [7.6]
- James, G.S., and Mayne, A.J. (1962), "Cumulants of Functions of Random Variables", *Sankhyā Ser. A* 24, 47–54. [4.2, 4.5]
- Jeffreys, H., and Jeffreys, B.S. (1950), *Methods of Mathematical Physics*, Cambridge University Press. [3.3]
- Jensen, J.L. (1988), "Uniform Saddlepoint Approximations", *Advances in Applied Probability* 20, 622–634. [3.3]
- Johns, M.V. (1988), "Importance Sampling for Bootstrap Confidence Intervals", *Journal of the American Statistical Association* 83, 709–714. [7.6]
- Keilson, J. (1963), "On the Asymptotic Behaviour of Queues", *Journal of the Royal Statistical Society, B*, 25, 464–476. [7.6]
- Keilson, J. (1965), "The Role of Green's Functions in Congestion Theory" (with discussion), in *Proceedings of the Symposium on Congestion Theory*, eds. W. L. Smith and W.E. Wilkinson, Chapel Hill, NC: University of North Carolina Press, 43–71. [7.6]

- Kendall, M., and Stuart, A. (1977), *The Advanced Theory of Statistics*, Vol. 1, Fourth Edition, London: C. Griffin & Company. [2.3]
- Khinchin, A.I. (1949), *Mathematical Foundations of Statistical Mechanics*, New York: Dover Publications. [1.1, 3.4]
- Kullback, S. (1960), *Information Theory and Statistics*, New York: Wiley. [3.4]
- Lambert, D. (1981), "Influence Functions for Testing, *Journal of the American Statistical Association* 76, 649-657. [7.3]
- Lugannani, R., and Rice, S. (1980), "Saddle Point Approximation for the Distribution of the Sum of Independent Random Variables. *Advances in Applied Probability* 12, 475-490. [3.5, 4.2, 5.2, 6.1, 6.2, 7.6]
- Lugannani, R., and Rice, S.O.(1984), "Distribution of the Ratio of Quadratic Forms in Normal Variables - Numerical Methods", *SIAM Journal of Scientific and Statistical Computing* 5, 476-488. [7.6]
- McCullagh, P. (1984), "Local Sufficiency", *Biometrika* 71, 233-244. [5.5]
- McCullagh, P. (1987), *Tensor Methods in Statistics*, New York: Chapman and Hall. [2.6, 5.2]
- Parr, W., and Schucany, W. (1982), "Jackknifing L-statistics With Smooth Weight Functions," *Journal of the American Statistical Association* 27, 639-646. [4.4]
- Petrov, V.V. (1965), "On the Probabilities of Large Deviations for Sums of Independent Random Variables", *Theory of Probability Applications* 10, 287-298. [7.6]
- Phillips, P.C.B. (1978), "Edgeworth and Saddlepoint Approximations in a First Order Autoregression", *Biometrika* 65, 91-98. [7.6]
- Pollard, D. (1985), "New Ways to Prove Central Limit Theorems", *Econometric Theory* 1, 295-314. [1.1, 2.2]
- Reid, N. (1988), "Saddlepoint Methods and Statistical Inference", *Statistical Science* 3, 213-238. [1.2, 5.4, 5.5]
- Renyi, A. (1959), "On Measures of Dependence", *Acta Math. Acad. Sci. Hung.* 10, 441-451. [4.5]
- Rice, S.O. (1973), "Efficient Evaluation of Integrals of Analytic Functions by the Trapezoidal Rule", *Bell System Technical Journal* 52, 707-722. [7.5]
- Richter, W. (1957), "Local Limit Theorems for Large Deviations", *Theory of Probability Applications* 2, 206-220. [5.3]
- Rieder, H. (1980). "Estimates Derived from Robust Tests. *Annals of Statistics* 8, 106-115. [7.3]

- Riemann, B. (1892), *Riemann's Gesammelte Mathematische Werke*, New York: Dover Press, (1953), 424–430. [3.2]
- Ritcey, J.A. (1985), "Calculating Radar Detection Probabilities by Contour Integration", Ph.D. Thesis, University of California, San Diego. [2.2, 7.5]
- Robinson, J. (1982), "Saddlepoint Approximations for Permutation Tests and Confidence Intervals", *Journal of the Royal Statistical Society*, B, 44, 91–101. [6.2, 7.6]
- Robinson, J., Höglund, T., Holst, L., and Quine, M.P. (1988), "On Approximating Probabilities for Small and Large Deviations in R^d ", University of Sydney, manuscript. [7.4]
- Ronchetti, E. (1979), "Robustheitseigenschaften von Tests", Dipl. Thesis, ETH Zürich. [7.3]
- Ronchetti, E. (1982). *Robust Testing in Linear Models: the Infinitesimal Approach*", Ph.D. Thesis, ETH Zürich. [7.3]
- Ronchetti, E. (1987), "Robust $C(\alpha)$ -Type Tests for Linear Models", *Sankhyā* 49, Series A, 1–16. [7.3]
- Ronchetti, E. (1989), "Density Estimation Via Small Sample Asymptotics", manuscript. [7.2]
- Ronchetti, E., and Welsh, A. (1990), "Empirical Small Sample Asymptotics", manuscript. [7.2]
- Rousseeuw, P.J., and Ronchetti, E. (1979), "The Influence Curve for Tests", Research Report 21, Fachgruppe für Statistik, ETH Zürich. [7.3]
- Rousseeuw, P.J., and Ronchetti, E. (1981), "Influence Curves for General Statistics", *Journal of Computational and Applied Mathematics* 7, 162–166. [7.3]
- Serfling, R. (1980), *Approximation Theorems of Mathematical Statistics*, New York: Wiley. [1.1, 2.2]
- Shorack, G.R. (1969), "Asymptotic Normality of Linear Combinations of Functions of Order Statistics", *Annals of Mathematical Statistics* 40, 2041–2050. [4.4]
- Shorack, G.R. (1972), "Functions of Order Statistics," *Annals of Mathematical Statistics* 43, 412–427. [4.4]
- Skovgaard, I.M. (1985), "Large Deviation Approximations for Maximum Likelihood Estimates", *Prob. Math. Statist* 6, 89–107. [5.4]
- Skovgaard, I.M. (1986), "On Multivariate Edgeworth Expansions", *International Statistical Review* 54, 169–186. [2.5, 2.6]
- Skovgaard, I.M. (1987), "Saddlepoint Expansion for Conditional Distributions", *Journal*

- of *Applied Probability* 24, 875–887. [5.5]
- Spady, R.H. (1987), “Saddlepoint Approximations for Regression Models”, Technical Report, Bell Communications Research, Morristown NJ. [4.5]
- Stigler, S.M. (1969), “Linear Functions of Order Statistics”, *Annals of Mathematical Statistics* 40, 770–788. [4.4]
- Stigler, S.M. (1974), “Linear Functions of Order Statistics With Smooth Weight Functions,” *Annals of Statistics* 2, 676–693. [4.4]
- Tierney, L. (1990), *LISP-STAT: Statistical Computing and Dynamic Graphics in LISP*, New York: Wiley (to appear). [7.6]
- Tierney, L., and Kadane, J.B. (1986), “Accurate Approximations for Posterior Moments and Marginal Densities”, *Journal of the American Statistical Association* 81, 82–86. [7.6]
- Tingley, M.A. (1987), “The Lugannani-Rice Tail Area Approximation With Application to the Bootstrap”, Technical Report, Dalhousie University. [3.5, 4.2, 6.2]
- Tingley, M.A. and Field, C.A. (1990), “Small sample Confidence Intervals”, *Journal of American Statistical Association* (to appear).
- Tukey, J.W. (1977), *Exploratory Data Analysis*, Reading (MA): Addison-Wesley. [4.4]
- van Zwet, W.R. (1979), “The Edgeworth Expansion for Linear Combinations of Uniform Order Statistics,” in *Proceedings of the Second Prague Symposium on Asymptotic Statistics*, eds. Mandl, P. and Huskova, M., Prague: Charles University, 93–101. [2.5, 4.4]
- van Zwet, W.R. (1984), “A Berry-Esseen Bound For Symmetric Statistics”, *Zeitschrift für W'keits-theorie und Verwandte Gebiete* 66, 425–440. [2.2]
- Visek, J.A. (1983), “On Second Order Efficiency of a Robust Test and Approximations of its Error Probabilities”, *Kybernetika* 19, 387–407. [7.3]
- Visek, J.A. (1986), “A Note on Numerical Aspects of Robust Testing”, *Problems of Control and Information Theory* 15, 299–307. [7.3]
- von Mises, R. (1947), “On the Asymptotic Distribution of Differentiable Statistical Functions,” *Annals of Mathematical Statistics* 18, 309–348. [2.5, 4.3]
- Wallace, D.L. (1958), “Asymptotic Approximations to Distributions”, *Annals of Mathematical Statistics* 29, 635–654. [2.3]
- Watson, G.N. (1948), *Theory of Bessel Functions*, Cambridge University Press. [3.3]
- Weisberg, H. (1971), “The Distribution of Linear Combinations of Order Statistics From the Uniform Distribution”, *Annals of Mathematical Statistics* 42, 704–709. [4.4]