

Index

- 1-generated, 16
- D -dimension (κ), 45
 - numerical —
 - κ_ν , 181
 - κ_σ , 175
 - ν , 173
 - relative —, 50
- \mathbb{Q} -Gorenstein, 54
- ν -decomposition, 94
 - relative —, 99
- ω -big, 198
- ω -sheaf, 193
- $\hat{\omega}$ -sheaf, 198
- σ -decomposition, 85
 - relative —, 99
- m -genus
 - P_m , 6, 55, 60, 229
 - γ_m , 254
- ‘general’, 14
- abundant, 184
 - f - —, 184
 - geometrically —, 184
 - f - —, 184
 - nef and —, 174
- admissible, 258
 - strictly —, 258
- algebraic \mathbb{R} -cycle, 72
- ample, 23, 45, 62
 - f - —, 24, 67
 - dd- —, 200
 - relatively —, 24, 67
 - very —, 23, 45
 - f - —, 24
 - relatively —, 24
- analytic
 - subset, 14
 - complex — space, 13
 - complex — variety, 14
- base locus, 42
 - numerical —, 90
 - stable —, 169
- base-point free, 42, 45
- big, 2, 52, 63, 200
 - f - —, 68
 - relatively —, 68
- bimeromorphic, 27
 - morphism, 27
 - pair, 60
 - transform, 29
- blowing-up, 26
 - toric —, 139
- canonical, 60
 - divisor, 54
 - extension, 190
 - sheaf, 54
 - singularity, 59
- center, 26
- Chern class, 73
 - first —, 33
 - averaged —, 77
- class C , 229
- coherent, 13
- conductor, 160
- contraction, 100, 266
- deformation, 229
- degeneration, 229
- divisor, 29
 - \mathbb{Q} - —, 35
 - \mathbb{R} - —, 35
 - \mathbb{Z} - —, 35
 - Cartier —, 30
 - \mathbb{Q} - —, 35

- \mathbb{R} - —, 35
- numerically \mathbb{Q} - —, 41
- fixed —, 43
- relative —, 230
- principal —, 30
- ramification —, 54, 160
- logarithmic —, 56
- Weil —, 29
- dominate (\succeq), 177, 178
- numerically — (\succcurlyeq), 178, 179
- dual (\vee), 11, 113
- double- — (\wedge), 31
- dualizing complex, 33, 54
- dualizing sheaf, 54
- relative —, 8, 192
- effective, 29, 36, 72
- π - —, 230
- exceptional
- f - —, 39, 103
- curve, 100
- locus, 28
- successively π - —, 104
- weakly π - —, 104
- face (\prec), 113
- factorial, 30
- \mathbb{Q} - —, 35
- fan, 114
- complete —, 114
- finite —, 114
- non-singular —, 116
- fiber space, 15
- meromorphic —, 27
- fibration, 15
- litaka —, 52, 55
- filtration
- Harder–Narasimhan —, 77
- length of —, 147
- Hodge —, 187
- finite presentation, 20
- locally of —, 20
- fixed part, 43
- free, 45
- flat, 28
- tening, 28
- fractional part ($\langle \rangle$), 36
- free, 24, 45
- f - —, 24
- general, 14
- generated, 199
- f - —, 24
- by global sections, 24
- relatively —, 24
- Hodge structure, 187
- variation of —, 188
- horizontal, 39
- part (h), 47
- insufficient fiber type, 103
- invertible
- \mathbb{R} -sheaf, 38
- function, 14, 29
- sheaf, 14
- irreducible, 14
- decomposition, 29
- Kodaira dimension (κ), 6, 55
- numerical — ($\kappa_\sigma, \kappa_\nu$), 187
- linear system, 42
- complete —, 42
- reduced —, 43
- linearly equivalent (\sim), 33, 36
- \mathbb{Q} - — ($\sim_{\mathbb{Q}}$), 36
- \mathbb{R} - — ($\sim_{\mathbb{R}}$), 36
- locally free sheaf, 14
- log terminal, 257
- in Fujita’s sense, 261
- divisorial — = dlt, 9, 257
- Kawamata — = klt = log-terminal, 9, 257
- pure — = plt, 61
- log-canonical, 59
- strongly —, 261
- log-terminal, 9, 59, 60
- quasi —, 262
- weak —, 9
- main component, 28
- manifold, 28
- maximal cone, 115
- meromorphic mapping, 27
- dominant —, 27
- proper —, 27
- monodromy, 189
- morphism
- finite —, 14
- projective —, 24
- proper —, 14
- movable, 85
- numerically —, 95
- multiplicity, 29, 36
- Mumford pullback, 107, 109
- nef, 62

- π - —, 67
 - at x , 90
 - relatively —, 67
- negative part
 - D_- , 29
 - N , 85, 94
- normal, 15
 - ization, 15
- normal crossing divisor, 56
 - simple —, 56
- numerical pullback, 41, 107
- numerically equivalent (\approx), 62
- numerically trivial
 - π - —, 67
 - relatively —, 67
- of general type, 55
- orbit, 115
- period, 189
- Picard
 - group (Pic), 14
 - number (ρ), 62
- pluricanonical ring, 3
- polarization, 187
- positive, 24, 65
 - semi- —
 - generically —, 8, 162
 - numerically —, 190
 - weakly —, 200
- positive part
 - D_+ , 29
 - P , 85, 94
- prime
 - component, 29
 - decomposition, 29
 - divisor, 29
- projective, 19, 229
 - space (\mathbb{P}^n), 19
 - ly flat, 154
- proper
 - inverse image, 39
 - subset, 11
- pseudo-effective, 63, 64, 72
 - f - —, 69
 - relatively —, 69
- rank, 14
- reduced, 14
- reducible, 14
- reflexive, 31
 - \mathbb{R} -sheaf of rank one, 37
- round-down ($\lfloor _ \rfloor$), 36
- round-up ($\lceil _ \rceil$), 36
- sectional decomposition, 2
 - f - —, 226
- semi-ample, 24, 45
 - f - —, 24
 - relatively —, 24
- semi-stable reduction, 218
- semi-stable sheaf, 77
- singular, 28
 - locus (Sing), 28
 - non—, 28
- Stein factorization, 15
- strictly convex, 113, 122
- subbundle, 14
- subdivision, 114
 - locally finite —, 114
 - proper —, 114
- support ($| _ |$), 114
 - function, 117
- support (Supp), 29
- tautological, 19, 22
 - divisor, 73
 - normalized — divisor, 4, 74
- terminal, 60
 - singularity, 59
- toric bundle, 127
 - affine —, 127
- toric variety, 114
 - affine —, 114
- torsion part (tor), 14
- torsion-free, 14
- total transform, 40
- transform
 - proper —, 40
 - strict —, 40
- unit, 14, 29
- vector bundle, 14
- vertex, 115
- vertical, 39
 - part (v), 47
- weight, 187
- Weil operator, 187
- Zariski-closed, 14
- Zariski-decomposition, 86
 - conjecture, 3
 - in the sense of Fujita, 3
- relative —, 99
- Zariski-open, 14