REFERENCES

[Ad] Adams, R., Sobolev Spaces, Academic Press, 1975.

[AB] Ahlfors, L., and L. Bers, Riemann's Mapping Theorem for Variable Metrics, Ann. Math. 72 (1960), 385-404.

[Ba] Baldes, A., Stability and Uniqueness Properties of the Equator Map from a Ball into an Ellipsoid, MZ, to appear.

[Bg] Berg, P., On Univalent Mappings by Solutions of Linear Partial Differential Equations, Trans. Amer. Math. Soc. (1957), 310-318.

[B] Bers, L., An Outline of the Theory of Pseudoanalytic Functions, Bull. Amer. Math. Soc. 62 (1956), 291-331.

[BJS] Bers, L., F. John, and M. Schechter, Partial Differential Equations, Interscience, New York, 1964.

[Bl] Blaschke, W., Vorlesungen über Differentialgeometrie, Part I, Springer, Berlin, 1945.

[BC1] Brezis, H., and J.M. Coron, Multiple Solutions of H-systems and Rellich's Conjecture, Comm. Pure Appl. Math., to appear.

[BC2] Brezis, H., and J.M. Coron, Large Solutions for Harmonic Maps in Two Dimensions, Comm. Math, Phys., to appear.

[BK] Buser, P., and H. Karcher, Gromov's Almost Flat Manifolds, Astérisque 81 (1981).

[Ca] Calabi, E., An Intrinsic Characterization of Harmonic One-Forms, in: Global Analysis, ed. by D.C. Spencer and S. Iyanaga, Princeton Univ. Press, Tokyo, Princeton, 1969.

[Ci] Choi, H.J., On the Liouville Theorem for Harmonic Maps, Preprint.

[Cq] Choquet, G., Sur un type de transformation analytique généralisant la réprésentation conforme et définie au moyen de fonctions harmoniques, Bull. Sci. Math. (2) 69 (1945), 156-165.

[Co] Courant, R., Dirichlet's Principle, Conformal Mapping, and Minimal Surfaces, New York,, Interscience, 1950.

[dTK] De Turck, D., and J. Kazdan, Some Regularity Theorems in Riemannian Geometry, Ann. Sc. Ec. N. Sup. Paris.

[EE] Earle, C.J., and J. Eells, A Fibre Bundle Description of Teichmüller Theory, J. Diff. Geom. 3 (1969), 19-43.

[E] Eells, J., Regularity of Certain Harmonic Maps, Proc. Durham Conf. 1982.

[EL1] Eells, J., and L. Lemaire, A Report on Harmonic Maps, Bull. London Math. Soc. 10 (1978), 1-68.

[EL2] Eells, J., and L. Lemaire, Deformations of Metrics and Associated Harmonic Maps, Patodi Mem. Vol. Geometry and Analysis, Tata Inst., 1980, 33-45.

[EL3] Eells, J., and L. Lemaire, On the Construction of Harmonic and Holomorphic Maps Between Surfaces, Math. Ann. 252 (1980), 27-52.

[EL4] Eells, J., and L. Lemaire, Selected Topics in Harmonic Maps, CBMS Regional Conf., 1981.

[ES] Eells, J., and J.H. Sampson, Harmonic Mappings of Riemannian Manifolds, Am. J. Math. 86 (1964), 109-160.

[EW] Eells, J., and J.C. Wood, Restrictions on Harmonic Maps of Surfaces, Top. 15 (1976), 263-266.

[Es] Eliasson, H.I., A Priori Growth and Hölder Estimates for Harmonic Mappings, Univ. Iceland, Preprint, 1981.

[F] Federer, H., Geometric Measure Theory, Springer, Grundlehren 163, New York, 1969.

[Fe] Fenchel, W., Elementare Beweise und Anwendungen einiger Fixpunktsätze, Mat. Tidsskr. (B) (1932), 66-87.

[GR] Gerstenhaber, M., and H.E. Rauch, On Extremal Quasiconformal Mappings I, II, Proc. Nat. Ac. Sc. 40 (1954), 808-812 and 991-994.

[G] Giaquinta, M., Multiple Integrals in the Calculus of Variations and Non Linear Elliptic Systems, SFB 72, Vorlesungsreihe No. 6, Bonn, 1981.

[GG1] Giaquinta, M., and Giusti, E., On the Regularity of the Minima of Variational Integrals, Acta Math. 148 (1982), 31-46.

[GG2] Giaquinta, M., and Giusti, E., The Singular Set of the Minima of Certain Quadratic Functionals, to appear in Analysis.

[GH] Giaquinta, M., and S. Hildebrandt, A Priori Estimates for Harmonic Mappings, J. Reine Angew. Math.

[GT] Gilbarg, D., and N.S. Trudinger, Elliptic Partial Differential Equations of Second Order, Springer, Grundlehren 224, Berlin, Heidelberg, New York, 1977.

[Go] Gordon, W., Convex Functions and Harmonic Mappings, Proc. Amer. Math. Soc. 33 (1933), 433-437.

[GKM] Gromoll, D., W. Klingenberg, and W. Meyer, Riemannsche Geometrie im Grossen, L.N.M. 55, Springer, Berlin, Heidelberg, New York, 1975.

[GW] Grüter, M., and K.-O. Widman, The Green Function for Uniformly Elliptic Equations, Man. Math. 37 (1982), 303-342.

[Hm] Hamilton, R., Harmonic Maps of Manifolds with Boundary, L.N.M. 471, Springer, Berlin, Heidelberg, New York, 1975.

[Ht] Hartman, P., On Homotopic Harmonic Maps, Can. J. Math. 19 (1967), 673-687.

[HtW] Hartman, P., and A. Wintner, On the Local Behavior of Solutions of Nonparabolic Partial Differential Equations, Amer. J. Math. 75 (1953), 449-476.

[Hz1] Heinz, E., On Certain Nonlinear Elliptic Differential Equations and Univalent Mappings, Journ. d'Anal. 5 (1956/57), 197-272.

[Hz2] Heinz, E., Neue a-priori Abschätzungen für den Ortsvektor einer Fläche positiver Gaussscher Krümmung durch ihr Linienelement, Math. Z. 74 (1960), 129-157.

[Hz3] Heinz, E., Existence Theorems for One-to-One Mappings Associated with Elliptic Systems of Second Order, part I, Journ. d'Anal. 15 (1965), 325-353.

[Hz4] Heinz, E., Existence Theorems for One-to-One Mappings Associated with Elliptic Systems of Second Order, part II, Journ. d'Anal. 17 (1965), 145-184.

[Hz5] Heinz, E., Zur Abschätzung der Funktionaldeterminante bei einer Klasse topologischer Abbildungen, Nachr. Akad. Wiss. Gött. (1968), 183-197.

[Hi1] Hildebrandt, S., On the Plateau Problem for Surfaces of Constant Mean Curvature, Comm. Pure Appl. Math. 23, (1970), 97-114.

[Hi2] Hildebrandt, S., Nonlinear Elliptic Systems and Harmonic Mappings, Proc. Beijing Symp. Diff. Geom. & Diff. Eq. 1980, Science Press, Beijing, 1982, also in SFB 72, Vorlesungsreihe No. 4, Bonn, 1980.

[HJW] Hildebrandt, S., J. Jost, and K.-O. Widman, Harmonic Mappings and Minimal Submanifolds, Inv. Math. 62 (1980), 269-298.

[HJW1] Hildebrandt, S., H. Kaul, and K.-O. Widman, Harmonic Mappings into Riemannian Manifolds with Non-positive Sectional Curvature, Math. Scand. 37 (1975), 257-263.

[HJW1] Hildebrandt, S., H. Kaul, and K.-O. Widman, Dirichlet's Boundary Value Problem for Harmonic Mappings of Riemannian Manifolds, Math. Z. 147 (1976), 225-236.

[HJW3] Hildebrandt, S., H. Kaul, and K.-O. Widman, An Existence Theorem for Harmonic Mappings of Riemannian Manifolds, Acta Math. 138 (1977), 1-16.

[HW1] Hildebrandt, S., and K.-O. Widman, Some Regularity Results for Quasilinear Elliptic Systems of Second Order, Math. Z. 142 (1975), 67-86.

[HW2] Hildebrandt, S., and K.-O. Widman, On the Hölder Continuity of Weak Solutions of Quasilinear Elliptic Systems of Second Order, Ann. Sc. N. Sup. Pisa IV (1977), 145-178.

[HOS] Hoffman, D.A., R. Osserman, and R. Schoen, On the Gauss Map of Complete Surfaces of Constant Mean Curvature in $\mathbb{R}^3$ and $\mathbb{R}^4$, Comm. Math. Helv. 57 (1982), 519-531.

[JäK1] Jäger, W., and H. Kaul, Uniqueness of Harmonic Mappings and of Solutions of Elliptic Equations on Riemannian Manifolds, Math. Ann. 240 (1979), 231-250.

[JäK2] Jäger, W., and H. Kaul, Uniqueness and Stability of Harmonic Maps and their Jacobi Fields, Man. Math. 28 (1979), 269-291.

[JäK3] Jäger, W., and H. Kaul, Rotationally Symmetric Harmonic Maps from a Ball into a Sphere and the Regularity Problem for Weak Solutions of Elliptic System, J. Reine Angew. Math. 343 (1983), 146-161.

[J1] Jost, J., Eineindeutigkeit harmonischer Abbildungen, Diplomarbeit, Bonn, 1979, also Bonner Math. Schr. 129 (1981).

[J2] Jost, J., Eine geometrische Bemerkung zu Sätzen über harmonische Abbildungen, die ein Dirichletproblem lösen, Man. Math. 32 (1980), 51-57.

[J3] Jost, J., Univalency of Harmonic Mappings between Surfaces, J. Reine Angew. Math. 324 (1981), 141-153.

[J4] Jost, J., Eine Existenzbeweis für harmonische Abbildungen, die ein Dirichletproblem lösen, mittels der Methode des Wärmeflusses, Man. Math. 34 (1981), 17-25.

[J5] Jost, J., A Maximum Principle for Harmonic Mappings which Solve a Dirichlet Problem, Man. Math. 38 (1982), 129-130.

[J6] Jost, J., Existence Proofs for Harmonic Mappings with the Help of Maximum Principle, Math. Z. 184 (1983), 489-496.

[J7] Jost, J., The Dirichlet Problem for Harmonic Maps from a Surface with Boundary onto a 2-Sphere with Non-Constant Boundary Values, J. Diff. Geom., to appear.

[J8] Jost, J., Harmonic Maps Between Surfaces, Springer Lecture Notes, to appear.

[J9] Jost, J., Conformal Mappings and the Plateau-Douglas Problem, Preprint.

[JK1] Jost, J., and H. Karcher, Geometrische Methoden zur Gewinnung von a-priori-Schranken für harmonische Abbildungen, Man. Math. 40 (1982), 27-77.

[JK2] Jost, J., and H. Karcher, Almost Linear Functions and A-Priori Estimates for Harmonic Maps, Proc. Durham Conf. 1982.

[JM] Jost, J., and M. Meier, Boundary Regularity for Minima of Certain Quadratic Functionals, Math. Ann. 262 (1983), 549-561.

[JS] Jost, J., and R. Schoen, On the Existence of Harmonic Diffeomorphisms Between Surfaces, Inv. Math. 66 (1982), 353-359.

[JY] Jost, J., and S.T. Yau, Harmonic Mappings and Kähler Manifolds, Math. Ann. 262 (1983), 145-166.

[K1] Karcher, H., Schnittort und konvexe Mengen in vollständigen Riemannschen Mannigfaltigkeiten, Math. Ann. 177 (1968), 105-121.

[K2] Karcher, H., Riemannian Center of Mass and Mollifier Smoothing, CPAM 30 (1977), 509-541.

[KW] Karcher, H., and J.C. Wood, Non-Existence Results and Growth Properties for Harmonic Maps and Forms, Preprint, SFB 40, Bonn, 1983.

[Kn1] Kneser, H., Losung der Aufgabe 41, Jber. Dtsch. Math. Ver. 35 (1926), 123-124.

[Kn2] Kneser, H., Die kleinste Bedeckungszahl innerhalb einer Klasse von Flächenabbildungen, Math. Ann. 103 (1930), 347-358.

[LU] Ladyženskaja, O.A., and N.N. Ural'ceva, Équations aux dérivées partielles de type elliptique, Dunod, Paris, 1968.

[Lv] Lavrent'ev, M.A., Sur une classe des réprésentations continues, Mat. Sb. (1935), 407-434.

[Lz] Leibniz, G.W., Die Theodizee, Phil. Bibl. 71, Felix Meiner, Hamburg, ^{2}1968.

[L1] Lemaire, L., Applications harmoniques de surfaces Riemanniennes, J. Diff. Geom. 13 (1978), 51-78.

[L2] Lemaire, L., Boundary Value Problems for Harmonic and Minimal Maps of Surfaces into Manifolds, Ann. Sc. Norm. Sup. Pisa (4) 8 (1982), 91-103.

[L3] Lemaire, L., Applications harmoniques de variétés produits, Comm. Math. Helv. 52 (1977), 11-24.

[Li] Lichtenstein, L., Zur Theorie der konformen Abbildung. Konforme Abbildung nichtanalytischer singularitätenfreier Flächenstücke auf ebene Gebiete, Bull. Acad. Sci. Cracovie, Cl. Sci. Mat. Nat. A (1916), 192-217.

[MS] Meyers, N., and J. Serrin, H = W, Proc. Nat. Ac. Sc. 51 (1964), 1055-1056.

[M1] Morrey, C.B., On the Solutions of Quasi-Linear Elliptic Partial Differential Equations, Trans. Amer. Math. Soc. 43 (1938), 126-166.

[M2] Morrey, C.B., The Problem of Plateau on a Riemannian Manifold, Ann. Math. 49 (1948), 807-851.

[M3] Morrey, C.B., Multiple Integrals in the Calculus of Variations, Springer, Berlin, Heidelberg, New York, 1966.

[Mo] Moser, J., On Harnack's Theorem for Elliptic Differential Equations, CPAM 14 (1961), 577-591.

[Na] Nash, J., The Embedding Problem for Riemannian Manifolds, Ann. Math. 63 (1956), 20-63.

[Rd] Rado, T., Aufgabe 41, Jber. Dtsch. Math. Ver. 35 (1926), 49.

[RV] Ruh, E.A., and J. Vilms, The Tension Field of the Gauss Map, Trans. Amer. Math. Soc. 49 (1970), 569-573.

[SkU] Sacks, J., and K. Uhlenbeck, The Existence of Minimal Immersions of 2-Spheres, Ann. Math. 113 (1981), 1-24.

[Sa] Sampson, J.H., Some Properties and Applications of Harmonic Mappings, Ann. Sc. Ec. Sup. 11 (1978), 211-228.

[SU1] Schoen, R., and K. Uhlenbeck, A Regularity Theory for Harmonic Maps, J. Diff. Geom. 17 (1982), 307-335.

[SU2] Schoen, R., and K. Uhlenbeck, Boundary Regularity and Miscellaneous Results on Harmonic Maps, to appear in J. Diff. Geom.

[SY1] Schoen, R., and S.T. Yau, On Univalent Harmonic Maps between Surfaces, Inv. Math. 44 (1978), 265-278.

[SY2] Schoen, R., and S.T. Yau, Existence of Incompressible Minimal Surfaces and the Topology of Three Dimensional Manifolds with Non-Negative Scalar Curvature, Ann. Math. 10 (1979), 127-142.

[SY3] Schoen, R., and S.T. Yau, Compact Group Actions and the Topology of Manifolds with Non-Positive Curvature, Top. 18 (1979), 361-380.

[Se1] Sealey, H., Some Properties of Harmonic Mappings, Thesis, Univ. Warwick, 1980.

[Se2] Sealey, H., The Stress-Energy Tensor and the Vanishing of L^2-Harmonic Forms, Preprint.

[Sh] Shibata, K., On the Existence of a Harmonic Mapping, Osaka J. Math. 15 (1963), 173-211.

[Sm] Simon, L., Asymptotics for a Class of Non-Linear Evolution Equations, with Applications to Geometric Problems, Research Report CMA-805-83, Canberra, 1983.

[Si] Siu, Y.T., The Complex Analyticity of Harmonic Maps and the Strong Rigidity of Compact Kähler Manifolds, Ann. Math. 112 (1980), 73-111.

[Sp] Sperner, E., A Priori Gradient Estimates for Harmonic Mappings, SFB 72, Preprint 513, Bonn, 1982.

[Td] Tolksdorf, P., A Strong Maximum Principle and Regularity for Harmonic Mappings, Preprint.

[Tr] Tromba, A., A New Proof that Teichmüller Space is a Cell, Preprint.

[U] Uhlenbeck, K., Harmonic Maps: A Direct Method in the Calculus of Variations, Bull. Amer. Math. Soc. 76 (1970), 1082-1087.

[vW] von Wahl, W., Klassische Lösbarkeit im Grossen für nichtlineare parabolische Systeme und das Verhalten der Lösungen für $t \to \infty$, Nachr. Akad. Wiss. Göttingen.

[Wt] Wente, H., The Differential equations $\Delta x = 2Hx_u \wedge x_v$ with Vanishing Boundary Values, Proc. Amer. Math. Soc. 50 (1975), 131-137.

[Wi] Wiegner, M., A priori Schranken für Lösungen gewisser elliptischer Systeme, Man. Math. 18 (1976), 279-297.

[W1] Wood, J.C., Singularities of Harmonic Maps and Applications of the Gauss-Bonnet Formula, Amer. J. Math. 99 (1977), 1329-1344.

[W2] Wood, J.C., Non-existence of Solutions to Certain Dirichlet Problems, Preprint, Leeds, 1981.