## SUBJECT INDEX TO THE PAGES OF THIS VOLUME.

- Abelian functions, 236, 600, see Inversion; integrals, see Integrals; matrix, 669.
- Abel's theorem, 207, ff.; statement of, 210, 214; proof of, 213; number of independent equations given by, 222 ff.; for radical functions, 377; for factorial functions, 397; for curves in space, 231; Abel's proof of, 219, 220; converse of, 222.

Abel's differential equations, 225, ff.

- Addition equation for hyperelliptic theta functions, deduced algebraically, 331, ff.; for theta functions in general, 457— 461, 472, 476, 481, 513, 521.
- Adjoint polynomial (or curve), definition of, 121; number of terms in, 128; expression of rational function by, 127; see Integrals, Sets, Lots.
- Argument and parameter, interchange of, 16, 185, 187, 189, 191, 194, 206.
- Associated: Forms associated with fundamental integral functions, 62; integrals of second kind associated with integrals of the first kind, 193, 195, 198, 532; associated system of factorial functions, 397
- Automorphic functions, simple case of, 352, ff.; connection with factorial functions, 439, ff.
- Azygetic characteristics, 487, 497; transformation of, 542, 547; see Characteristics.
- Bacharach's modification of Cayley's theorem for plane curves, 141.

Biquadratic, see Göpel.

**Birational** transformation of a Riemann surface: does not affect the theory, 3, 7; number of invariants in, 9, 144, 148, 150; of plane curves, 11; by  $\phi$ -polynomials, 142—152; for hyperelliptic surface, 152, 85; when p=1, or 0, 153; of surface into itself, 653. See Invariants, and Curves.

Bitangents of a plane curve, 381—390; 644, 646. Branch places, see Places.

- Canonical equation for a Riemann surface, 83, 91, 103, 143, 145, 152; curve discussed by Klein, 159; integral of the third kind, 168, 185, 189, 194, 195.
- Cayley's theorem for plane curves, 141.
- Characteristics: of a theta function, number of odd and even, 251; expression of any half-integer characteristic by means of a fundamental system, 301, 487, 500, 502; Weirstrass's number notation for, 570, 337, 303; tables of half-integer characteristics for p=2, p=3, 303, 305; syzygetic, azygetic, 487; period characteristics and theta characteristics, 543, 564; of radical functions, 380, 564; Göpel groups and systems of, 489, 490, 494, ff.; general theory of, 486, ff.; transformation of, 536, 542, 547, 564, 568.

Coincidences of a correspondence, 645.

Column and row. See Matrices.

- Column of periods, 571.
- **Complex** multiplication of theta functions, 629, ff., 639, 660.
- **Composition** of transformations of theta functions, 551.
- Condition of dimensions, 49.
- Conformal representation, 343, 356, 372.
- Congruence, meanings of sign of, 236, 256, 261, 264, 487.
- Constants, invariant in rational transformation, 9, 88, 144, 148, 150; in linear transformation of theta functions, 555— 559; in any transformation of theta functions, 620, 622.
- Contact curves, see Curves, and Radical.

- **Convergence** of an automorphic series, 350; of transformed theta function, 538.
- Coresidual sets of places on a Riemann surface, 135, ff., 213; are equivalent sets, 136; enter in statement of Abel's theorem, 210.
- Correspondence of Riemann surfaces, 3, ff., 81, 639, 642, 647, 648, 649, 654, 662.
- Covariant, see Invariant.
- Cubic surface associated with a plane quartic curve, 382, 389.
- Curves: as alternative interpretation of fundamental algebraic equation, 11; inflexions of a plane quartic in connection with the gap theorem, 36; generalisation, 40; inflexions and bitangents in connection with theory of correspondence, 644, 646; bitangents of a plane quartic curve, 384; adjoint curves, 121, 129; coresidual and equivalent sets upon, 134-136; transformation of, see Birational, Invariants, and Constants; correspondence of, see Correspondence; special sets upon, 146, ff.; contact curves, 381; general form of Plücker's equations for, 124; Weierstrass's canonical equation for, 93, 103; Cayley's theorem for, 141; curves in space, 157, 160, ff., 166, 664; Abel's theorem for, 231.

Cusps, 11, 114.

- Deficiency of a Riemann surface, 7, 55, 60.
- Defining relation for theta functions, 443.
- **Definition** equation of theta functions of general order, 448.
- Degenerate Abelian integrals, 657.
- **Dependence** of the poles of a rational function, 27.
- Differential equations of inversion problem, 225, ff.; of theta functions, see Addenda (p. xx).
- Differentials of integrals of first kind, 25, 62, 67, 127, 169.
- Dimension of an integral function, 48, ff., 55; condition of dimensions, 49.
- Discriminant of a fundamental set of integral functions, 74, 101, 124.
- Dissection of the Riemann surface, 26, 529, 253, 257, 569, 297, 550, 560.
- Double points of a Riemann surface (or curve), 1, 2, 3, 11, 114; tangents of a plane curve, 644, 646.

Elementary integrals, see Integrals.

- Equivalence, meanings of sign of, 236, 256, 261, 264, 487.
- Equivalent sets of places on a Riemann surface, 134, ff., 136, 213.
- Essential factor of the discriminant, 60, 74, 124. Existence theorems, algebraically deducible,
- 78; references, 14. Expression of any rational function, 77, 176, 212; of fundamental integral functions, 105, ff.; of half-integer characteristic by means of a fundamental

system, 301, 487, 500, 502.

- Factorial functions, 392, ff.; definition of, 396; which are everywhere finite, 399; expressed by factorial integrals, 403; expressed by fundamental factorial function, 413; with fewest poles, 406; used to express theta functions, 423, 426; connection with automorphic functions, 439, ff.
- Factorial integrals, 398; which are everywhere finite, 399; fundamental, having only poles, 408; simplified form of that integral, 411; expression of factorial function by means of that integral, 412.
- Function, automorphic, 352, ff., 439, ff.; factorial, see Factorial; integral, see Rational, and Transcendental; *P* function, 292, 324, 333, 516; prime, 172, 177, 205, also 360, 363, 428; radical, 374, 390, 565; rational, see Rational; Theta, see Theta functions, and Transformation; *I* function, 287, 292, 320; see Fundamental rational.
- Fundamental algebraical equation, 10, 113.
- Fundamental rational function, Weierstrass's, 171, 175, 177, 178, ff., 182.
- Fundamental set for the expression of rational integral functions, 48, ff., 55, 56, 57, 105, ff.
- Fundamental system of theta characteristics, 301, 487, 500, 502.

Gap theorem, 32, 34, 93, 174.

- Geometrical investigations, 113; see Curves.
- Göpel biquadratic relation, 338-340; 465-468; see Addenda (p. xx).

Göpel group and system, see Characteristics.

Grade, of a polynomial, 120.

Group, Göpel, see Characteristics.

Hensel's determination of fundamental integral functions, 105, ff.

Homogeneous variables, 118, 441.

Homographic behaviour of differentials of integrals of first kind, 26.

Hyperelliptic surfaces, 80, ff., 152, 153, 373; see Theta functions and Transformation.

- Independence of the poles of a rational function, 27; of the 2<sup>2p</sup> theta functions with half-integer characteristics, 446, 447; See Linearly.
- Index of a place on a Riemann surface, 122, 123, 124; at the infinite place of Weierstrass's canonical surface, 129.
- Infinitesimal on a Riemann surface, 1, 2, 3.
- Infinitesimal periods, 238, 573.
- Infinities of rational function, 27, ff.; see Residue.
- Infinity, the places at infinity on a Riemann surface, algebraic treatment of, 118.
- Inflexions of a plane curve, 36, 40, 646.
- Integrals, degenerate, 657; factorial, see Factorial; Riemann's, normal elementary, 15; all derivable from integral of third kind, 22; algebraic expression of, 65, ff., 127, 131, 163, 185, 189, 194; hyperelliptic, 195; formulae connecting with logarithmic differential coefficients of theta functions, 289, 290, 320.
- Integral functions, see Rational and Transcendental.
- Interchange of argument and parameter, 16, 185, 187, 189, 191, 194, 206; of period loops, see **Transformation**.
- Invariants in birational transformation: the number p, 7; the 3p-3 moduli, 9, 144, 148, 150; the ratios of φ-polynomials, 26, 153; the contact φpolynomials, 281, 427; the g-places, 38, 653; for transformation of the dependent variable, 74, 124.
- Inversion theorem, Jacobi's, 235, ff., 270; solution of, 239, 242, 244, 275; by radical functions, 390; in the hyperelliptic case, 317, 324.

Jacobi's inversion theorem, see Inversion.

Jacobian functions, their periods, are generalisation of theta functions, 579—588; their expression by theta functions, 588—594; there exists a homogeneous polynomial relation connecting any p+2 Jacobian functions of same periods and parameter, 594.

Klein, prime form, 360, 427, 430, 433.

Laurent's theorem, for p variables, 444.

Left side of period loop, 529.

- Linearly independent  $\phi$ -products of order  $\mu$ , 154; columns of periods, 575; theta functions, 446, 447; Jacobian functions, 594.
- Linear transformation, see Transformation.
- Loops, period loops on a Riemann surface, 21, 529.
- Lots, of sets of places on an algebraic curve, or Riemann surface, 135.

Matrices, 248, 283, 580, 666, 669.

- Mittag-Leffier's theorem for uniform function on a Riemann surface, 202.
- Moduli, of the algebraic equation, are 3p-3 in number, 9, 144, 148, 150; for the hyperelliptic equation, 88.
- Moduli of periodicity, see Periods.
- Multiplication, complex, of theta functions, 629, ff.; by an integer, for theta functions, 527.
- Multiply-periodic, 236; see Inversion.
- Noether's (Kraus's)  $\phi$ -curve in space, 156, 157.
- Normal equation for a Riemann surface, 83, 91, 103, 143, 145, 152.
- Normal integrals (Riemann's) see Integrals.
- Number of independent products of  $\mu \phi$ -polynomials, 154; of odd and even theta functions, 251; of theta functions of general order, 452, 463; of Jacobian functions, 594.
- Order of small quantity on a Riemann surface, 2; of a theta function, 448.

**P**Function, 292, 324, 333, 516.

- Parameter, interchange of argument and parameter, see Interchange.
- Parameters, in the algebraic equation, see Constants.
- Period loop, see Loops.
- Period characteristics, see Characteristics.
- Periodicity of a (1, 1) correspondence, 650.
- **Periods** of Riemann's integrals, 16, 21; Riemann's and Weierstrass's relations for the periods of integrals of the first kind, and of associated integrals of the second kind, 197, 285, 581, 587;

**682** 

rule for half-periods on a hyperelliptic surface, 297; for integrals of second kind, 323; of factorial integrals, 404; linear transformation of periods, 532; general transformation, 536, 538; general theory of systems of periods, 571, fl., 579, fl.; of degenerate integrals, 657.

Picard's theorem (Weierstrass's), 658.

- Places, of a Riemann surface, 1, 2, 3; branch places, 7, 9, 46, 74, 122, 297, 569; where a rational function is infinite, to order less than p+1, 38, 41, 90, 653;
  - the places  $m_1, \ldots, m_p$ , 255; their geometrical interpretation, 265, 266; after linear transformation, 562; determination of, for a Riemann surface with assigned period loops, 567; for a hyperelliptic surface, 297, 563.
- Plücker's equations, generalised form of, 123, 124; for curves in space, 166.

Poles, see Infinities.

Polynomial, grade of, 120; algebraic treatment of, 120; adjoint, 121, 128;  $\phi$ -polynomials, 141; transformation of fundamental equation by  $\phi$ -polynomials, 142, 154; expression of rational functions, and algebraic integrals by means of adjoint polynomials, 156; see Curves.

Positive direction of period loop, 529.

Primary and associated systems of factorial functions, 397.

Prime function (or form), see Function.

- **Product** expression of uniform transcendental function with single essential singularity, 205.
- Quartic. Double tangents of plane quartic curve, 381-390, 647.
- Quotients of theta functions, 310, 311, 390, 426, 516.

Radical function, see Function.

**Rational** function, of order 1, only exists when p=0,8; is an uniform function on the Riemann surface whose only infinities are poles, 27; infinities of, Riemann-Roch theorem, Weierstrass's gap theorem, 27, ff.; special, 25, 137; of order p, 38, 137; integral function, 47, ff., 55, 91, ff.; of the second order, 80, ff.; fundamental integral rational functions, algebraic determination of, 105, ff.; algebraic expression of, by adjoint polynomials, 125, ff., 156; Weierstrass's fundamental, 171, 175, 177, 178, ff., 182; expressed by Riemann's integrals, 24, 212; expressed by Weierstrass's function, 176.

- Reciprocal sets of zeros of adjoint polynomials, 134.
- Residual sets of places, 135.
- Residue, fundamental residue theorem, 232, 189, 20.
- Reversible transformation, see Birational.
- Riemann-Roch theorem, 44, 133; for factorial functions, 405.
- Riemann and Weierstrass's period relations, 197, 285, 581, 587.

Right side of period loop, 529.

Row and column, see Matrices

Schottky-Klein prime form and function, 360, 427, 430, 433.

Sequence, theorem of, 114, 161, 165.

Sequent sets of places, 135.

- Sets of places on a Riemann surface or algebraic curve, 135. See Special.
- Sign of equivalence and congruence, 236, 256, 261, 264, 487.
- **Special** correspondences on a Riemann surface, 648
- Special rational functions, 25, 62, 137.
- Special sets of zeros of adjoint polynomials, 134, 147.
- **Special** transformation of a theta function, 629, ff., 639, 660.
- Strength of assigned zeros, as determinators of a polynomial, 133.
- Supplementary transformations of a theta function, 552.

System, Göpel, see Characteristics.

Syzygetic characteristics, 487, 542.

Tables of Characteristics, 303, 305.

Tangents, double, of a plane curve, by the principle of correspondence, 644, 646.

Theta functions:

Riemann's theta functions, 246, ff.; convergence of, 247; determination of, from periodicity, 444; period properties of, 249; number of odd and even, 251, 446; zeros of, 252, 255, 258, 567; identical vanishing of, 258, 271, 276, 303; hyperelliptic, 296, ff.; algebraic expression of quotients of, 310, 311, 390, 426; addition theorem for hyperelliptic, 332, 337; algebraic expression for hyperelliptic, 435; algebraic expression of first logarithmic derivatives of, 288, 290, 320; algebraic expression of second logarithmic derivatives of, 293, 324, 329, 333; solution of inversion problem by means of, 275, 324, 390, 426, ff.; Riemann's functions not the most general, 248, 628.

- General theta function of first order, 283, 444; period relations, 285, 197, 581, 587; second logarithmic derivatives of, 516; addition theorems for, 457, 472, 481, 513, 521; Göpel relation for, in case p=2, see Göpel; expression of Jacobian functions by means of, 594.
- Theta functions of second and higher order, 448; expression of, number of linearly independent, 452, 463; of order 2, of special kind, 509, 510; every p+2theta functions of same order, periods, and characteristic, connected by a homogeneous polynomial relation, 453.
- Transformation of theta functions, see Transformation; characteristics of theta functions, see Characteristics; complex multiplication of theta functions, 629, ff., 639, 660; theta functions expressed by factorial functions and simpler theta functions, 426; particular cases, 430, ff.; hyperelliptic case, 433.
- Transcendental uniform function, 200; Mittag-Leffler's theorem for, 202; expressed in prime factors, 205; application of Laurent's theorem when the function is integral, 444.

## Transformation

- of the algebraic equation (or Riemann surface), 3, 143, 145, 151, 152, 654, 655; see Birational;
- of theta functions, 535; linear transformation, 539; constants in, 554— 559; for hyperelliptic case, 568; of second order, 603, 617; for any odd order, general theorem, 614; constants in, 620, 622; when coefficients not integers, 625; supplementary transformations, 552; composition of, 551; special transformations, 629, 630, 660;
- of periods, 528, 534, 539, 551, 553, 555, 559, 568;
- of characteristics, see Characteristics.

## Uniform, see Rational, and Transcendental.

- Vanishing of theta function, 253, 258, 271 ff., 276, 303.
- Variables, homogeneous, 118, 429, 441
- Weierstrass's gap theorem, 32, 34, 93, 174; special places which are the poles of rational functions of order less than p+1, 34, ff.; canonical surface (or equation), 90, ff., 93; fundamental rational function, 171, 175, 177, 178, 182, 189; period relations, 197, ff., 285, 581, 587; rule for characteristics of hyperelliptic theta functions, 569; theorem for degenerate integrals, 658.
- Zeros, generalised zeros of a polynomial, 121; zeros of Riemann theta function, 252.
- Zeta function, 287, 292, 320.

684

CAMBRIDGE : PRINTED BY J. AND C. F. CLAY, AT THE UNIVERSITY PRESS.