STATISTICAL THEORY AND METHOD ABSTRACTS

A Journal of the International Statistical Institute

The object of this abstracting service is to cover published papers concerned with statistical theory, including relevant aspects of probability and mathematical methods, and new contributions to statistical method. These abstracts provide valuable information on new contributions to statistical method. These abstracts provide valuable information on new developments for studying problems in many fields: such as frequency distributions, estimating and testing problems, sampling and experimental designs, variance analysis, spectral theory and other methods in time-series analysis, queueing theory, reliability and acceptance inspection. Journals appearing in all parts of the world, on mathematics and statistics, or on other fields and possible contribution of interest are regularly scanned for suitable papers. Abstracts are also prepared from collections of papers such as reports of conferences, symposia and seminars; technical reports of experiment and research stations are covered.

The abstracts do not exceed 400 words with occasional "double abstracts" for papers

The abstracts do not exceed 400 words, with occasional "double abstracts" for papers where this size is not sufficient to represent the paper. The language is English; the language of the original paper is indicated. The headings give the name and address of the author together with the Journal in which the paper is published; moreover, a note is added on the

number of references, tables and figures.

The classification scheme which is used in this Journal supplies a division of all abstracts in twelve main sections. The pages of the Journal are colour-tinted in accordance with these main sections. Each section is further sub-divided to indicate the main topic of the paper; a secondary number denotes the most important additional topic referred to by the author. A special index in each part links together these two classifications. This scheme is arranged to facilitate transfer to punch cards. Papers containing new statistical tables are listed in a separate index.

The abstracts are numbered serially, the volume number being inserted as a prefix. The Journal is published four times a year and contains approximately 1,000 abstracts. An author index, the secondary classification index and the new statistical tables index are published in each issue and combined in a yearly supplement which also contains a list of all Journals represented in the volume by one or more abstracts.

Annual Subscription Single Number Loose Leaf Binders for Single Abstract Sheets

£7. 10s. (U.S.A. \$24.00) £2. 5s. (U.S.A. \$ 7.00) 16s. 3d. including postage and packing.

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1

TECHNOMETRICS

A Journal of Statistics for the Physical, Chemical and Engineering Sciences CONTENTS TECHNOMETRICS, Vol. 12, No. 2, MAY 1970

A Method of Estimating Variance Components in Unbalanced Designs. P. Seeger Improved Parameter Estimation. M. J. Box Statistical Aspects of Character Recognition J. L. Dolby A New Weighted Average. K. B. Stewart Computers as an Instrument for Data Analysis. M. E. Muller Curtailed Attribute Sampling. A. C. Cohen The Efficiency of Sequential Sampling Plans Based on Prior Distributions and Costs W. Schüler and J. Pfanzagl
Distribution of Quasimidranges and Associated Mixtures. R. T. Leslie and D. Cul pin Sequencing with Random Service Times
Maximum Likelihood Estimation, Exact Confidence Intervals for Reliability and Tolerance Limits in the Weibull Distribution
A Note on Separation of Variables J. L. Jaech A Note on Separation of Variables H. Scheffe Residuals in Two Dimensions. N. R. Draper and W. Lawrence Estimation of Parameters in Compound Weibull Distributions L. W. Falls Planning Censored Life Tests for Estimation of the Hazard Rate of a Weibull Distribution with Prescribed Precision. L. Danziger On Proportional Hazard Functions A. Nádas QUERIES BOOK REVIEWS Raj, Des., SAMPLING THEORY A. R. Sen Rivin, Theodore J., AN INTRODUCTION TO THE APPROXIMATION OF FUNCTIONS
Summaries of New Books Letters to the Editor

The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on succinct communication among the physical scientist, engineer, statistician and mathematician. The journal will accept for publication papers describing new statistical techniques expected to be useful in these sciences, papers illustrating the application of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication.

For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station

JOURNAL OF THE AMERICAN STATISTICAL ASSOCIATION

Volume 65 March 1970 N	lumber 3	29
Statisticians and Shoemakers	. A. Ross Ec	kler
Some Effects of Errors of Measurement in Multiple Correlation Collegiate Football Scores, U. S. A. Free	ederick Most	
An Experimental Comparison Between Fixed Weight and Linear Programming Food Price I Joseph L. Balintfy, John Neter, and Willi The Multiple Uses of Primary Sampling Areas of National Probability SamplesSe	liam Wasserr	
Ideal Multiple-Choice Items. Forecasting Daily Hog Prices and Quantities: A Study of Alternative Forecasting Techniqu R. M. Leuthold A. J. A. MacCormick, A. Schmitz, a	R. A. Weitzr	man
Discriminatory Bias in Rates Charged by The Canadian Automobile Insurance Industry. A Problem in Integration of Surveys—A Case Study	R. A. Holy and A. S	mes Roy Lee cun
Estimation of Heteroscedastic Variances in Linear Models	Victor C. seph B. Kad	hew lane
Estimation in Log-Normal Linear Models	l Yair Mund al Distribut	lak ion
The Multivariate Analysis of Qualitative Data: Interactions Among Multiple Classifications ${\cal L}$	Leo A. Goodn	nan
Household Surveys With Multiplicity	ıltinomial I	Dis-
Canonical Association Between Nominal Measurements	K. S. Srikan Paul L. Can of Discrete LS. Za	tan ner Dis-
On Extending the Bradley-Terry Model to Accommodate Ties in Paired Comparison Expering Rog		
A Reliability Bound for Systems of Maintained, Interdependent Components J. D. Esary and The Wildow Bound for Systems of Maintained, Interdependent Components		
The Mixture Problems for Categorized Components. John A. Cornell A Bayesian Look at Inverse Linear Regression. The Use of Olumv Estimators in Inference Robustness Studies of the Location Parameter of a	.Bruce Hoad Class of Sv	lley m-
metric Distributions	Ayles Hollan J. Durl nard J. Save llan Birnbar	der bin age
Richard B. Howe and Rayn Simultaneous Confidence Bands for Linear Regression Models	mond H. My wid C. Bowd	len
Values and Shooting Times in Noisy Duels	nd Sequent Ester Sam	ial uel
K. C. Sreedharan Pillai On the Exact Distribution of Pillai's V ^(s) Criterion		

For further information, please contact:

AMERICAN STATISTICAL ASSOCIATION

810 18th Street, N.W.

Washington, D. C. 20006

REVIEW OF THE INTERNATIONAL STATISTICAL INSTITUTE

Contents of Vol. 38, No. 2, 1970

Articles

Nordbotten, S.—Individual data files and their utilization in sociodemographic model

building in the Norwegian Central Bureau of Statistics.

Kakwani, N. C., Court, R.—Simultaneous-equation estimation under linear restrictions with application to New-Zealand meat demand.

Särndal, C. E.—A class of explicata for "information" and "weight of evidence". Aigner, D. J.—The estimation of moments for a Pareto distribution subject to both

sampling and grouping errors.

Mehta, J. S., Swamy, P. A. V. B.—The finite sample distribution of Theil's mixed regression estimator and a related problem.

Hussain, A.—Efficiency of two-stage estimators for the parameters of a multiregression model.

Ramsey, J. B.—A note on alternative single equation estimators in simultaneous equation systems.

Lancaster, H. O.—A bibliography of bibliographies: a third list.

Communications

Statistical organization and administration Statistical training and research Statistical societies

Calendar of meetings

Book reviews

The REVIEW OF THE ISI is published three times per year. The annual subscription is \$11.50 post free.

Orders should be sent to: International Statistical Institute, 2, Oostduinlaan, The Hague, Netherlands.

BIOMETRICS

Journal of the Biometric Society

Vol. 26, No. 2

CONTENTS

June 1970

Biometrics is published quarterly. Its objects are to describe and exemplify the use of mathematical and statistical methods in biological and related sciences in a form assimilable by experimenters. The annual non-member subscription rate is £15.00. Inquiries, non-member subscriptions, and orders for back issues, should be addressed to: Biometrics Business Office, Department of Experimental Statistics, North Carolina State University, Raleigh, North Carolina 27607 U.S.A. Editorial correspondence should be directed to: Biometrics Editorial Office, Department of Biostatistics, School of Public Health, University of North Carolina, Chapel Hill, North Carolina 27514 U.S.A.

TRABAJOS DE ESTADISTICA y de INVESTIGACION OPERATIVA

Review published by the "Instituto de Investigaciones Operativa y Estadística" of the Spanish C.S.I.C. MADRID.

VOL. XX

CONTENTS

CUAD. II y III

MIGUEL MARTIN DIAZ.—Juegos bipersonales de suma nula con pago convexo.
ENRIQUE TEIXIDO RIERA.—Una metodología para solucionar problemas de ordenamiento con ligaduras disyuntivas.

tivas.

PROCOPIO ZOROA TEROL.—Existencia de juegos diferenciales con valor dado.

R. P. GUPTA AND M. T. WASAN.—Bivariate time distribution of Brownian motion.

THOMAS A. KRIZ, J. V. TALACKO AND T. K. ISOII.—Statistical properties of Boolean variables generated by a class of binary arithmetic processes.

N. K. MALHOTRA.—Operational readiness of a complex system with general waiting & repair time distributions.

N. K. MALHOTRA.—Stochastic behaviour of a complex system with general waiting & repair time distributions.

J. S. METHA AND J. GURLAND.—On combining unbiased estimators of the mean.

SURVA PRAKASH AND SANTOSH KUMAR.—On the stochastic behaviour of an intermittent system with stand-by redundancy.

redundancy.

K. RAGHUNANDANAN.—A note on the distribution of sojourn time in a Markov chain. B. RAJA RAO.—Partial canonical correlations

S. S. SRIVASTAVA AND P. P. SANGAL.—Optimum plan for a level attack against a possible deployment of ground anti-aircraft gun.

MIGUEL MARTIN DÍAZ.—Nota sobre un problema de decisión cuando se conoce un orden parcial de preferencias sobre un espacio de consecuencias. KRYSICKI.—Momentos de distribución condicional de probabilidad de los números de series.

W. KRYSICKI.—Momentos de distribución condicional de propapilidad de los numeros de sociedad. M. V. Rama Satry.—A note on the method of scoring and the linearized maximum likelihood.

Bibliografia

Eiercicios

TRABAJOS DE ESTADISTICA Y DE INVESTIGACION OPERATIVA is published three issues a year-Annual subscription post free U.S. \$6; price each part U.S. \$2.50.

All communications concerning the publication of papers, interchanges and subscriptions should be addressed to Prof. S. Rios, Serrano 123, Madrid-6, Spain.

JOURNAL OF THE ROYAL STATISTICAL SOCIETY

THE JOURNAL OF THE ROYAL STATISTICAL SOCIETY is published in three series, SERIES A (General), four issues a year, annual subscription, post free, £5 4s. U. S. \$15: price each part £2: SERIES B (METHODOLOGICAL), three issues a year, annual subscription post free, £2. U. S. \$12: price each part £2: SERIES C (APPLIED STATISTICS), three issues a year, annual subscription £2; U. S. \$5, price each part 15s.

Reviews; Current Notes; Library Accessions

Contents of SERIES B (METHODOLOGICAL), Vol. 32, PART 1, 1970

Stochastic models for earthquake occurrence (with discussion) D. Vere-Jones

The measure of association of rows and columns in a $r \times s$ contingency table Patricia M. E. Altham

A bivariate non-parametric s-sample test Dr. K. V. Mardia

A probability plotting procedure for general analysis of variance R. Gnanadesikan and M. B. Wilk

Inequalities in the theory of queues J. F. C. Kingman

On priority queues in heavy traffic S. MAZUMDAR

Use of the Kolmogorov-Smirnov, Cramer-von Mises and related statistics without extensive tables M. A. STEPHENS

On bounds useful in the theory of symmetrical factorial designs B. R. Gulati and E. G. Kounias

On the asymptotic relative efficiencies of certain location parameter estimates R. M. Loynes

Use of generalized matrices in Manova J. A. John

On a sequential analogue of the Behrans-Fisher problem M. S. SRIVASTAVA

An explicit-limit theorem for the critical Galton-Watson process with immigration E. Seneta

The Royal Statistical Society 21, Bentinck Street, London, W. 1

THE INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

OFFICERS

President

Jack C. Kiefer, Department of Mathematics, Cornell University, Ithaca, New York 14850

President-Elect:

William Kruskal, Department of Statistics, University of Chicago, Chicago, Illinois

Executive Secretary:

Leo Katz, Statistical Laboratory, Michigan State University, East Lansing, Michigan 48823

Program Secretary:

R. V. Hogg, Department of Statistics, University of Iowa, Iowa City, Iowa 52240

George J. Resnikoff, Department of Statistics, California State College, Hayward. California 94542

Editor:

Z. W. Birnbaum, Department of Mathematics, University of Washington, Seattle, Washington 98105

Managing Editor:

K. J. C. Smith, Department of Statistics, University of North Carolina, Chapel Hill, North Carolina 27514

The purpose of the Institute of Mathematical Statistics is to encourage the development,

dissemination, and application of mathematical statistics.

Membership dues including a subscription to the ANNALS of MATHEMATICAL STATISTICS are \$20.00 per year for residents of the United States or Canada and \$12.00 per year for residents of other countries. Special student rates of \$10.00 per year are available to students residing in the U.S. and Canada. Inquiries regarding membership in the Institute should be sent to the Treasurer of the Institute.

Membership in the Institute of Mathematical Statistics is not required of authors of papers in the Annals of Mathematical Statistics and the fact of membership or non-membership is given no weight in the consideration of submitted manuscripts.

(Instructions for authors—continued)

Authors are asked to keep in mind the typographical difficulties and high cost of printing complicated mathematical formulae. The difference between capital and lower-case letters should be clearly shown: care should be taken to avoid confusion between such pairs as zero and the letter O, the numeral 1 and the letter l, numeral 1 used as superscript and prime ('), alpha and a, kappa and k, mu and u, nu and v, eta and n, etc. Bars above groups of letters (e.g., $\overline{\log x}$) and underlined letters (e.g., \underline{x}) are difficult to print and should be avoided; lim inf and lim sup are preferable to lim and lim. Symbols are automatically italicized by the printer and should not be underlined on manuscripts. Boldface letters may be indicated by underlining with a wavy line on the manuscript; boldface subscripts and superscripts are not available. Unusual accents on letters should be avoided or replaced by superscripts or subscripts. Complicated exponentials should be represented with the symbol exp. In writing square roots the fractional exponent is preferable to the radical sign. Fractions are preferably written with the solidus or negative exponent; thus (a + b)/(c + d) rather than $\frac{a+b}{c+d}$, and $(2\pi)^{-1}$ rather than $\frac{1}{2\pi}$. In addition to decreasing the printing costs, a simple notation greatly improves the readability and appearance of a manuscript.

Authors will ordinarily receive only galley proofs. Fifty reprints without covers will be furnished free. Additional reprints and covers may be ordered at cost on forms which will

be provided by the printer.

Contents (Continued)

Gauss-Markov estimation for multivariate linear models: A coordinate free approach MORRIS L. EATON 528	2
Ergodic theorems for infinite probabilistic tables	9 1
A system of Markov chains with random life times. Frederick W. Leysleffer 576 Best tests for testing hypotheses about a random parameter with unknown distribution GLEN MEEDEN 588	6
A local limit theorem and recurrence conditions for sums of independent non-lattice	
random variables	9 1
Notes	,
A family of minimax estimators of the mean of a multivariate normal distribution A. J. Baranchik 642 An addendum to "Stochastic approximation and nonlinear regression"	2
L. A. GARDNER AND A. E. ALBERT 646	3
On relationship algebras of incomplete block designs J. Robinson 648 An M/G/∞ estimation problem Mark Brown 651	1
Joint distribution of the extreme roots of a covariance matrix. T. Sugiyama 650 Characteristic functions, moments, and the Central Limit Theorem. B. M. Brown 650 Characteristic functions, moments, and the Central Limit Theorem.	8
On a certain recurrence relation J. C. Ahuja 665. The order of the minimum variance in a non-regular case. Thomas Polefeldt 667.	7
Minimum variance order when estimating the location of an irregularity in the density	3
I. Olkin and S. S. Shrikhande 68	3
Recursive estimation of a subset of regression coefficients. Richard H. Jones 688 Distribution theory of positive definite quadratic form with matrix argument B. K. Shah 693	
A characterization of a conditional expectation with respect to a σ -lattice	
Convex cones and finite optimals T. E. S. RAGHAVAN 70: Convergence properties of martingale transforms HARRO WALK 70:	2 6
A weak convergence theorem for random sums of independent random variables Pedro J. Fernandez 710	
A multivariate definition for increasing hazard rate distribution functions ROBERT HARRIS 71:	
On multivariate density estimates based on orthogonal expansions Michael Tarter and Richard Kronmal 718	
The distribution of the ratios of means to the square root of the sum of variances of a bivariate normal sample	
A note on a paper by H. G. Tucker LAURENS DE HAAN 72: A remark on almost invariance ROBERT H. BERK 73:	9
A necessary and sufficient condition that for regular multiple decision problems	
of type I every unbiased procedure has minimax risk. WILHELMINE STEFANSKY 730 Extension of a result of Seneta for the super-critical Galton-Watson process	
Analysis of Room's square design	3
Abstracts	1
News and Notices750Publications Received760	3 1

NOTE. The calendar of meetings of the Institute and information concerning submission of abstracts are given immediately before the first article.