Komatsu, K. Osaka J. Math. **31** (1994), 487

CORRECTION TO A BOUNDARY LINK IS TRIVIAL IF THE LUSTERNIK-SCHNIRELMANN CATEGORY OF ITS COMPLEMENT IS ONE

KAZUSHI KOMATSU

(Received July 13, 1993)

We found an error in the proof of Theorem 1 of [3]. The error occurs in the 19 and 20-th line from the top on page 336. There exist no elements $v_i \in H_*(t_l B'_{\beta_0})$ such that $j_b(t_l z_0) = \sum_{i=1}^{l-1} (t_i - 1)v_i$ and Assertion 4.1 is false. Nevertheless Theorem 1 remains true. This follows from the

theorem 1 of [4] which assures that the link complement $S^{n+2}-L$ of a locally flat link L has the homotopy type of $(\vee_m S^1) \vee (\vee_{m-1} S^{n+1})$ if $\operatorname{cat}(S^{n+2}-L)=1$ and the unlinking criterion of boundary links due to Gutiérrez ([2] for $n \ge 4$ and [1] for n=3). Note here that any smooth link is locally flat.

References

- [1] S. Cappell: A splitting theorem for manifolds, Invent. Math. 33 (1976), 69–170.
- [2] M.A. Gutiérrez: Boundary links and an unlinking theorem, Trans. Amer. Math. Soc. 171 (1972), 491–499.
- [3] K. Komatsu: A boundary link is trivial if the Lusternik-Schnirelmann category of its complement is one, Osaka J. Math. 29 (1992), 329-337.
- [4] K. Komatsu: On links whose complements have the Lusternik-Schnirelmann category one, (to appear) in Hiroshima Math. J. 24, No. 2 (1994).

Department of Mathematics Faculty of Science Kochi University Kochi, 780 Japan