PROCEEDINGS AT THE 713TH GENERAL MEETING

The 713th General Meeting of the Academy was held on Saturday, November 12, 1977 at 1:00 p.m., Dr. Kiyoo WADATI, President, taking the chair. Seventy-nine members were present, and the following communications were made:

M^{me} de Staël and Sismondi Toshio SUGI, M.J.A. Chromosome studies of two species of the Genus Coreoperca (Pisces: Perciformes), with reference to the karyotypic differentiation and evolution Koichi UENO and Yoshio OJIMA Effect of caffeine on chromosome aberrations induced by mitomycine C in human T-cell line (CCRF-HSB2) and Fanconi's anemia cells . . A comparative chromosome study of Puntius (Cyprinidae: pisces). I. Southeast Asian species Yasuhiko TAKI, Tousei URUSHIDO, Atsushi SUZUKI, and Chiaki SERIZAWA Above three, communicated by Sajiro MAKINO, M. J. A. Mikio SATO, Tetsuji MIWA, and Michio JIMBO Nonlinear parabolic variational inequalities with time-dependent constraints Nobuyuki KENMOCHI Existence of periodic solutions of nonlinear hyperbolic system . . . The Paley-Wiener type theorem for finite covering groups of SU(1, 1)On bounded sets of holomorphic germs . . . Roberto Luiz SORAGGI Above five, communicated by Kôsaku YOSIDA, M.J.A. High concentration of γ -aminobutyric acid (GABA) and glutamate decarboxylase (GAD) activity in the regions of medial forebrain bundle, diagonal band of broca and the third layer of the olfactory tubercle. Fine localization of GABA and GAD in the basal forebrain of the rat . . . Yasuhiro OKADA, Yasuhiko HOSOYA, and Fumiko KUROSAWA Communicated by Teizo OGAWA, M.J.A. Radiography for the postoperative stomach using Gyroscope M. J. A., Tatuo SAITO, Shoji NISHIYAMA, and Ichiro OHSAWA Radiography for the gastric anterior wall using Gyroscope Toshio KUROKAWA, M.J.A., Tatuo SAITO, and Shoji NISHIYAMA Slow axoplasmic transport. Its asymmetry in two branches of bifur-Hiroshi MORI, Yoshiaki KOMIYA, and Masanori KUROKAWA Communicated by Yushi UCHIMURA, M.J.A. On the 2-components of the unstable homotopy groups of spheres. I On families of effective divisors on algebraic manifolds Above two, communicated by Kunihiko KODAIRA, M.J.A.

After a recess, during which the members present met in their

respective Sections, the General Meeting was resumed for business transactions.

First, the Chairmen of both Sections made reports on the matters dealt with at the Sectional Meetings.

Then, the recommendations for the new Membership of the Academy, submitted by the Selection Committees of both Sections, were accepted with unanimity. The new members are:

Section I: Kiyoto FURUNO, Ken-ichiro OSUMI, Takezo KANEKO, Yoshimoto YANASE, Tomohei TANIGUCHI, and Ryosuke ISHII.

Section II: Kenzo NAGAI, Tetsuo NOZOE, Tokuji ICHIKAWA, and Kozo OKAMOTO.

The Meeting adjourned at 4:15 p.m.

日本学士院紀要

昭和五十二年十一月 第五十三卷 A 第六号 昭和五十二年十二月五日 印刷 昭和五十二年十二月八日 発行 編集兼発行者 Π 本 学 土 院 東京都台東区上野公園 七の 三十二 株式社 プ 東 京 印刷所 ν ス 東京都板橋区桜川二丁目二七の十二 印刷者 依 高 田 夫 東京都板橋区桜川二丁目二七の十二

> Printed by TOKYO PRESS COMPANY LIMITED No. 27-12, Sakuragawa 2-chome, Itabashi-ku, Tokyo 174 Japan Tel.: (932) 9291~4