## ERRATA, VOLUME 76

Joan S. Birman, Abelian quotients of the mapping class group of a 2-manifold, pp. 147-150.

Page 149, equation (8): replace "2g+1" by "2g+2."

Page 149, line 27: The commutator quotient group of Sp(2g, z) is trivial if  $g \ge 3$  (Birman, On Siegel's modular group, Math. Ann. (to appear)). Thus our proof that  $|A_g| = 2$  if  $g \ge 3$  fails, and we can only say  $|A_g| = 1$  or 2. We conjecture that the statement that  $|A_g| = 2$  is nevertheless true.

Robin Brooks, The number of roots of f(x) = a, pp. 1050–1052.

The second sentence of Theorem 2 on page 1051 is, in general, false; it is true when Y is a compact orientable manifold.

## ERRATUM, VOLUME 77

Gregers Krabbe, An algebra of generalized functions on an open interval; two-sided operational calculus, pp. 78-84.

On page 80 the line before Remark 3.1 reading

tively,  $(1_+\alpha)$ ),  $(1_-)^2 = 1 = (1_+)^2$ , and  $(1_-)(1_+) = 0$ . should read:

tively,  $(1_+\alpha)$ ,  $(1_-)^2 = 1_-$ ,  $(1_+)^2 = 1_+$ , and  $(1_-)(1_+) = 0$ .