

Bibliography

- [AS] Andrade, J.F., Sims, A.: On ideals of minors fixing a submatrix, *J. Algebra* **102** (1986), 246-259.
- [A1] Aomoto, K.: Les équations aux différences linéaires et les intégrales des fonctions multiformes, *J. Fac. Sci. Univ. Tokyo, Sec. IA*, **22** (1975), 271-297.
- [A2] Aomoto, K.: On vanishing of cohomology attached to certain many valued meromorphic functions, *J. Math. Soc. Japan*, **27** (1975), 248-255
- [A3] Aomoto, K.: On the structure of integrals of power products of linear functions, *Sci. Papers, Coll. Gen. Educ. Univ. Tokyo*, **27** (1977), 49-61
- [A4] Aomoto, K.: Une correction et un complément à l'article "Les équations aux différences linéaires et les intégrales des fonctions multiformes," *J. Fac. Sci. Univ. Tokyo, Sec. IA*, **26** (1979), 519-523
- [A5] Aomoto, K.: Configurations and invariant Gauss-Manin connections of integrals. I, *Tokyo J. Math.* **5** (1982), no. 2, 249-287
- [A6] Aomoto, K.: Configurations and invariant Gauss-Manin connections for integrals. II, *Tokyo J. Math.* **6** (1983), no. 1, 1-24
- [A7] Aomoto, K.: Configurations and invariant theory of Gauss-Manin systems, *Adv. Studies in Pure Math.* **4**, North-Holland, 1984, pp. 165-179
- [A8] Aomoto, K.: Gauss-Manin connection of integral of difference products, *J. Math. Soc. Japan* **39** (1987), no. 2, 191-208
- [A9] Aomoto, K.: Jacobi polynomials associated with Selberg integrals, *SIAM J. Math. Anal.* **18** (1987), no. 2, 545-549
- [A10] Aomoto, K.: On the complex Selberg integral, *Quart. J. Math. Oxford Ser. (2)* **38** (1987), no. 152, 385-399

- [A11] Aomoto, K.: Correlation functions of the Selberg integral, *Ramanujan revisited (Urbana-Champaign, Ill., 1987)*, 591-605, Academic Press, Boston, MA, 1988
- [A12] Aomoto, K.: A construction of integrable differential system associated with braid groups, *Braids (Santa Cruz, CA, 1986)*, 1-11, Contemp. Math., **78**, Amer. Math. Soc., Providence, RI, 1988
- [A13] Aomoto, K.: On the complex Selberg integral, *Theta functions-Bowdoin 1987, Part 2 (Brunswick, ME, 1987)*, 279-281, Proc. Sympos. Pure Math., **49**, Part 2, Amer. Math. Soc., Providence, RI, 1989
- [A14] Aomoto, K.: Hypergeometric functions, the past, today, and ... (from the complex analytic point of view), *Sugaku Expositions*, **9** (1996), 99-116
- [A15] Aomoto, K.: Errata to: "Configurations and invariant Gauss-Manin connections of integrals. I" [*Tokyo J. Math.* **5** (1982), no. 2, 249-287], *Tokyo J. Math.* **22** (1999), no. 2, 511-512
- [A16] Aomoto, K.: Errata to: "Configurations and invariant Gauss-Manin connections of integrals. II" [*Tokyo J. Math.* **6** (1983), no. 1, 1-24], *Tokyo J. Math.* **22** (1999), no. 2, 512
- [AK] Aomoto, K., Kita, M.: *Hypergeometric functions* (in Japanese), Springer-Verlag, 1994
- [AKOT] Aomoto, K., Kita, M., Orlik, P., Terao H.: Twisted de Rham cohomology groups of logarithmic forms, *Adv. Math.*, **128** (1997), 119-152
- [Ar] Arnold, V.I.: The cohomology ring of the colored braid group, *Mat. Zametki* **5** (1969), 227-231; *Math. Notes* **5** (1969), 138-140
- [BO] Beerends, R.J., Opdam, E.M.: Certain hypergeometric series related to the root system BC , *Trans. Amer. Math. Soc.* **339** (1993), 581-609
- [Be] Beukers, F., et al.: Seminar on hypergeometric functions, *Communications of the Mathematical Institute, Utrecht University*, **18**, 1994
- [BZ] Björner, A., Ziegler, G.: Broken circuit complexes: Factorizations and generalizations, *J. Combin. Theory Ser. B* **51** (1991), 96-126
- [Bre] Bredon, G.E.: *Sheaf Theory*, 2nd ed., GTM **170** Springer Verlag, 1997
- [Bri] Brieskorn, E.: Sur les groupes de tresses. In: Séminaire Bourbaki 1971/72. *Lecture Notes in Math.* **317**, Springer Verlag 1973 pp. 21-44
- [B] Brown, K.: *Buildings*, Springer Verlag, 1989

- [BV] Brylawski, T. and Varchenko, A.: The determinant formula for a matroid bilinear form, *Adv. Math.* **129** (1997), 1–24
- [Ca] Carlson, B.C.: *Special functions of applied mathematics*, Academic Press, 1977
- [CNM] Castro, F., Mond, D., Narvaez, L.: Cohomology of the complement of a free divisor, *Trans. Amer. Math. Soc.* **348** (1996), 3037–3049
- [Ch1] Cho, K.: A generalization of Kita and Noumi’s vanishing theorems of cohomology groups of local system, *Nagoya Math. J.* **147** (1997), 63–69
- [CM] Cho, K., Matsumoto, K.: Intersection theory for twisted cohomologies and twisted Riemann’s period relations. I, *Nagoya Math. J.* **139** (1995), 67–86
- [CMY] Cho, K., Mimachi, K., Yoshida, M.: A hypergeometric integral attached to the configuration of the mirrors of the reflection group S_{n+2} acting on P_n , *Kyushu J. Math.* **49** (1995), no. 1, 11–34
- [Co1] Cohen, D.: Cohomology and intersection cohomology of complex hyperplane arrangements, *Adv. Math.* **97** (1993), 132–266
- [Co2] Cohen, D.: Morse inequalities for arrangements, *Adv. Math.* **134** (1998), 43–45
- [Co3] Cohen, D.: On the cohomology of discriminantal arrangements and Orlik-Solomon algebras, in: *Arrangements, Tokyo 1998*, *Adv. Stud. Pure Math.*, Math. Soc. Japan, Tokyo, to appear
- [CO] Cohen, D., Orlik, P.: Arrangements and local systems, *Math. Res. Letters*, to appear
- [CS1] Cohen, D., Suciu, A.: On Milnor fibrations of arrangements, *J. London Math. Soc.* **51** (1995), 105–119
- [CS2] Cohen, D., Suciu, A.: The braid monodromy of plane algebraic curves and hyperplane arrangements, *Comment. Math. Helv.* **72** (1997), 285–315
- [CS3] Cohen, D., Suciu, A.: Alexander invariants of complex hyperplane arrangements, *Trans. Amer. Math. Soc.* **351** (1999), 4043–4067
- [CS4] Cohen, D., Suciu, A.: Characteristic varieties of arrangements, *Math. Proc. Cambridge Philos. Soc.* **127** (1999), 33–54
- [Co] Couwenberg, W.: Complex reflection groups and hypergeometric functions, Ph.D. Thesis, Nijmegen University, 1994

- [Cr] Crapo, H.: A higher invariant for matroids, *J. Combin. Theory* **2** (1967), 406–417
- [D1] Deligne, P.: *Equations Différentielles à Points Singuliers Réguliers*, Lecture Notes in Mathematics, **163** Springer Verlag, 1970
- [D2] Deligne, P.: Théorie de Hodge, II, *Publ. Math. I.H.E.S.* **40** (1971), 5–58
- [DM] Deligne, P., Mostow, M.: Monodromy of hypergeometric functions and non-lattice integral monodromy, *Publ. Math. I.H.E.S.* **63** (1986), 5–89
- [De] Denham, G.C.: Local systems on the complexification of an oriented matroid, Ph.D. Thesis, University of Michigan, 1999
- [DT] Douai, A., Terao, H.: The determinant of a hypergeometric period matrix, *Invent. math.* **128** (1997), 417–436
- [DL] Dwork, B., Loeser, F.: Hypergeometric series, *Japan J. Math.* **19** (1993), 81–129
- [E] Erdélyi, A.: *Higher transcendental functions*, vol. 1, MacGraw-Hill, 1953
- [EFK] Etingof, P., Frenkel, I., Kirillov, A. Jr.: *Lectures on representation theory and Knizhnik-Zamolodchikov equations*, Math. Surveys and Monographs **58**, Amer. Math. Soc., 1998
- [ESV] Esnault, H., Schechtman, V., Viehweg, E.: Cohomology of local systems of the complement of hyperplanes, *Invent. math.* **109** (1992), 557–561; Erratum, *ibid.* **112** (1993), 447
- [FT] Falk, M., Terao, H.: β NBC-bases for cohomology of local systems on hyperplane complements, *Trans. AMS*, **349** (1997), 189–202
- [Ge] Gelfand, I.M.: General theory of hypergeometric functions, *Soviet Math. Dokl.* **33** (1986), 573–577
- [GG] Gelfand, I.M. and Gelfand, S.I.: Generalized hypergeometric equations, *Soviet Math. Dokl.* **33** (1986), 643–646
- [GGR] Gelfand, I.M., Graev, M.I., Retakh, V.S.: Difference analogs and q -analogs of general hypergeometric systems of differential equations, *Dokl. Russian Akad.* **46** (1993), 30–35
- [GKZ] Gelfand, I.M., Kapranov, M.M., Zelevinsky, A.V.: Hypergeometric functions, toric varieties and Newton polyhedra, in *Special functions*, Springer Verlag, 1991, 104–121
- [GRS] Gelfand, I.M., Retakh, V.S., Serganova, V.V.: Generalized Airy functions, Schubert cells and Jordan groups, *Dokl. Akad. Nauk SSSR* **298** (1988), 17–21

- [GZ] Gelfand, I.M., Zelevinskii, A.V.: Algebraic and combinatorial aspects of the general theory of hypergeometric functions, *Funct. Anal. Appl.* **20** (1986), 183-197
- [GZK] Gelfand, I.M., Zelevinskii, A.V., Kapranov, M.M.: Hypergeometric functions and toral manifolds, *Funct. Anal. Appl.* **23** (1989), 94-106
- [Go] Godement, R.: *Topologie Algébrique et théorie des faisceaux*. 3rd ed. Hermann, 1973
- [HM] Hain, R.M., MacPherson, R.: Higher logarithms, *Illinois J. Math.* **34** (1990), 392-475
- [HaY] Hanamura, M., Yoshida, M.: Hodge structure on twisted cohomologies and twisted Riemann inequalities. I, *Nagoya Math. J.* **154** (1999), 123-139
- [Ha1] Haraoka, Y.: Confluence of cycles for hypergeometric functions on $Z_{2,n+1}$, *Trans. Amer. Math. Soc.* **349** (1997), no. 2, 675-712
- [Ha2] Haraoka, Y.: Quadratic relations for confluent hypergeometric functions on $Z_{2,n+1}$, *Funkcial. Ekvac.* **42** (1999), no. 3, 435-490
- [HKT] Haraoka, Y., Kimura, H., Takano, K.: On contiguity relations of the confluent hypergeometric systems, *Proc. Japan Acad. Sci. Ser. A Math. Sci.* **70** (1994), 47-49
- [He1] Heckman, G.J.: Root systems and hypergeometric functions, II, *Compositio Math.* **64** (1987), 353-373
- [He2] Heckman, G.J.: Hecke algebras and hypergeometric functions, *Invent. Math.* **100** (1990), 403-417
- [HO] Heckman, G.J., Opdam, E.M.: Root systems and hypergeometric functions, I, *Compositio Math.* **64** (1987), 329-352
- [HE] Hochster, M., Eagon, J.A.: Cohen-Macaulay rings, invariant theory, and the generic perfection of determinantal loci, *Amer. J. Math.* **93** (1971), 1020-1058
- [IK1] Iwasaki, K., Kita, M.: Exterior power structure of the twisted de Rham cohomology of the complements of real Veronese arrangements, *J. Math. Pures Appl.* **75** (1996), 69-84
- [IK2] Iwasaki, K., Kita, M.: Twisted homology of the configuration spaces of n -points with applications to hypergeometric functions, *Kumamoto J. Math.* **12** (1999), 9-72
- [Kn1] Kanarek, H.: Monodromy of hypergeometric functions arising from arrangements of hyperplanes, Ph.D. Thesis, University of Essen, 1996

- [Ka1] Kaneko, J.: Selberg integrals and hypergeometric functions associated with Jack polynomials, *SIAM J. Math. Anal.* **24** (1993), no. 4, 1086-1110
- [Ka2] Kaneko, J.: The Gauss-Manin connection of the integral of the deformed difference product, *Duke Math. J.* **92** (1998), no. 2, 355-379
- [K] Kapranov, M.: Hypergeometric functions on reductive groups, in *Integrable systems and algebraic geometry*, World Sci. Publishing, 1998, 236-281
- [Km1] Kimura, H.: On rational de Rham cohomology associated with the generalised confluent hypergeometric functions. I. \mathbf{P}^1 case, *Proc. Roy. Soc. Edinburgh Sect. A* **127** (1997), no. 1, 145-155
- [Km2] Kimura, H.: On rational de Rham cohomology associated with the generalized Airy function, *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)* **24** (1997), no. 2, 351-366
- [KT] Kimura, H., Taneda, M.: Analogue of flat basis and cohomological intersection numbers for general hypergeometric functions, *J. Math. Sci. Univ. Tokyo* **6** (1999), no. 2, 415-436
- [Kt1] Kita, M.: On hypergeometric functions in several variables I. New integral representations of Euler type, *Japan J. Math.* **18** (1992), 25-74
- [Kt2] Kita, M.: On hypergeometric functions in several variables II. The Wronskian of the hypergeometric functions, *J. Math. Soc. Japan* **45** (1993), 645-669
- [Kt3] Kita, M.: On vanishing of the twisted rational de Rham cohomology associated with hypergeometric functions, *Nagoya Math. J.* **135** (1994), 55-85
- [KI] Kita, M., Ito, M.: On rank hypergeometric system $E(n+1, m+1; \alpha)$, *Kyushu J. Math.* **50** (1996), 285-295
- [KM1] Kita, M., Matsumoto, K.: Duality for hypergeometric period matrices, *Proc. Japan Acad. Ser. A Math. Sci.* **71** (1995), no. 7, 171-173
- [KM2] Kita, M., Matsumoto, K.: Duality for hypergeometric functions and invariant Gauss-Manin systems, *Compositio Math.* **108** (1997), no. 1, 77-106
- [KN1] Kita, M., Noumi, M.: On the structure of cohomology groups attached to the integral of certain many-valued analytic functions, *Proc. Japan Acad. Ser. A Math. Sci.* **58** (1982), no. 3, 97-100

- [KN2] Kita, M., Noumi, M.: On the structure of cohomology groups attached to the integral of certain many-valued analytic functions, *Japan. J. Math.* **9** (1983), 113-157
- [KY1] Kita, M., Yoshida, M.: Intersection theory for twisted cycles, *Math. Nachr.* **166** (1994), 287-304
- [KY2] Kita, M., Yoshida, M.: Intersection theory for twisted cycles II, Degenerate arrangements, *Math. Nachr.* **168** (1994), 171-190
- [Ko1] Kohno, T.: Homology of a local system on the complement of hyperplanes, *Proc. Japan Acad. Ser. A* **62** (1986), 144-147
- [Ko2] Kohno, T.: Linear representation of braid groups and classical Yang-Baxter equations, In: *Braids, Contemporary Math.* **78** 1988 pp. 339-363
- [Ko3] Kohno, T.: Monodromy representations of braid groups, *Sugaku Expositions*, **7** (1994), 117-141
- [Ko4] Kohno, T.: Monodromy representations of braid groups and Yang-Baxter equations. *Ann. Inst. Fourier (Grenoble)* **37** (1987), no. 4, 139-160
- [Le] Lebedev, N.N.: *Special functions and their applications*, Prentice Hall, 1965
- [LY] Libgober, A., Yuzvinsky, S.: Cohomology of the Orlik-Solomon algebras and local systems, *Compositio Math.* to appear
- [Lo] Loeser, F.: Arrangements d'hyperplans et somme de Gauss, *Ann. Sci. École Norm. Sup.* **24** (1991), 379-400
- [LS] Loeser, F., Sabbah, C.: Equations aux différences finies et déterminants d'intégrales de fonctions multiformes, *Comment. Math. Helv.* **66** (1991), 458-503
- [L] Looijenga, E.: Arrangements, KZ systems and Lie algebra homology, in *Singularity theory*, London Math. Soc. Lecture Notes **263** 1999, 109-130
- [Mt1] Matsumoto, K.: Intersection numbers for 1-forms associated with confluent hypergeometric functions, *Funkcial. Ekvac.* **41** (1998), no. 2, 291-308
- [Mt2] Matsumoto, K.: Intersection numbers for logarithmic k -forms, *Osaka J. Math.* **35** (1998), no. 4, 873-893
- [M1] Matsumoto, K., Sasaki, T., Takayama, N., Yoshida, M.: Monodromy of the hypergeometric differential equation of type (3, 6) (I), *Duke Math. J.* **71** (1993), 403-426

- [M2] Matsumoto, K., Sasaki, T., Takayama, N., Yoshida, M.: Monodromy of the hypergeometric differential equation of type (3, 6) (II). The unitary reflection group of order $2^9 \cdot 3^7 \cdot 5 \cdot 7$, *Ann. Scuola Norm. Sup. Pisa* **20** (1993), 617–631
- [MSY] Matsumoto, K., Sasaki, T., Yoshida, M.: The monodromy of the period map of a 4-parameter family of K3 surfaces and the hypergeometric function of type (3, 6), *Internat. J. Math.*, **3** (1992), 1-164.
- [MS] Matsumoto, K., Sasaki, T.: On the system of differential equations associated with a quadric and hyperplanes, *Kyushu J. Math.* **50** (1996), no. 1, 93-131
- [MT] Matsumoto, K., Takayama, N.: Braid group and a confluent hypergeometric function, *J. Math. Sci. Univ. Tokyo* **2** (1995), no. 3, 589-610
- [MTV] Markov, Y., Tarasov, V., Varchenko, A.: The determinant of a hypergeometric period matrix, *Houston J. Math.* **24** (1998), 197-200
- [MV] Mukhin, E., Varchenko, A.: On algebraic equations satisfied by hypergeometric solutions of the qKZ equation, in *Differential Topology, infinite dimensional Lie algebras, and applications*, Amer. Math. Soc. Transl. **194** (1999), 189-209
- [O1] Opdam, E.M.: Root systems and hypergeometric functions, III, *Compositio Math.* **67** (1988), 21-49
- [O2] Opdam, E.M.: Root systems and hypergeometric functions, IV, *Compositio Math.* **67** (1988), 191-209
- [OSi] Orlik, P., Silvotti, R.: Local system homology of arrangement complements, to appear in *Arrangements–Tokyo 1998*, Adv. Studies in Pure Math. **27**, Kinokuniya, Tokyo, 2000
- [OSo] Orlik, P., Solomon, L.: Combinatorics and topology of complements of hyperplanes, *Invent. math.* **56** (1980), 167–189
- [OT1] Orlik, P., Terao, H.: *Arrangements of Hyperplanes*, Springer Verlag, 1992
- [OT2] Orlik, P., Terao, H.: The number of critical points of a product of powers of linear functions, *Invent. Math.* **120** (1995), no. 1, 1-14
- [Ra] Randell, R.: Lattice-isotopic arrangements are topologically isomorphic, *Proc. Amer. Math. Soc.* **107** (1989), 555-559
- [RT] Rose, L., Terao, H.: A free resolution of the module of logarithmic forms of a generic arrangement, *J. Algebra* **136** (1991), 376–400

- [SST] Saito, M., Sturmfels, B., Takayama, N.: *Groebner deformations of hypergeometric differential equations*, Algorithms and Computation in Mathematics, **6**. Springer-Verlag, Berlin, 2000
- [SaT] Saito, T., Terasoma, T.: Determinant of period integrals, J. Amer. Math. Soc. **10** (1997), no. 4, 865-937
- [SSM] Sato, M., Shintani, T., Muro, M.: Theory of prehomogeneous vector spaces (algebraic part) - The English translation of Sato's lecture from Shintani's note, Nagoya Math. J. **120** (1990), 1-34
- [STV] Schechtman, V., Terao, H., Varchenko, A.: Local systems over complements of hyperplanes and the Kac-Kazhdan conditions for singular vectors, J. Pure Appl. Algebra **100** (1995), 93-102
- [SV1] Schechtman, V. V., Varchenko, A. N.: Hypergeometric solutions of Knizhnik-Zamolodchikov equations, Lett. Math. Phys. **20** (1990), 279-283
- [SV2] Schechtman, V. V., Varchenko, A. N.: Arrangements of hyperplanes and Lie algebra homology, Invent. math. **106** (1991), 139-194
- [SeT] Sekiguchi, J., Takayama, N.: Compactifications of the configuration space of six points of the projective plane and fundamental solutions of the hypergeometric system of type (3, 6), Tohoku Math. J. (2) **49** (1997), no. 3, 379-413
- [SY] Sekiguchi, J., Yoshida, M.: $W(E_6)$ -action on the configuration space of six lines on the real projective plane, Kyushu J. Math. **51** (1997), no. 2, 297-354
- [Se] Selberg, A.: Bemerkninger om et multipelt integral, Norsk matematisk tidsskrift **26** (1944) 71-78, In: Collected Papers **1**, Springer Verlag, 1989, 204-211
- [Sl] Slater, L.J.: *Generalized hypergeometric functions*, Cambridge University Press, 1966
- [Sp] Spanier, E.: *Algebraic Topology*, McGraw-Hill, New York 1966
- [Sz] Szenes, A.: Iterated residues and multiple Bernoulli polynomials, Internat. Math. Res. Notices **18** (1998), 937-956
- [T] Terao, H.: Moduli space of combinatorially equivalent arrangements of hyperplanes and logarithmic Gauss-Manin connections, Topology and its Appl., to appear
- [TY] Terao, H., Yuzvinsky, S.: Logarithmic forms on affine arrangements, Nagoya Math. J. **139** (1995), 129-149

- [Ts1] Terasoma, T.: On the determinant of Gauss-Manin connections and hypergeometric functions of hypersurfaces, *Invent. Math.* **110** (1992), no. 3, 441-471
- [Ts2] Terasoma, T.: A product formula for period integrals, *Math. Ann.* **298** (1994), no. 4, 577-589
- [V1] Varchenko, A.N.: The Euler beta-function, the Vandermonde determinant, Legendre's equation, and critical values of linear functions on a configuration of hyperplanes, I. *Math. Ussr Izvestiya* **35** (1990), 543-571, II. *Math. Ussr Izvestiya* **36** (1991), 155-167
- [V2] Varchenko, A.N.: *Multidimensional hypergeometric functions and representation theory of Lie groups*, Adv. Studies in Math. Physics **21** World Scientific Publishers 1995
- [V3] Varchenko, A.N.: Critical points of the product of powers of linear functions and families of bases of singular vectors, *Compositio Math.* **97** (1995), 385-401
- [WW] Wachs, M.L., Walker, J.W.: On geometric semilattices, *Order* **2** (1986), 367-385
- [Yo1] Yoshida, M.: *Fuchsian differential equations*, Vieweg, 1987
- [Yo2] Yoshida, M.: *Hypergeometric functions, my love. Modular interpretations of configuration spaces*, Vieweg, 1997
- [Yu] Yuzvinsky, S.: Cohomology of the Brieskorn-Orlik-Solomon algebras, *Comm. Algebra* **23** (1995), 5339-5354
- [Za] Zaslavsky, T.: *Facing up to arrangements: Face-count formulas for partitions of space by hyperplanes*, *Memoirs Amer. Math. Soc.* **154** 1975
- [Zi] Ziegler, G.: Matroid shellability, β -systems, and affine arrangements, *J. Alg. Combinatorics* **1** (1992), 283-300