

INDEX OF DEFINITIONS

- abstraction, 25
 - functional –, 288
- action
 - empty –, 117
 - of a monoid, 100
 - preserving function, 101
- actual existence, 274
- addition
 - on ω , 335
 - on N , 337
- adjoint
 - left –, 439
 - right –, 439
 - situation, 438.
- adjunction, 439
 - co-unit of –, 440
 - in posets, 446
 - unit of –, 440
- algebra
 - of classes, 125
 - Boolean –, 134
 - Brouwerian –, 178
 - closure –, 178
 - Heyting –, 183
- alphabet
 - for PL, 129
 - for elementary languages, 234
- and-Or map, 420
- antecedent, 132
- antisymmetric, 29
- apartness, 425
- appropriate
 - to ϕ , 239, 484
 - to t , 484
- arrow, 23, 24
 - category, 34
 - in $\Omega\text{-Set}$, 277
 - name of –, 78
 - partial –, 268
 - strong –, 395
 - weak –, 395
- Associative Law, 21, 24
- atom, 481
- atomic
 - formula, 234
- sentence, 483
- axiom of
 - choice, 290–301, 312
 - extensionality, 307
 - infinity, 311
 - null set, 308
 - order-completeness, 421
 - pairs, 308
 - partial transitivity, 330
 - patching for sheaves (COM), 362, 376, 391
 - powersets, 308
 - regularity, 312
 - replacement, 312
 - separation, 308
 - transitive representation, 328
 - transitivity, 314
 - unions, 308
- axioms for
 - CL, 131, 237, 238
 - continuous functions, 427
 - Dedekind cuts, 415, 423, 427, 430
 - geometric modality, 382
 - GL, 497
 - identity, 238
 - IL, 177, 249
 - propositional logic, 131
 - quantifiers, 238
 - set theory, 307ff.
- bar, 193
- Barr's Theorem, 482, 495
- Beth model, 193, 388
- bi-complete, 69, 466, 469
- biconditional, 274
- bijective, 39
- bivalent, 118
- Boolean
 - algebra, 134
 - topos, 156
- bound variable, 235
- bounded
 - lattice, 133
 - separation, 309

- Brouwerian algebra, 178
- bundle, 89
- canonical
 - \mathcal{C} -model, 487
 - IL-model, 191
 - frame, 191
 - functor, 470
 - protopology, 471
 - site, 386
- Cartesian
 - closed category, 72
 - product, 19
 - square, 64
- category, 24
 - arrow -, 34
 - as first-order concept, 232
 - comma -, 35
 - degenerate -, 72
 - discrete -, 30
 - one-object - (monoid), 32
 - opposite -, 45
 - preorder -, 28
 - product -, 34
 - skeletal -, 42
 - sub-, 32
- categories
 - equivalent -, 200
 - functor -, 202
 - isomorphic -, 200
- Cauchy-reals, 414, 418
- chain, 72
- change of variables, 505
- character, 81
- characteristic
 - arrow, 81
 - function, 79
- choice function, 290
- class, 10
 - abstracts, 309ff
 - proper -, 10
- classical
 - logic, 131
 - topos, 118
- Classical Completeness Theorem 498, 512
- classifier, 81
- classifying topos, 514
- closure
 - algebra, 178
 - operator, 372
- co-complete, 69
- codomain
 - for arrow, 24
 - for function, 17
- co-equaliser, 60
- cofinality, 386
- co-free, 441
- coherent topos, 481
- cokernel, 114
- Collapsing Lemma, 317
- comma category, 35
- commutative diagram, 21
- commutativity of addition, 338
- compact space, 481
- Compactness Theorem, 500, 502
- compatible, 361, 376, 390, 391
- compatible family, 472
- complement
 - of lattice element, 134
 - of set, 7
 - of subobject, 147
 - pseudo- -, 179
 - relative pseudo- -, 181
- complemented lattice, 134
- complete
 - bi-, 69
 - co-, 69
 - category, 69
 - Heyting algebra, 276
 - model, 404
 - Ω -set, 388ff
 - finitely -, 69
 - order-, 421
- Completeness Theorem
 - Classical --, 498, 512
 - for **BA** and **B**-validity, 136
 - for CL, 132
 - for **HA**-validity, 185
 - for \mathcal{E} -validity, 227, 265
 - for poset (frame)-validity, 191
 - Gödel's --, 238
 - Infinitary --, 502
- completion of an Ω -set, 393–397
- complex numbers, 423
- component (of a natural transformation), 199
- composition
 - of arrows, 24
 - of functions, 20
 - of functors, 198
- comprehension
 - and descriptions, 288
 - for Ω -sheaves, 405

- Ω and $-$, 107
- Principle of $-$, 6
- cone, 58
- conjunction, 126
 - $-$ truth-arrow, 139
 - $-$ truth-function, 127
- connectives, 126
- consequent, 132
- conservative functor, 461
- consistent, 12
- constant, 231
- Constructivism, 173ff.
- continuous
 - $-$ function as generalised real number, 427
 - $-$ morphism, 473
 - $-$ section, 98
- continuously variable real number, 417
- Continuum Hypothesis, 381
- contravariant
 - $-$ functor, 196
 - $-$ hom-functor, 197
 - $-$ powerset functor, 197
- copower, 413, 469
- coproduct, 54
 - $-$ arrow, 54, 55
 - $-$ as adjoint, 443
 - $-$ preserves pullback, 115
- covariant functor, 196
- cover, 374
 - open $-$, 361
- co-unit, 440
- crible, 208, 368, 376
- decidable ordering, 425
- Dedekind-reals, 414ff.
 - $-$ as continuous functions, 416
 - $-$ in $\Omega\text{-Set}$, 416, 421
 - $-$ in $\mathbf{C}\Omega\text{-Set}$, 419, 421
 - $*R$ equals $-$, 434
- defined over \mathcal{E} , 467
- degenerate category, 72
- De Morgan's law, 423, 434
- Deligne's Theorem, 481, 495, 512
 - proof of $--$, 500
- dense monic, 372
 - $j--$, 379
- density of \mathbb{Q} , 434
- descriptions, 287
 - $-$ interpreted in sheaves, 404
- detachment, 131
- Diaconescu's Theorem, 297
- diagram, 58
 - commutative $-$, 21
 - empty $-$, 59
 - finite $-$, 69
- direct image part, 464
- directed poset, 192
- discrete
 - $-$ category, 30
 - $-$ topology, 406
- disjoint
 - $-$ arrows, 119
 - $-$ selection, 408
 - $-$ sets, 54
 - $-$ union, 54
- disjunction, 126
 - $-$ truth-arrow, 139
 - $-$ truth-function, 128
- disjunctive topos, 171, 229
- distributive lattice, 134
- domain
 - $-$ of arrow, 24
 - $-$ of function, 17
- double negation, 184, 379
- duality, 45
 - $-$ Principle, 46
- effectively epimorphic, 472
- element
 - $-$ of a set, 6
 - $-$ of an object, 78
 - existing $-$, 274
 - global $-$, 398
 - partial $-$, 268
- elementary
 - $-$ language, 231, 234
 - $-$ logic in $\Omega\text{-Set}$, 284
 - $-$ site, 378
 - $-$ topos, 84
- empty
 - $-$ action, 117
 - $-$ diagram, 59
 - $-$ function, 43
 - $-$ section, 283
 - $-$ set, 7
 - non- $-$, 115
- endo arrow, 445
- enough points, 436
- epic arrow, 39
 - $-$ splitting $--$, 290
- epi-monic factorisation, 114
- epimorphic family, 471

- effectively --, 472
- provably --, 507
- equaliser, 56
 - monic as -, 109
- equality, 274
 - of set-objects, 326
 - as local equality, 385
 - rigid -, 406
- equation, 487
- equivalence 274
 - class, 61
 - of categories, 200
 - of set-models and topoi, 328ff
 - relation, 61–63
 - logical -, 144
- equivariant function, 101
- \mathcal{E} -topos, 467
- evaluation arrow, 70, 71
- exact functor, 461
 - left --, 461
 - right --, 461
- examples of
 - adjoint situations, 442ff
 - categories, 26–36
 - elementary sites, 379
 - functors, 195ff
 - Heyting algebras, 179–183
 - limits, 59–60
 - monoid actions, 101
 - natural transformations, 199–200
 - pseudo-complements, 179
 - pullbacks, 64–68
 - relative pseudo-complements, 181
 - sites, 375
 - topoi, 85–103
 - truth-arrows, 139–140
 - variable sets, 219
- Excluded Middle, 161
 - and Intuitionism, 175
- existence
 - actual -, 274
 - degree of -, 275
 - equals local existence, 387
 - predicate, 267
 - potential (partial) -, 274
- existential
 - generalisation, 238
 - quantifier, 231
 - as least upper bound, 278
- exponential
 - adjoint, 71–2, 444
 - in relatively pseudo-complemented lat-
- tices, 187
- exponentiation, 70–1
 - as adjunction, 444
- extension, 211
- extensional
 - object, 409
 - Ω -subset, 280
 - relation, 317
 - topos, 169
 - sub -, 410
 - weakly -, 293, 409
- extensionality
 - axiom of -, 307
 - principle, 8
 - for arrows, 116
 - for “parts”, 436
 - for subobjects, 169
- extent, 284, 389
- false*, 117
- faithful functor, 460
- fibre, 90
- fibred product, 65, 95
- finitary methods, 12
- finitary site, 481
- finite
 - diagram, 69
 - ordinal, 33
 - products, 52
- finitely complete category, 69
- first-order
 - concept, 232
 - language, 231, 234
- fixed point, 123
- flabby sheaf, 403
- forcing topology, 515f.
- forgetful functor, 195
- formula, 234
 - geometric -, 493
 - infinitary -, 502
 - open -, 235
 - positive – existential -, 493, 502
- Foundations, 13
 - topoi as -, 332
- fragment, 503
- frame, 189
 - canonical -, 191
- free
 - for t , 237
 - logic, 267
 - over an object, 441
 - variable, 235

- Freyd Postulates, 352ff
 function, 17, 310
 antitone –, 197
 bijective –, 39
 characteristic –, 79
 evaluation –, 70
 identity –, 19
 inclusion –, 19
 injective –, 37
 monotone –, 195
 partial –, 268
 surjective –, 39
 functional abstraction, 288
 functor, 194
 conservative –, 461
 contravariant –, 196
 covariant –, 196
 exact –, 461
 faithful –, 460
 forgetful –, 195
 – categories, 202
 pulling-back –, 449
 representable –, 449
 Yoneda –, 470
 functors
 isomorphic –, 199, 202
 Fundamental Theorem of Topoi, 96, 451
 generates, 286
 generators, 475
 generic model, 514
 geometric
 – field, 517
 – modality, 382
 – morphism, 464
 – morphism over \mathcal{E} , 467
 – theory, 493
 surjective – morphism, 467
 germ, 90
 – of an open set, 98, 383
 – of a section, 363
 global
 – element, 398
 – membership, 316
 – section, 98, 267
 Gödel's Completeness Theorem, 238
 graph
 – of arrow, 457
 – of function, 18, 20
 greatest
 – element, 179
 – lower bound, 49, 276
 Grothendieck
 – topology, 385
 – topos, 376, 469
 group, 41
 Henkin method, 499
 Heyting algebra, 183
 complete –, 276
 Heyting-valued set, 276
 complete –, 388
 rigid –, 406
 hereditary set, 189
 principal –, 213
 higher-order
 – language, 231
 – logic, 286
 homeomorphic, 41
 homeomorphism
 local –, 97
 hom-functor, 196
 contravariant –, 197
 homomorphism
 monoid –, 195
 hom-set, 196
 identity
 – arrow, 25
 – function, 19
 – law, 22, 25
 – of a monoid, 31
 – symbol, 232
 image
 – of an arrow, 110ff.
 – of a function, 19
 – of a subobject, 320
 inverse –, 65
 implication, 128, 162
 – truth-arrow, 139
 – truth-function, 128
 impredicative definition, 175
 inclusion
 – function, 19
 – of relations, 322
 – of subobjects, 76
 index of a formula, 237
 infinitary formulae, 501f.
 infinity
 axiom of –, 311
 inhabited, 428
 initial object, 43
 – as adjoint, 442
 injection, 54

- injective
 - arrow, 124
 - function, 37
- intension, 212
- intersection
 - of sets, 7
 - of subobjects, 147
- Intuitionism, 175ff.
- intuitionistic logic, 177, 249
- inverse
 - image, 65
 - of an arrow, 40
 - relation, 45
- inverse image part, 464
- invertible, 40
- iso arrow, 40
- isomorphic
 - categories, 200
 - functors, 199, 202
 - objects, 41
 - subobjects, 77
- isomorphism 41, 42
 - defined up to -, 47
 - natural -, 199
 - unique up to -, 42
- iterate of an arrow, 337
- j*-dense, 379
- join
 - in posets, 133
 - in Ω -sets, 390
- j*-sheaf, 379
- Kan extension, 465
- kernel
 - pair, 111
 - relation, 66
- Kripke semantics
 - for PL, 187ff.
 - for \mathcal{L} , 256ff.
- Kripke–Joyal semantics, 386
- Kronecker delata, 243, 251
- language
 - first-order -, 231, 234
 - higher-order -, 231
 - many-sorted -, 483
 - for modal logic, 382
 - for propositional logic, 129
- lattice, 55
 - bounded -, 133
 - complemented -, 134
- distributive -, 134
- as category, 133
- of subobjects, 151
- pseudo-complemented -, 179
- relatively pseudo-complemented -, 182
- least
 - element, 179
 - upper bound, 55, 179, 276
- left-cancellable, 38
- left exact, 461
- left ideal, 102
- left-multiplication, 100
- Lemma
 - Mostowski's Collapsing -, 317
 - Pullback -, 67
 - Substitution -, 250
 - Truth -, 259
 - Yoneda -, 470
- limit, 58
 - point, 384
- Lindenbaum Algebra
 - for CL, 136
 - for IL, 185
- Lindenbaum's Lemma, 191
- local
 - character of truth, 387
 - equality, 97, 383
 - existence equals existence, 387
 - homeomorphism, 97
 - operator, 373
 - section, 98
 - set theory, 316
 - truth, 383, 384
- locally
 - constant function, 365, 407
 - equal, 97, 363, 385
 - equal equals equal, 385
 - true, 97, 99, 365, 372, 383
- locally small, 466
- logic
 - classical -, 131
 - intermediate -, 228
 - intuitionistic -, 177, 249
 - modal -, 187, 381
- logically equivalent, 144
- Logicism, 174
- lower bound, 49
- lower semilattice, 49
- many-sorted language, 483
- maximal element, 44
- maximum, 44

- meet, 133
- member, 6
- membership, 6
 - in a topos, 315, 327
 - for set-objects, 327
 - of subsets of A , 103
 - tree, 313
- metalanguage, 306
- metaset, 307
- minimal element, 43
- minimum, 43
- modal
 - logic, 187, 381
 - operator, 385
- model
 - Beth -, 193, 388
 - classical - for \mathcal{L} , 235
 - complete -, 404
 - \mathcal{E} - for \mathcal{L} , 246, 484
 - for set theory, 305ff.
 - generic-, 514
 - in $\Omega\text{-Set}$, 284
 - \mathbf{P} -based -, 189, 256
 - of ϕ , 237, 487
- modus ponens, 132
- monad, 383
- monic arrow, 38
 - dense--, 372
 - as equaliser, 109
- monoid, 31, 100
 - action, 100
 - identity, 31
 - homomorphism, 195
- Mostowski's Collapsing Lemma, 317
- M**-set, 101
- multiplication
 - on ω , 339
 - on N , 346
- name of an arrow, 78
- natural
 - isomorphism, 199
 - map, 62
 - number, 334
 - transformation, 199
- natural numbers object, 301ff.
 - as free object, 445, 446
 - in **Sh**(I), 365
 - in **Top**(I), 304
- negation, 126
 - truth-arrow, 139
 - truth-function, 127
- double -, 184, 379
- neighbourhood, 384
- non-empty object, 115
- non-zero object, 115
- object
 - extensional -, 409
 - initial -, 43
 - natural numbers -, 301ff.
 - of partial elements, 270
 - of truth-values, 162
 - power -, 104
 - set -, 326
 - sub-extensional -, 410
 - terminal -, 44
 - transitive set -, 321
 - zero -, 44
- object language, 306
- one object category (monoid), 32
- one-one, 37
- onto, 39
- open
 - cover, 361
 - formula, 235
 - set, 96
 - as 'part', 435
- opposite
 - arrow, 45
 - category, 45
- order-relation
 - on N , 345
 - on Ω -sets, 390
 - on the continuum, 424ff.
- order-completeness, 421
 - of $*R$, 432, 433
- order-completion of R_d , 423, 431ff.
- ordered pair, 18
- ordinal, 33
- pairwise compatible, 362, 376, 390, 391
- partial
 - object of - elements, 270
 - arrow, 268
 - element, 268
 - function, 268
 - order, 29
 - section, 290, 291
 - transitivity, 330
- Partial Arrow Classifier Theorem, 269
- parts of a space, 435
- path, 193
- Peano Postulates, 347ff., 424

- point, 435, 477
 - less, 437
- points
 - have enough -, 436, 478
- poset, 29, 42
- positive-existential, 493, 502
- potential existence, 274
- power objects, 104
- powerset, 76
 - axiom, 308
 - functor, 195
 - contravariant --, 197
- precanonical pretopology, 473, 510
- predecessor
 - arrow, 342
 - function, 339
- preorder, 28
- preserves, 459f.
- presheaf
 - over a category, 375
 - over a space, 359
- pretopology, 374
 - canonical -, 473
 - precanonical -, 473, 510
- primitive recursion, 335ff.
 - Theorem, 339
- principal
 - crible, 370
 - hereditary set, 213
- product
 - fibred -, 65
 - finite -, 52
 - m -fold -, 52
 - arrow, 47
 - as adjoint, 442
 - category, 34
 - of objects, 47
 - set, 19, 46
- projection, 46, 53
- proof sequence, 131
- provably epimorphic, 507
- provably equivalent, 505
- pseudo-complement, 179
 - relative -, 181
- pseudo-complemented lattice, 179
- pullback, 63
 - as fibred product, 95
 - preserves epis, 115
 - square, 64
- Pullback Lemma, 67
- pulling-back functor, 449
 - adjoints to -, 449, 450, 452
- pushout, 68
 - monic - as pullback, 355
- quantifier
 - axioms, 238
 - existential -, 231
 - universal -, 231
- quantifiers
 - as adjoints, 453ff
 - arrows, 245
- quotient as co-equaliser, 62
- range, 19
- realisation, 235
- real numbers, 413ff.
- recursion
 - primitive -, 335ff.
 - on well-founded relations, 318–20
 - simple -, 302
- recursive arrow, 321
- Reduction Theorem, 475
- regular HA-element, 381, 503
- Regularity axiom, 312
- reflects, 459f.
- reflexive, 28, 61
- relation 18, 310, 322
 - equivalence -, 61
 - extensional -, 317
 - inverse -, 45
 - kernel -, 66
 - membership -, 6, 103, 315, 327
 - order -, 345
 - well-founded -, 317–8
- relative pseudo-complement, 181
 - as adjoint, 444
- relatively pseudo-complemented lattice, 182
- Replacement axiom, 312
- representable functor, 449
- representation, 26
- restriction, 65
 - of s to U , 360
 - of s to p , 283
 - of a to p , 389
 - ordering, 390
- Richard Nixon, 27
- right-cancellable, 39
- right exact, 461
- rigid
 - equality, 406
 - Ω -set, 406
- ring 516ff.

- rules of inference, 131
- Russell set, 9
- Russell's Paradox, 9
- satisfaction, 236, 239
 - in $\Omega\text{-Set}$, 285
 - in Set^P , 257
- section, 94
 - continuous -, 98
 - global -, 98, 267
 - local -, 98
 - partial -, 290, 291
 - of an epic, 290
- selection, 362
 - disjoint -, 408
- sentence, 126
 - first-order -, 235
 - PL-, 130
- separation
 - bounded -, 309
 - axion, 308
 - principle, 11
- sequent, 496
 - geometric -, 496
- set, 6
 - complete Ω - -, 388
 - empty -, 7
 - hereditary -, 189
 - Ω - -, 276
 - product -, 19, 46
 - power -, 76
 - Russell -, 9
 - as a topos-object, 334
 - membership, 6
 - object, 326
 - theory, 6
 - varying with time, 219
 - vs. class, 10
 - singleton -, 44
 - transitive -, 313
 - transitive - object, 321
 - variable -, 212
- sheaf, 96, 97
 - flabby -, 403
 - j - -, 379
 - Ω - -, 395
 - pre- -, 359, 375
 - of continuous functions, 388, 392
 - of germs of open sets, 97, 369
 - of sections, 362, 389
 - of truth-values, 400
 - over Ω , 391
- simple -, 406
 - 2- -, 411
- sheafification, 465, 470
- sieve, 206
- simple sheaf, 406
- singleton, 44
 - Ω -subset, 282, 388
 - forming arrow, 269
- site, 375
 - elementary -, 378
 - finitary -, 481
 - small -, 469
- skeletal category, 42
- skeleton, 201
- small
 - locally -, 466
 - class, 466
 - site, 469
- sober, 435
- sort, 483
- Soundness Theorem for
 - B**-validity, 135
 - CL, 132
 - \mathcal{E} -validity, 186, 249
 - GL, 498
 - HA-validity, 185
- source, 17
- spatial
 - CHA, 436
 - topos, 97
- splitting epic, 290
- stack
 - over a category, 375
 - over a space, 359
- stalk, 90
 - as colimit, 363
 - space, 90
- standard model, 307
- state of knowledge, 188
- S-topos, 467
- strict, 280
- strong arrow, 395
- subcategory, 32
 - full -, 33
- sub-extensional object, 410
- subobject, 76
 - classifier, 81
 - as free object, 448-9
 - lattice of -s, 151
- subset, 8
- Substitution Lemma, 250, 486
- subtraction, 342

- successor
 - arrow, 302
 - function, 301
- sufficient, 477
- sum of objects, 54
- support, 291–2
- surjective
 - arrow, 124
 - function, 39
- symmetric, 61
- target, 17
- tautology, 129
- terminal object, 44
- term, 234
- Theorem, *see*
 - Completeness
 - Diaconescu's
 - Fundamental
 - Partial Arrow Classifier
 - Primitive Recursion
 - Soundness
 - Validity
- theory, 492, 496
 - consistent –, 499
 - geometric –, 493
- topology, 420
 - discrete –, 406
 - double negation –, 379
 - forcing –, 515f.
 - generated –, 515
 - on a topos, 378
- topos
 - bivalent –, 118
 - Boolean –, 156
 - classical –, 118
 - classifying –, 514
 - coherent –, 481
 - disjunctive –, 171, 229
 - \mathcal{E} –, 467
 - elementary –, 84
 - extensional –, 169
 - Grothendieck –, 376, 469
 - S**–, 467
 - spatial –, 97
 - well-pointed –, 116
 - defined over \mathcal{E} , 467
- transitive
 - closure, 314
 - relation, 28, 61
 - representative, 328
- set, 313
- set-object, 321
- tree, 313
- true*, 80, 81
- truth-arrows, 139
 - in **Set**^P, 221
- truth-functions, 127–8
- Truth Lemma, 259
- truth-values
 - classical –, 126
 - object of –, 162
 - sheaf of –, 400
 - in \mathcal{E} , 94
- union
 - disjoint –, 54
 - of sets, 7
 - of subobjects, 147
- unit of adjunction, 440
 - co––, 440
- universal
 - arrow, 441
 - construction, 58
 - instantiation, 238
 - property, 58
 - quantifier, 231
- universe of sets, 333
- upper bound, 55, 179
- valid
 - B**–, 135
 - BA**–, 135
 - classically –, 130
 - \mathcal{E} –, 141, 249
 - \mathcal{E}_j –, 382
 - H**–, 185
 - P**–, 189
 - \mathcal{L} -formula, 237
- Validity Theorem, 224
- valuation, 135, 141, 185, 189, 382
- value assignment, 130
- variable
 - bound –, 235
 - free –, 235
 - individual –, 231, 234
- variable set, 212
 - as sheaf, 366
- weak
 - arrow, 395
 - forcing, 381
- weakly

- extensional category, 293
 - extensional object, 409
 - linear poset, 192
 - well-defined concept, 62
 - well-founded relation, 317, 318
 - well-pointed, 116
- Yoneda
 - embedding, 471, 473, 511
 - functor, 470
 - Lemma, 470
 - ZF, 11, 312, 333

