

References

- BARTLETT, M. S. (1948). Smoothing periodograms from time series with continuous spectra. *Nature* **161** 486–487.
- BATCHELOR, G. (1953). *The Theory of Homogeneous Turbulence*. Cambridge Univ. Press, New York.
- BERNSTEIN, S. (1927). Sur l'extension du théorème limite du calcul des probabilités aux sommes de quantités dépendantes. *Math. Ann.* **85** 1–59.
- BICKEL, P. J. and ROSENBLATT, M. (1973). On some global measures of the deviations of density function estimates. *Ann. Statist.* **1** 1071–1095.
- BONEVA, L., KENDALL, D. and STEFANOV, I. (1971). Spline transformations: Three new diagnostic aids for the statistical data-analyst (with discussion). *J. Roy. Statist. Soc. Ser. B* **33** 1–70.
- BRADLEY, R. C. (1983). Asymptotic normality of some kernel-type estimators of probability density. *Statist. Probab. Lett.* **1** 295–300.
- BRADLEY, R. C. (1986). Basic properties of strong mixing conditions. In *Dependence in Probability and Statistics* (E. Eberlein and M. Taqqu, eds.) 165–192. Birkhäuser, Boston.
- BREIDT, F., DAVIS, R., LIU, K. S. and ROSENBLATT, M. (1990). Nonminimum phase non-Gaussian autoregressive processes. *Proc. Nat. Acad. Sci. U.S.A.* **87** 179–181.
- BRILLINGER, D. (1965). An introduction to polyspectra. *Ann. Math. Statist.* **36** 1351–1374.
- BRILLINGER, D. and ROSENBLATT, M. (1967). Asymptotic theory of estimates of k th order spectra. In *Spectral Analysis of Time Series* (B. Harris, ed.) 153–188. Wiley, New York.
- BROCKWELL, P. and DAVIS, R. (1987). *Time Series: Theory and Methods*. Springer, New York.
- ČENCOV, N. N. (1962). Evaluation of an unknown distribution function from observations. *Soviet Math.* **3** 1559–1562.
- CHOW, Y. S., GEMAN, S. and WU, L. D. (1983). Consistent cross-validated density estimation. *Ann. Statist.* **11** 25–38.
- CHUNG, K. L. (1960). *Markov Chains With Stationary Transition Probabilities*. Springer, New York.
- CODDINGTON, E. and LEVINSON, N. (1955). *Theory of Ordinary Differential Equations*. McGraw-Hill, New York.
- CsÖRGŐ, M. and HORVÁTH, L. (1988). Central limit theorems for L_p -norms of density estimates. *Probab. Theory Related Fields* **80** 269–291.
- DANIELL, P. J. (1946). Discussion of paper by M. S. Bartlett. *J. Roy. Statist. Soc. Suppl.* **8** 88–90.
- DAVYDOV, Y. A. (1973). Mixing conditions for Markov chains. *Theory Probab. Appl.* **18** 312–328.
- DE BOOR, C. (1978). *A Practical Guide to Splines*. Springer, New York.
- DEVROYE, L. and GYÖRFI, L. (1985). *Nonparametric Density Estimation (the L_1 View)*. Wiley, New York.

- DOBRUSHIN, R. L. and MAJOR P. (1979). Non-central limit theorems for non-linear functionals of Gaussian fields. *Z. Wahrsch. Verw. Gebiete* **50** 27–52.
- DONOHO, D. (1981). On minimum entropy deconvolution. In *Applied Time Series Analysis II* (D. F. Findley, ed.) 565–608. Academic, New York.
- DOOB, J. L. (1953). *Stochastic Processes*. Wiley, New York.
- EINSTEIN, A. (1914). Méthode pour la détermination de valeurs statistiques d'observations concernant des grandeurs soumises à des fluctuations irrégulières. *Arch. Sci. Phys. et Natur. Ser. 4* **37** 254–256.
- EPANECHNIKOV, V. A. (1969). Nonparametric estimation of a multidimensional probability density. *Theory Probab. Appl.* **14** 153–158.
- FARRELL, R. H. (1972). On the best obtainable asymptotic rates of convergence in estimation of a density function at a point. *Ann. Math. Statist.* **43** 170–180.
- FIX, E. and HODGES, J. L., JR. (1951). Discriminatory analysis, nonparametric discrimination: Consistency properties. USAF School of Aviation Medicine, Project No. 21-49-004, Report No. 4.
- GIRAITIS, L. and SURGAILIS, D. (1986). Multivariate Appell polynomials and the central limit theorem. In *Dependence in Probability and Statistics* (E. Eberlein and M. Taqqu, eds.) 21–71. Birkhäuser, Boston.
- GRENNANDER, U. and ROSENBLATT, M. (1953). Statistical spectral analysis of time series arising from stationary stochastic processes. *Ann. Math. Statist.* **24** 537–558.
- GRENNANDER, U. and ROSENBLATT, M. (1956). *Statistical Analysis of Stationary Time Series*. Almqvist and Wiksell, Stockholm.
- GYÖRFI, L., HÄRDLE, W., SARDA, P. and VIEU, P. (1989). *Nonparametric Curve Estimation from Time Series. Lecture Notes in Statist.* **60**. Springer, New York.
- HABBEMA, J., HERMANS, J. and VANDERBROEK, K. (1974). A stepwise discriminant program using density estimation. In *COMPSTAT 1974* (G. Bruckman, ed.) 101–110. Physica-Verlag, Vienna.
- HALL, P. (1984). Central limit theorem for integrated square error of multivariate nonparametric density estimates. *J. Multivariate Anal.* **14** 1–16.
- HALL, P. (1989). On convergence rates in nonparametric problems. *Internat. Statist. Rev.* **57** 45–58.
- HALL, P. and HEYDE, C. C. (1980). *Martingale Limit Theory and Its Application*. Academic, New York.
- HALL, P. and MARRON, J. S. (1987). Extent to which least squares cross-validation minimizes integrated square error in nonparametric density estimation. *Probab. Theory Related Fields* **74** 567–581.
- HARRIS, T. E. (1956). The existence of stationary measures for certain Markov processes. *Proc. Third Berkeley Symp. Math. Statist. Probab.* **2** 113–124. Univ. California Press.
- HELSON, H. and SARASON, D. (1967). Past and future. *Math. Scand.* **21** 5–16.
- HERGLOTZ, G. (1911). Über Potenzreihen mit positiven reelen Teil in Einheitskreis. *Ber. Verh. Sächs. Akad. Wiss. Leipzig Math.-Phys.* **63** 501–511.
- HERRNDORF, N. (1983). Stationary strongly mixing sequences not satisfying the central limit theorem. *Ann. Probab.* **11** 809–813.
- HODGES, J. L., JR. and LEHMANN, E. L. (1956). The efficiency of some nonparametric competitors of the *t*-test. *Ann. Math. Statist.* **27** 324–335.
- IBRAGIMOV, I. A. and ROZANOV, YU. A. (1978). *Gaussian Random Processes*. Springer, New York.
- KIEFER, J. (1982). Optimal rates for non-parametric density and regression estimates under order restrictions. In *Statistics and Probability* (G. Kallianpur, P. R. Krishnaiah and J. K. Ghosh, eds.) 419–428. North-Holland, Amsterdam.
- KOLMOGOROV, A. and ROZANOV, YU. A. (1960). On strong mixing conditions for stationary Gaussian processes. *Theory Probab. Appl.* **5** 204–208.
- KOMLÓS, J., MAJOR, P. and TUSNÁDY, G. (1975, 1976). An approximation of partial sums of independent rv's and the sample df. I, II. *Z. Wahrsch. Verw. Gebiete* **32** 111–131, **34** 33–58.

- KREISS, J.-P. (1987). On adaptive estimation in autoregressive models when there are nuisance functions. *Statist. Decisions* **5** 59–76.
- LEHMANN, E. L. (1983). *Theory of Point Estimation*. Wiley, New York.
- LII, K. S. and ROSENBLATT, M. (1975). Asymptotic behavior of a spline estimate of a density function. *Comput. Math. Appl.* **1** 223–235.
- LII, K. S. and ROSENBLATT, M. (1982). Deconvolution and estimation of transfer function phase and coefficients for non-Gaussian linear processes. *Ann. Statist.* **10** 1195–1208.
- LII, K. S. and ROSENBLATT, M. (1990). Asymptotic normality of cumulant spectral estimates. *J. Theoret. Probab.* **3** 367–385.
- LII, K. S., ROSENBLATT, M. and VAN ATTA, C. (1976). Bispectral measurements in turbulence. *J. Fluid Mech.* **77** 45–62.
- MACK, Y. P. and MÜLLER, H.-G. (1987). Adaptive nonparametric estimation of a multivariate regression function. *J. Multivariate Anal.* **23** 169–182.
- MAJOR, P. (1981). Limit theorems for nonlinear functionals of Gaussian sequences. *Z. Wahrscheinlichkeitstheorie Verw. Gebiete* **57** 129–158.
- MASRY, E. (1989). Nonparametric estimation of conditional probability densities and expectations of stationary processes: Strong consistency and rates. *Stochastic Process. Appl.* **32** 109–127.
- MESSER, K. and GOLDSTEIN, L. (1989). A new class of kernels for nonparametric curve estimation. Unpublished manuscript.
- MÜLLER, H.-G. (1985). Empirical bandwidth choice for nonparametric kernel regression by means of pilot estimators. *Statist. Decisions Suppl.* **2** 193–206.
- MÜLLER, H.-G. (1988). *Nonparametric Regression Analysis of Longitudinal Data. Lecture Notes in Statist.* **46**. Springer, New York.
- NADARAYA, E. A. (1964). On estimating regression. *Theory Probab. Appl.* **9** 141–142.
- NUSSBAUM, M. (1986). Nonparametric estimation of a regression function that is smooth in a domain in R^k . *Theory Probab. Appl.* **31** 108–115.
- PARZEN, E. (1962). On estimation of a probability density and mode. *Ann. Math. Statist.* **33** 1065–1076.
- RICE, J. (1984). Bandwidth choice for nonparametric regression. *Ann. Statist.* **12** 1215–1230.
- RICE, J. and ROSENBLATT, M. (1983). Smoothing splines: Regression, derivatives and deconvolution. *Ann. Statist.* **11** 141–156.
- ROSENBLATT, M. (1956a). Remarks on some nonparametric estimates of a density function. *Ann. Math. Statist.* **27** 832–837.
- ROSENBLATT, M. (1956b). A central limit theorem and a strong mixing condition. *Proc. Nat. Acad. Sci. U.S.A.* **42** 43–47.
- ROSENBLATT, M. (1961). Independence and dependence. *Proc. Fourth Berkeley Symp. Math. Statist. Probab.* 431–443. Univ. California Press.
- ROSENBLATT, M. (1969). Conditional probability density and regression estimators. In *Multivariate Analysis II* (P. Krishnaiah, ed.) 25–31. Academic, New York.
- ROSENBLATT, M. (1971). Curve estimates. *Ann. Math. Statist.* **42** 1815–1842.
- ROSENBLATT, M. (1979). Some limit theorems for partial sums of quadratic forms in stationary Gaussian variables. *Z. Wahrscheinlichkeitstheorie Verw. Gebiete* **49** 125–132.
- ROSENBLATT, M. (1985). *Stationary Sequences and Random Fields*. Birkhäuser, Boston.
- ROUSSAS, G. (1969). Nonparametric estimation in Markov processes. *Ann. Inst. Statist. Math.* **21** 73–87.
- SCHOENBERG, I. J. (1964). Spline functions and the problem of graduation. *Proc. Nat. Acad. Sci. U.S.A.* **52** 947–950.
- SCHUSTER, A. (1898). On the investigation of hidden periodicities with application to a supposed 26-day period of meteorological phenomena. *Terr. Magn. Atmos. Elect.* **3** 13–51.
- SCHUSTER, E. F. and GREGORY, G. G. (1981). On the nonconsistency of maximum likelihood nonparametric density estimators. In *Computer Science and Statistics: Proc. Thirteenth Symp. on the Interface* (W. F. Eddy, ed.) 295–298. Springer, New York.
- SHAPIRO, H. S. (1969). *Smoothing and Approximation of Functions*. Van Nostrand, New York.

- SILVERMAN, B. W. (1982). On the estimation of a probability density function by the maximum penalized likelihood method. *Ann. Statist.* **10** 795–810.
- SILVERMAN, B. W. (1986). *Density Estimation for Statistics and Data Analysis*. Chapman and Hall, London.
- SPECKMAN, P. (1981). The asymptotic integrated mean square error for smoothing noisy data by splines. Unpublished.
- STONE, C. (1980). Optimal rates of convergence for nonparametric estimators. *Ann. Statist.* **8** 1348–1360.
- STONE, C. (1982). Optimal global rates of convergence for nonparametric regression. *Ann. Statist.* **10** 1040–1053.
- SZEGÖ, G. (1975). *Orthogonal Polynomials*, 4th ed. Amer. Math. Soc., Providence, R.I.
- TAQQU, M. S. (1979). Convergence of integrated processes of arbitrary Hermite rank. *Z. Wahrscheinlichkeitstheorie Verw. Gebiete* **50** 53–83.
- TENNEKES, H. and WYNGAARD, J. C. (1972). The intermittent small-scale structure of turbulence: Data processing hazards. *J. Fluid Mech.* **55** 93–103.
- TUKEY, J. W. (1949). The sampling theory of power spectral estimates. *Proc. Symp. on Applications of Autocorrelation Analysis to Physical Problems*. NAVEXOS-P-735, ONR, Washington, D.C.
- WAHBA, G. (1973). Smoothing noisy data with spline functions. *Numer. Math.* **24** 383–393.
- WATSON, G. S. (1964). Smooth regression analysis. *Sankhyā Ser. A* **26** 359–372.
- WHITTAKER, E. T. (1923). On a new method of graduation. *Proc. Edinburgh Math. Soc.* **41** 63–75.
- WIGGINS, R. W. (1978). Minimum entropy deconvolution. *Geophysical Prospecting* **17** 21–35.
- WOODROOFE, M. (1970). On choosing a delta-sequence. *Ann. Math. Statist.* **41** 1665–1671.
- YAGLOM, A. M. (1987). *Correlation Theory of Stationary and Related Random Functions* **1, 2**. Springer, New York.