

Bibliography

- ABRAMOWITZ, M. and STEGUN, I. (eds.) (1964). *Handbook of Mathematical Functions*. National Bureau of Standards, Washington, DC.
- ABU-LIBDEH, H., TURNBULL, B. W. and CLARK, L. C. (1990). Analysis of multi-type recurrent events in longitudinal studies: Application to a skin cancer prevention trial. *Biometrics* **46** 1017–1034.
- AITKEN, M. (1999). A general maximum likelihood analysis of variance components in generalized linear models. *Biometrics* **55** 117–128.
- ANDERSON, R. D., HENDERSON, H. V., PUKELSHEIM, F. and SEARLE, S. R. (1984). Best estimation of variance components from balanced data, with arbitrary kurtosis. *Math. Operations. Statist. Ser. Statist.* **15** 163–176.
- ATWILL, E., MOHAMMED, H. O., LOPEZ, J. W., MCCULLOCH, C. E. and DUBOVI, E. J. (1996). Cross-sectional evaluation of environmental, host and management factors associated with the risk of seropositivity to *Ehrlichia risticii* in horses of New York State. *American Journal of Veterinary Research* **57** 278–285.
- BOOS, D. (1992). On generalized score tests. *Amer. Statist.* **46** 327–333.
- BOOTH, J. G. and HOBERT, J. P. (1998). Standard errors of prediction in generalized linear mixed models. *J. Amer. Statist. Assoc.* **93** 262–272.
- BOOTH, J. G. and HOBERT, J. P. (1999). Maximizing generalized linear mixed model likelihoods with an automated Monte Carlo EM algorithm. *J. Roy. Statist. Soc. Ser. B* **61**:265–285.
- BORSCH-SUPAN, A. and HAJIVASSILIOU, V. (1993). Smooth unbiased multivariate probability simulators for maximum likelihood estimation of limited dependent variables. *J. Econometrics* **58** 346–368.
- BRESLOW, N. E. and CLAYTON, D. G. (1993). Approximate inference in generalized linear mixed models. *J. Amer. Statist. Assoc.* **88** 9–25.
- BRESLOW, N. E. and LIN, X. (1995). Bias correction in generalized linear mixed models with a single component of dispersion. *Biometrika* **82** 81–91.
- BUTLER, S. M. and LOUIS, T. A. (1992). Random effects models with non-parametric priors (with discussion). *Statistics in Medicine* **11** 1981–2000.

- CARROLL, R., RUPPERT, D. and STEFANSKI, L. (1995). *Measurement Error in Nonlinear Models*. Chapman & Hall, London.
- CARROLL, R. J., LIN, X. and WANG, N. (1997). Generalized linear mixed measurement error models. *Modelling Longitudinal and Spatially Correlated Data: Methods, Applications and Future Directions. Lecture Notes in Statist.* **122**. Springer, Berlin.
- CASELLA, G. and BERGER, R. (1994). Estimation with selected binomial information, or do you really believe Dave Winfield is batting .471? *J. Amer. Statist. Assoc.* **89** 1080–1090.
- CHAN, K. and LEDOLTER, J. (1995). Monte Carlo EM estimation for time series models involving counts. *J. Amer. Statist. Assoc.* **90** 242–252.
- CONAWAY, M. (1990). A random effects model for binary data. *Biometrics* **46** 317–328.
- CORTESI, P., MCCULLOCH, C. SONG, H., LIN, H. and MILGROOM, M. (2001). Genetic control of horizontal virus transmission in the chestnut blight fungus, *C Cryphonectria parasitica*. *Genetics* **159** 107–118.
- CORTESI, P. and MILGROOM, M. (1998). Genetics of vegetative incompatibility in *Cryphonectria parasitica*. *Applied Environmental Microbiology* **64** 2988–2994.
- COX, D. R. and SNELL, E. J. (1989). *Analysis of Binary Data*, 2nd ed. Chapman & Hall, London.
- CRAINICEANU, C. and RUPPERT, D. (2002). Asymptotic distribution of likelihood ratio tests in linear mixed models. Technical report, Dept. Statistical Science, Cornell Univ.
- DAVIS, R., DUNSMUIR, W. and WANG, Y. (2000). On autocorrelation in a Poisson regression model. *Biometrika* **87** 491–505.
- DELYON, B., LEVIELLE, M. and MOULINES, E. (1999). Convergence of a stochastic approximation version of the EM algorithm. *Ann. Statist.* **27** 94–128.
- DIGGLE, P., LIANG, K.-Y. and ZEGER, S. L. (1994). *Longitudinal Data Analysis*. Oxford Univ. Press.
- DRUM, M. and McCULLAGH, P. (1993). [Regression models for discrete longitudinal responses]: Comment. *Statist. Sci.* **8** 300–301.
- DURBIN, J. and KOOPMAN, S. J. (1997). Monte Carlo maximum likelihood estimation for non-Gaussian state space models. *Biometrika* **84** 669–684.
- EKHOLM, A., SMITH, P. and McDONALD, J. (1995). Marginal analysis of a multivariate binary response. *Biometrika* **82** 847–854.
- ENGEL, B. and KEEN, A. (1996). Hierarchical generalized linear models (with discussion). *J. Roy. Statist. Soc. Ser. B* **56** 619–678.

- FALCONER, D. (1965). The inheritance of liability to certain diseases estimated from the incidence among relatives. *Annals of Human Genetics* **29** 51–76.
- FAY, M., GRAUBARD, B., FREEDMAN, L. and MIDTHUNE, D. (1998). Conditional logistic regression with sandwich estimators: Application to a meta-analysis. *Biometrics* **54** 195–208.
- FINNEY, D. J. (1978). *Statistical Method in Biological Assay*, 3rd ed. Griffen, London.
- FITZMAURICE, G. and LAIRD, N. (1993). A likelihood-based method for analysing longitudinal binary responses. *Biometrika* **80** 141–151.
- FITZMAURICE, G., LAIRD, N. and LIPSITZ, S. (1994). Analysing incomplete longitudinal binary responses: A likelihood-based approach. *Biometrics* **50** 601–612.
- FRASER, D., WONG, A. and WU, J. (1999). Regression analysis, nonlinear or nonnormal: simple and accurate p values from likelihood analysis. *J. Amer. Statist. Assoc.* **94** 1286–1295.
- GELFAND, A. and CARLIN, B. (1993). Maximum-likelihood estimation for constrained- or missing-data models. *Canad. J. Statist.* **21** 303–311.
- GELMAN, A. and MENG, X.-L. (1998). Simulating normalizing constants: From importance sampling to bridge sampling to path sampling. *Statist. Sci.* **13** 163–185.
- GEYER, C. J. (1994). On the convergence of Monte Carlo maximum likelihood calculations. *J. Roy. Statist. Soc. Ser. B* **56** 261–274.
- GEYER, C. J. and THOMPSON, E. A. (1992). Constrained Monte Carlo maximum likelihood for dependent data. *J. Roy. Statist. Soc. Ser. B* **54** 657–699.
- HARTLEY, H. O., RAO, J. N. K. and LAMOTTE, L. R. (1978). A simple “synthesis”-based method of variance component estimation. *Biometrics* **34** 233–242.
- HARVILLE, D. (1991). Comment on “That BLUP is a good thing: The estimation of random effects,” by G. K. Robinson. *Statist. Sci.* **6** 35–39.
- HARVILLE, D. A. (1985). Decomposition of prediction error. *J. Amer. Statist. Assoc.* **80** 132–138.
- HARVILLE, D. A. and JESKE, D. R. (1992). Mean squared error of estimation or prediction under a general linear model. *J. Amer. Statist. Assoc.* **87** 724–731.
- HAVE, T. T. and LOCALIO, A. (1999). Empirical Bayes estimation of random effects parameters in mixed effects logistic regression models. *Biometrics* **55** 1022–1029.
- HEAGERTY, P. (1999). Marginally specified logistic-normal models for longitudinal binary data. *Biometrics* **55** 688–698.

- HEAGERTY, P. and KURLAND, B. (2001). Misspecified maximum likelihood estimates and generalised linear mixed models. *Biometrika* **88** 973–986.
- HEAGERTY, P. and LELE, S. (1998). A composite likelihood approach to binary spatial data. *J. Amer. Statist. Assoc.* **93** 1099–1111.
- HEAGERTY, P. J. and ZEGER, S. L. (2000). Marginalized multilevel models and likelihood inference (with comments and a rejoinder by the authors). *Statist. Sci.* **15** 1–26.
- HECKMAN, J. and SINGER, B. (1984). A method for minimizing the impact of distributional assumptions in econometric models of duration. *Econometrica* **52** 271–320.
- HENDERSON, C. R. (1953). Estimation of variance and covariance components. *Biometrics* **9** 226–252.
- HENDERSON, H. and McCULLOCH, C. (1989). Transform or link? Technical Report BU-1049-M, Biometrics Unit, Cornell Univ.
- HEYDE, C. C. (1997). *Quasi-likelihood and Its Application: A General Approach to Optimal Parameter Application*. Springer, New York.
- JAMES, F., MCCULLOCH, C. and WIEDENFELD, D. (1996). New approaches to the analysis of population trends in land birds. *Ecology* **77** 13–27.
- JANK, W. and BOOTH, J. (2002). Efficiency of Monte Carlo EM and simulated maximum likelihood in generalized linear mixed models. *J. Comput. Graph. Statist.. To appear.*
- JESKE, D. R. and HARVILLE, D. A. (1988). Prediction-interval procedures and (fixed-effects) confidence-interval procedures for mixed linear models. *Comm. Statist. Theory Methods* **17** 1053–1087.
- JIANG, J. (1998). Consistent estimators in generalized linear mixed models. *J. Amer. Statist. Assoc.* **93** 720–729.
- JORGENSEN, B., LUNDBYE-CHRISTENSEN, S., SONG, P. X.-E. and SUN, L. (1999). A state space model for multivariate longitudinal count data. *Biometrika* **86** 169–181.
- KACKAR, R. N. and HARVILLE, D. A. (1984). Approximations for standard errors of estimators of fixed and random effects in mixed linear models. *J. Amer. Statist. Assoc.* **79** 853–862.
- KAUERMANN, G. and CARROLL, R. J. (2001). A note on the efficiency of sandwich covariance matrix estimation. *J. Amer. Statist. Assoc.* **96** 1387–1396.
- KENT, J. (1982). Robust properties of likelihood ratio tests. *Biometrika* **69** 19–27. [Correction (1982) **69** 492.]
- KENWARD, M. G. and ROGER, J. H. (1997). Small sample inference for fixed effects from restricted maximum likelihood. *Biometrics* **53** 983–997.

- KONG, A., LIU, J. and WONG, W. (1994). Sequential imputations and Bayesian missing data problems. *J. Amer. Statist. Assoc.* **89** 278–288.
- KORFF, M., BARLOW, W., CHERKIN, D. and DEYO, R. (1994). Effects of practice style in managing back pain. *Annals of Internal Medicine* **121** 187–195.
- LAI, T. L. and ROBBINS, H. (1979). Adaptive design and stochastic approximation. *Ann. Statist.* **7** 1196–1221.
- LANGE, N. and RYAN, L. (1989). Assessing normality in random effects models. *Ann. Statist.* **17** 624–642.
- LEE, Y. and NELDER, J. (1996). Hierarchical generalized linear models (with discussion). *J. Roy. Statist. Soc. Ser. B* **58** 619–678.
- LEE, Y. and NELDER, J. (2001). Hierarchical generalised linear models: A synthesis of generalised linear models, random-effect models and structured dispersions. *Biometrika* **88** 987–1006.
- LI, K.-C. and DUAN, N. (1989). Regression analysis under link violation. *Ann. Statist.* **17** 1009–1052.
- LIANG, K.-Y., ZEGER, S. and QAQISH, B. (1992). Multivariate regression analyses for categorical data. *J. Roy. Statist. Soc. Ser. B* **54** 673–687.
- LIANG, K.-Y. and ZEGER, S. L. (1986). Longitudinal data analysis using generalized linear models. *Biometrika* **73** 13–22.
- LIANG, K.-Y. and ZEGER, S. L. (1988). On the use of concordant pairs in matched case-control studies. *Biometrics* **44** 1145–1156.
- LIN, X. and BRESLOW, N. E. (1996). Bias correction in generalized linear mixed models with multiple components of dispersion. *J. Amer. Statist. Assoc.* **91** 1007–1016.
- LIN, X. and CARROLL, R. J. (1999). SIMEX variance component tests in generalized linear mixed measurement error models. *Biometrics* **55** 613–619.
- LIN, X. and CARROLL, R. J. (2000). Nonparametric function estimation for clustered data when the predictor is measured without/with error. *J. Amer. Statist. Assoc.* **95** 520–534.
- LIN, X. and CARROLL, R. J. (2001). Semiparametric regression for clustered data using generalized estimating equations. *J. Amer. Statist. Assoc.* **96** 1045–1056.
- LINDSAY, B., CLOGG, C. and GREGO, J. (1991). Semiparametric estimation in the Rasch model and related exponential response models, including a simple latent class model for item analysis. *J. Amer. Statist. Assoc.* **86** 96–107.
- LINDSEY, B. (1983). The geometry of mixture likelihoods, part I: A general theory. *Ann. Statist.* **11** 86–94.

- LINDSEY, J. K. and LAMBERT, P. (1998). On the appropriateness of marginal models for repeated measurements in clinical trials. *Statistics in Medicine* **17** 447–469.
- LYONS, B. and PETERS, D. (2000). Applying Skovgaard's modified directed likelihood statistic to mixed linear models. *J. Statist. Comput. Simul.* **65** 225–242.
- MAGDER, L. S. and ZEGER, S. L. (1996). A smooth nonparametric estimate of a mixing distribution using mixtures of Gaussians. *J. Amer. Statist. Assoc.* **91** 1141–1151.
- MALLICK, B. K. and GELFAND, A. E. (1994). Generalized linear models with unknown link functions. *Biometrika* **81** 237–245.
- MANSKI, C. F. (1988). Identification of binary response models. *J. Amer. Statist. Assoc.* **83** 729–738.
- MCCULLAGH, P. (1999). Quotient spaces and statistical models. *Canad. J. Statist.* **27** 447–456.
- MCCULLAGH, P. and NELDER, J. A. (1989). *Generalized Linear Models*, 2nd ed. Chapman & Hall, London.
- MCCULLOCH, C. E. (1994). Maximum likelihood estimation of variance components for binary data. *J. Amer. Statist. Assoc.* **89** 330–335.
- MCCULLOCH, C. E. (1997). Maximum likelihood algorithms for generalized linear mixed models. *J. Amer. Statist. Assoc.* **92** 162–170.
- MCCULLOCH, C. E. and SEARLE, S. R. (2000). *Generalized, Linear and Mixed Models*. Wiley, New York.
- MCGILCHRIST, C. (1994). Estimation in generalized mixed models. *J. Roy. Statist. Soc. Ser. B* **56** 61–69.
- MCGILCHRIST, C. and YAU, K. (1995). The derivation of BLUP, ML, REML estimation methods for generalised linear mixed models. *Comm. Statist. Theory Methods* **24** 2963–2980.
- MCGILCHRIST, C. A. (1993). REML estimation for survival models with frailty. *Biometrics* **49** 221–225.
- NATARAJAN, R. and MCCULLOCH, C. E. (1995). A note on existence of the posterior distribution for a class of mixed models for binomial responses. *Biometrika* **82** 639–643.
- NATARAJAN, R. and MCCULLOCH, C. E. (1998). Gibbs sampling with diffuse proper priors: A valid approach to data-driven inference? *J. Comput. Graph. Statist.* **7** 267–277.
- NEUHAUS, J. and LESPERANCE, M. (1996). Estimation efficiency in a binary mixed-effects model setting. *Biometrika* **83** 441–446.

- NEUHAUS, J. M., HAUCK, W. W. and KALBFLEISCH, J. D. (1992). The effects of mixture distribution misspecification when fitting mixed-effects logistic models. *Biometrika* **79** 755–762.
- NEUHAUS, J. M., KALBFLEISCH, J. D. and HAUCK, W. W. (1994). Conditions for consistent estimation in mixed-effects models for binary matched-pairs data. *Canad. J. Statist.* **22** 139–148.
- NEYMAN, J. and SCOTT, E. L. (1948). Consistent estimates based on partially consistent observations. *Econometrica* **16** 1–32.
- PEIXOTO, J. and HARVILLE, D. (1986). Comparisons of alternative predictors under the balanced one-way random model. *J. Amer. Statist. Assoc.* **81** 431–436.
- PIEPHO, H. P. and MCCULLOCH, C. E. (1999). Transformations in mixed models: Application to risk analysis for a multi-environment trial. Technical Report BU-1460-M, Dept. Biometrics, Cornell Univ.
- PILLA, R. and LINDSAY, B. (2001). Alternative EM methods for nonparametric finite mixture models. *Biometrika* **88** 535–550.
- PINHEIRO, J. C. and BATES, D. M. (1995). Approximations to the log-likelihood function in nonlinear mixed-effects models. *J. Comput. Graph. Statist.* **4** 12–35.
- PREGIBON, D. (1980). Goodness of link tests for generalized linear models. *Appl. Statist.* **29** 15–24.
- PRENTICE, R. (1988). Correlated binary regression with covariates specific to each binary observation. *Biometrics* **44** 1033–1048.
- PRENTICE, R. and ZHAO, L. (1991). Estimating equations for parameters in means and covariances of multivariate discrete and continuous responses. *Biometrics* **47** 825–839.
- QU, A., LINDSAY, B. G. and LI, B. (2000). Improving generalised estimating equations using quadratic inference functions. *Biometrika* **87** 823–836.
- RABE-HESKETH, S., SKRONDAL, A. and PICKLES, A. (2002). Reliable estimation of generalized linear mixed models using adaptive quadrature. *Stata Journal* **2** 1–21.
- RAUDENBUSH, S. W., YANG, M.-L. and YOSEF, M. (2000). Maximum likelihood for generalized linear models with nested random effects via high-order, multivariate Laplace approximation. *J. Comput. Graph. Statist.* **9** 141–157.
- RUPPERT, D. (1991). Stochastic approximation. In *Handbook of Sequential Analysis* (B. Ghosh and P. Sen, eds.) 503–529. Dekker, New York.
- RUPPERT, D., CRESSIE, N. and CARROLL, R. J. (1989). A transformation/weighting model for estimating Michaelis-Menten parameters. *Biometrics* **45** 637–656.


- SAS INSTITUTE (2001). *SAS/STAT User's Guide, Version 8*. SAS Institute Inc., Cary, NC.
- SCHALL, R. (1991). Estimation in generalized linear models with random effects. *Biometrika* **78** 719–727.
- SEARLE, S. R., CASELLA, G. and MCCULLOCH, C. E. (1992). *Variance Components*. Wiley, New York.
- SELF, S. and LIANG, K.-Y. (1987). Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *J. Amer. Statist. Assoc.* **82** 605–610.
- SNEDECOR, G. W. and COCHRAN, W. G. (1989). *Statistical Methods*, 8th ed. Iowa State Univ. Press, Ames.
- SPEED, T. (1991). [That BLUP is a good thing: The estimation of random effects]: Comment. *Statist. Sci.* **6** 42–44.
- SPIEGELHALTER, D. J., THOMAS, A. and BEST, N. G. (1999). *WinBUGS Version 1.2 User Manual*. MRC Biostatistics Unit, Cambridge, UK.
- STRAM, D. O. and LEE, J. W. (1994). Variance components testing in the longitudinal mixed effects model. *Biometrics* **50** 1171–1177.
- TAN, M., QU, Y. and RAO, J. (1999). Robustness of the latent variable model for correlated binary data. *Biometrics* **55** 258–263.
- VERBEKE, G. and LESAFFRE, E. (1996). A linear mixed-effects model with heterogeneity in the random-effects population. *J. Amer. Statist. Assoc.* **91** 217–221.
- VERBEKE, G. and MOLENBERGHS, G. (2000). *Linear Mixed Models for Longitudinal Data*. Springer, New York.
- VERBEKE, G., SPIESSENS, B. and LESAFFRE, E. (2001). Conditional linear mixed models. *Amer. Statist.* **55** 25–34.
- WACLAWIW, M. A. and LIANG, K.-Y. (1993). Prediction of random effects in the generalized linear model. *J. Amer. Statist. Assoc.* **88** 171–178.
- WANG, N., LIN, X., GUTIERREZ, R. G. and CARROLL, R. J. (1998). Bias analysis and SIMEX approach in generalized linear mixed measurement error models. *J. Amer. Statist. Assoc.* **93** 249–261.
- WANG, N., LIN, X. and GUTTIERREZ, R. G. (1999). A bias correction regression calibration approach in generalized linear mixed measurement error models. *Comm. Statist. Theory Methods* **28** 217–232.
- WANG, Z. and LOUIS, T. (2002). Matching conditional and marginal shapes in binary random intercept models using a bridge distribution function. Technical report, 3M Company, St. Paul, MN and Dept. Biostatistics, Johns Hopkins Univ.

- WEI, C. Z. (1987). Multivariate adaptive stochastic approximation. *Ann. Statist.* **15** 1115–1130.
- WEISBERG, S. and WELSH, A. H. (1994). Adapting for the missing link. *Ann. Statist.* **22** 1674–1700.
- WELSH, A. H., LIN, X. and CARROLL, R. J. (2002). Marginal longitudinal non-parametric regression: Locality and efficiency of spline and kernel methods. *J. Amer. Statist. Assoc.* **97** 482–493.
- WOOD, P. (1967). Algebraic model of the lactation curve in cattle. *Nature* **216** 164–165.
- WOODS, F. and SHANKS, R. (1959). Natural replacement of chestnut by other species in the Great Smoky Mountains National Park. *Ecology* **40** 349–361.
- XIE, M., SIMPSON, D. G. and CARROLL, R. J. (1997). Scaled link functions for heterogeneous ordinal response data. *Modelling Longitudinal and Spatially Correlated Data: Methods, Applications and Future Directions. Lecture Notes in Statist.* **122** 23–36. Springer, Berlin.
- ZEGER, S. L., LIANG, K.-Y. and ALBERT, P. S. (1988). Models for longitudinal data: A generalized estimating equation approach. *Biometrics* **44** 1049–1060. [Correction (1999) **45** 347.]
- ZHANG, D. and DAVIDIAN, M. (2001). Linear mixed models with flexible distributions of random effects for longitudinal data. *Biometrics* **57** 795–802.
- ZHAO, L. and PRENTICE, R. (1990). Correlated binary regression using a quadratic exponential model. *Biometrika* **77** 642–648.
- ZHAO, L., PRENTICE, R. and SELF, S. (1992). Multivariate mean parameter estimation by using a partly exponential model. *J. Roy. Statist. Soc. Ser. B* **54** 805–811.
- ZYSKIND, G. (1969). Parametric augmentations and error structures under which certain simple least squares and analysis of variance procedures are also best. *J. Amer. Statist. Assoc.* **64** 1353–1368.

Index

- ANOVA, 11
- Asymptotic distribution, 32, 66
 - non-standard, 18, 32, 73
- Attenuated, 5
- Autocorrelation, 12, 19, 58
- Balanced data, 11, 14, 19, 46, 58
- Bayesian methods, 55
- Best linear unbiased predictor, 13, 14, 16, 68
- Best prediction, 13, 14, 16, 68
 - empirical, 15, 38
- Beta-binomial model, 40
- BLUP, 13, 14, 16, 68
- BP, 13, 14, 16, 68
- Clustered data, 28
- Composite likelihood, 69
- Conditional likelihood, 44, 45
- Data
 - balanced, 11, 14, 19, 46, 58
 - unbalanced, 11
- Diagnostic method, 72
- Dispersion-mean model, 62
- EM algorithm, 51, 53, 55, 56
- Empirical best predicted value, 15, 38
- Estimating equation, 66
- Estimating equations
 - generalized, 18, 32, 57, 60
 - unbiased, 66
- Examples
 - Breeding Bird Survey, 37
 - chestnut blight, 1, 34, 36, 71
 - clopidagrel and aspirin, 42
 - cows and diets, 18
 - cows and fat yield, 24
 - photosynthesis in corn, 38
- Potomac River Fever, 36
- Progabide and seizures, 35, 69
- Propranolol and hypertension, 9
- skin cancer, 29
- spore growth, 21
- Exponential family, 23, 31, 51, 63
- Fixed effect, 3, 17, 18, 31, 36, 37, 50, 67
 - tests, 17
- Fixed factor, 10, 12, 35, 48
- Gamma distribution, 41, 47, 68
- Gauss-Hermite quadrature, 49
- Generalized estimating equations, 18, 32, 57, 60
- Generalized linear mixed model (GLMM) Chapter 4, 28
 - definition, 31
- Generalized linear models (GLM) Chapter 3, 21
- Hierarchical data, 28
- Intraclass correlation, 6, 10
- Least squares
 - ordinary, 19, 24, 57
 - weighted, 19, 58, 62
- Likelihood
 - conditional, 44, 45
 - maximum, 48
 - penalized quasi-, 57, 62, 63, 69
 - restricted maximum, 32, 62
- Likelihood ratio test, 3, 17, 25, 32, 34, 36, 38, 49, 56
- Linear mixed model (LMM) Chapter 2, 9
- Linear predictor, 2, 4, 21

- Link function, 2, 8, 23, 31, 38, 48, 62, 69, 72
- choice, 72
- Logit model, 5, 23, 36, 37, 41, 43, 45, 48, 59, 72
- Maximum likelihood
 - nonparametric, 55
 - restricted, 32, 62, 67
- Maximum likelihood for GLMMs
 - Chapter 7, 48
- Measurement error, 70
- Method of simulated moments, 70
- Metropolis–Hastings algorithm, 51
- MINQUE, 62
- Mixed model equations, 16, 65
- mixed model equations, 63
- Modeling
 - marginal, 42, 59
 - marginal versus conditional, 5, 59, 60, 69
- Modeling and inference
 - Chapter 5, 34
- Monte Carlo Markov Chain (MCMC), 51, 56
- Newton–Raphson, 52, 53
- Non-parametric regression, 70
- Nonlinear model, 38
- Numerical integration, 32, 49
- Offset, 35
- Other methods of estimation
 - Chapter 8, 57
- Over-dispersion, 41
- Penalized quasi-likelihood (PQL), 57, 62, 63, 69
- Poisson, 24, 28, 29, 32, 35, 41, 47, 63, 68
- Probit model, 2–5, 8, 23, 59, 69
- Random effect, 18, 50
- Random factor, 10, 12, 35, 48
- Restricted maximum likelihood (REML), 32, 62, 67
- Robust variance estimate, 20, 61, 70
- Robustness, 55, 60, 72
- Sandwich estimate, 20
- Score identity, 55, 67
- Score tests, 56
- Scoring, 53
- Stochastic approximation, 54
- Transformation, 3, 24, 42, 66
- Unbalanced data, 11
- Unbiased estimating equation, 66
- Working covariance, 60, 61
- Working likelihood, 69



NSF-CBMS Regional Conference Series in Probability & Statistics

Volume 1- Group Invariance Applications in Statistics by Morris L. Eaton

Lecture notes discuss topics in invariance with application in statistics. Originally presented at the NSF-CBMS RC, University of Michigan, June 1987.

Price: IMS member \$15, Non-member \$25

Volume 2 - Empirical Processes: Theory and Applications by David Pollard

Lecture notes present theoretical developments in abstract empirical process theory and illustrate their application by example. Originally presented at the NSF-CBMS RC, University of Iowa, July 1988.

Price: IMS member \$12, Non-member \$20

Volume 3 - Stochastic Curve Estimation by Murray Rosenblatt

Lecture notes are concerned with probability density or regression function estimation when observations are dependent. Originally presented at the NSF-CBMS RC, University of California, June 1989.

Price: IMS member \$15, Non-member \$25

Volume 4 - Higher Order Asymptotics by Jayanta K. Ghosh

Lecture notes are concerned with Edgeworth expansions, higher order efficiency, expansion of posterior, probability matching priors & related topics. Originally presented at the NSF-CBMS RC, Chapel Hill, August 1991.

Price: IMS member \$15, Non-member \$25

Volume 5 - Mixture Models: Theory, Geometry & Applications by Bruce G. Lindsay

Lecture notes develop a general semiparametric theory for statistical models containing an unknown distribution, with application in random effects, overdispersion & many more areas. Originally presented at the NSF-CBMS RC, University of South Carolina, May 1993.

Price: IMS member \$15, Non-member \$25

Volume 6 – Statistical Inference from Genetic Data on Pedigrees by Elizabeth A. Thompson

This monograph develops probability models and statistical approaches for analysis of genetic data. The focus is on simple traits but multiple genetic loci, from basic ideas through recent developments in Monte Carlo likelihood estimation.

Price: IMS member \$18, Non-member \$30

To order send payment (Mastercard, Visa, American Express or Check, payable on a US bank in US funds) to:

Institute of Mathematical Statistics ♦ Dues and Subscriptions Office

9650 Rockville Pike, Suite L2310 ♦ Bethesda MD 20814-3998 (USA)

Tel: (301) 530-7029 ♦ Fax: (301) 571-5728 ♦ Email: staff@imstat.org