

## REFERENCES

- AMARI, S. (1982). Differential geometry of curved exponential families -- curvature and information loss. Ann. Statist. 10, 357-385.
- ARNOLD, S.F. (1981). The Theory of Linear Models. Wiley: New York.
- BAHADUR, R.R. and ZABELL, S.L. (1979). Large deviations of the sample mean in general vector spaces. Ann. Prob. 7, 587-621.
- BAR-LEV, S.K. (1983). A characterization of certain statistics in exponential models whose distribution depends on a sub-vector of parameters only. Ann. Statist. 11, 746-752.
- BAR-LEV, S.K., and ENIS, P. (1984). Reproducibility and natural exponential families with power variance functions. Preprint. Dept. of Statistics, S.U.N.Y., Buffalo.
- BAR-LEV, S.K. and REISER, B. (1982). An exponential subfamily which admits UMPU tests based on a single test statistic. Ann. Statist. 10, 979-989.
- BARNDORFF-NIELSEN, O. (1978). Information and Exponential Families in Statistical Theory. Wiley: New York.
- BARNDORFF-NIELSEN, O. and BLAESILL, P. (1983a). Exponential models with affine dual foliations. Ann. Statist. 11, 753-769.
- BARNDORFF-NIELSEN, O., AND BLAESILL, P. (1983b). Reproductive exponential families. Ann. Statist. 11, 770-782.
- BARNDORFF-NIELSEN, O. and COX, D.R. (1984). The effect of sampling rules on likelihood statistics. Inter. Statist. Rev. 52. To appear.
- BARNDORFF-NIELSEN, O. and COX, D.R. (1979). Edgeworth and saddle point approximation with statistical applications (with discussion). J. Roy. Statist. Soc. B 41, 279-312.

- BASU, D. (1955). On statistics independent of a complete sufficient statistic. Sankhya 15, 377-380.
- BASU, D. (1958). On statistics independent of a complete sufficient statistic. Sankhya 20, 223-226.
- BERAN, R.J. (1979). Exponential models for discrete data. Ann. Statist. 7, 1162-1178.
- BERGER, J.O. (1982). Selecting a minimax estimator of a multivariate normal mean. Ann. Statist. 10, 81-92.
- BERGER, J.O. (1980a). Statistical Decision Theory: Foundations, Concepts, Methods. Springer-Verlag: New York.
- BERGER, J.O. (1980b). Improving on inadmissible estimators in continuous exponential families with applications to simultaneous estimation of Gamma scale parameters. Ann. Statist. 8, 545-571.
- BERGER, J.O. (1976). Admissible minimax estimation of a multivariate normal mean with arbitrary quadratic loss. Ann. Statist. 4, 223-226.
- BERGER, J.O. (1975). Minimax estimation of location vectors for a wide class of densities. Ann. Statist. 3, 1318-1328.
- BERGER, J.O. and HAFF, L.R. (1981). A class of minimax estimators of a normal mean vector for arbitrary quadratic loss and unknown covariance matrix. Mimeograph Series, Purdue University.
- BERGER, J.O. and SRINIVASAN, C. (1978). Generalized Bayes estimators in multivariate problems. Ann. Statist. 6, 783-801.
- BERK, R.H. (1972). Consistency and asymptotic normality of maximum likelihood estimates for exponential models. Ann. Math. Statist. 43, 193-204.
- BHATTACHARYA, R.N. and RAO, R.R. (1976). Normal Approximations and Asymptotic Expansions. Wiley: New York.
- BIRNBAUM, A. (1955). Characterizations of complete classes of tests of some multiparameter hypotheses with applications to likelihood ratio tests. Ann. Math. Statist. 26, 21-36.
- BISHOP, Y.M., FEINBERG, S.E., and HOLLAND, P.W. (1975). Discrete Multivariate

- Analysis. M.I.T. Press, Cambridge.
- BLAESILD, P. (1978). A generalization of the exponential distribution to convex sets in  $R^k$ . Scand. Jour. Statist. 5, 189-194.
- BROWN, L.D. (1986). Information inequalities for the Bayes risk. Statistics Center Preprint, Cornell University.
- BROWN, L.D. (1981). A complete class theorem for statistical problems with finite sample spaces. Ann. Statist. 9, 1289-1300.
- BROWN, L.D. (1980). Examples of Berger's phenomenon in the estimation of independent normal means. Ann. Statist. 8, 572-585.
- BROWN, L.D. (1979). A heuristic method for determining admissibility of estimators -- with applications. Ann. Statist. 7, 960-994.
- BROWN, L.D. (1977). Closure theorems for sequential design processes. Statistical Decision Theory and Related Topics II, Academic Press, 57-91.
- BROWN, L.D. (1971). Admissible estimators, recurrent diffusions, and insoluble boundary value problems. Ann. Math. Statist. 42, 855-904.
- BROWN, L.D. (1968). Inadmissibility of the usual estimators of scale parameters in problems with unknown location and scale parameters. Ann. Math. Statist. 39, 29-48.
- BROWN, L.D. (1966). On the admissibility of invariant estimators of one or more location parameters. Ann. Math. Statist. 37, 1087-1136.
- BROWN, L.D. (1965). Optimal policies for a sequential decision process. J. Soc. Indust. Appl. 13, 37-46.
- BROWN, L.D., COHEN, A., and STRAWDERMAN, W. (1976). A complete class theorem for strict monotone likelihood ratio with applications. Ann. Statist. 4, 712-722.
- BROWN, L.D. and FARRELL, R. (1984). Complete class theorems for estimation of multivariate Poisson means and related problems. Ann. Statist., to appear.
- BROWN, L.D. and FOX, M. (1974a). Admissibility of procedures in two-dimensional location parameter problems. Ann. Statist. 2, 248-266.

- BROWN, L.D. and FOX, M. (1974b). Admissibility in statistical problems involving a location or scale parameter. Ann. Statist. 2, 807-814.
- BROWN, L.D. and HWANG, J.T. (1982). A unified admissibility proof. Stat. Dec. Theory and Related Topics, III. 1, 205-230. Academic Press: New York.
- BROWN, L.D., JOHNSTONE, I.M., and MACGIBBON, K.B. (1981). Variation diminishing transformations: a direct approach to total positivity and its statistical applications. Jour. Amer. Statist. Assoc., 76, 824-832.
- BROWN, L.D. and RINOTT, Y. (1985). Stochastic order relations for multivariate infinitely divisible distributions. Statistics Center Preprint, Cornell University.
- BROWN, L.D. and SACKROWITZ, H. (1984). An alternative to Student's t test for problems with indifference zones. Ann. Statist. 12, 451-469.
- CHERNOFF, H. (1952). A measure of asymptotic efficiency for tests of a hypothesis based on the sum of observations. Ann. Math. Statist. 23, 493-507.
- CLEVINSON, M. and ZIDEK, J. (1977). Simultaneous estimation of the mean of independent Poisson laws. J. Amer. Statist. Assoc. 70, 698-705.
- COURANT, R. and HILBERT, D. (1953). Methods of Mathematical Physics (Translated and revised from the German original). Interscience: New York.
- COX, D.R. (1975). Partial likelihood. Biometrika, 62, 269-276.
- DARROCH, J.N., LAURITZEN, S.L., and SPEED, T.P. (1980). Markov fields and log linear interaction models for contingency tables. Ann. Statist. 8, 522-539.
- DARMOIS, G. (1935). Sur les lois de probabilité à estimation exhaustive. Compt. Rend. Acad. Sci., Paris 260, 1265-1266.
- DE GROOT, M.H. (1970). Optimal Statistical Decisions. McGraw-Hill: New York.
- DEY, D.K., GHOSH, M., and SRINIVASAN, C. (1983). Simultaneous estimation of parameters under Stein's loss. Preprint.

- DIACONIS, P. and YLVISAKER, D. (1979). Conjugate priors for exponential families. Ann. Statist. 7, 269-281.
- DUNFORD, N., and SCHWARTZ, J.T. (1966). Linear Operators, Part I. Interscience: New York.
- DYNKIN, E.B. (1951). Necessary and sufficient conditions for a family of probability distributions. Select. Transl. Math. Statist. and Prob. 1, 23-41.
- EATON, M.L. (1982). A review of selected topics in multivariate probability inequalities. Ann. Statist. 10, 11-43.
- EFRON, B. (1978). The geometry of exponential families. Ann. Statist. 6, 362-376.
- EFRON, B. (1975). Defining the curvature of a statistical problem (with applications to second order efficiency); with discussion. Ann. Statist. 3, 1189-1242.
- EFRON, B. and TRUAX, D. (1968). Large deviations theory in exponential families. Ann. Math. Statist. 39, 1402-1424.
- EQUELI, S. (1983). Second order efficiency of minimum contrast estimators in a curved exponential family. Ann. Statist. 11, 793-803.
- ELLIS, R.S. (1984a). Large deviations for a general class of random vectors. Ann. Prob. 12, 1-12.
- ELLIS, R.S. (1984). Entropy, Large Deviations, and Statistical Mechanics Springer-Verlag.
- FARRELL, R.H. (1968). Towards a theory of generalized Bayes tests. Ann. Math. Statist. 38, 1-22.
- FARRELL, R.H. (1966). Weak limits of sequences of Bayes procedures in estimation theory. Proc. Fifth Berk. Symp. Math. Statist. Prob. 1, 83-111.
- FEIGIN, P.D. (1981). Conditional exponential families and a representation theorem for asymptotic inference. Ann. Statist. 9, 597-603.
- FELLER, W. (1966). An Introduction to Probability Theory and Its Applications Vol. II. Wiley: New York.

- FERGUSON, T.S. (1973). A Bayesian analysis of some nonparametric problems. Ann. Statist. 1, 209-230.
- FLEISS, J.L. (1981). Statistical Methods for Rates and Proportions, 2nd Edition. Wiley: New York.
- GHIA, G.D. (1976). Truncated generalized Bayes tests. Ph.D. thesis. Yale University.
- GHOSH, M., HWANG, J.T., and TSUI, K.W. (1983). Construction of improved estimators in multiparameter estimation for discrete exponential families (with discussion). Ann. Statist. 11, 351-374.
- GHOSH, M., and MEEDEN, G. (1977). Admissibility of linear estimators in the one-parameter exponential family. Ann. Statist. 5, 772-778.
- GIRI, N.C. (1977). Multivariate Statistical Inference. Academic Press: New York.
- GIRI, N.C. and KIEFER, J. (1964). Local and asymptotic minimax properties of multivariate tests. Ann. Math. Statist. 35, 21-35.
- HABERMAN, S.J. (1979). Analysis of Qualitative Data, Volumes I, II. Academic Press: New York.
- HABERMAN, S.J. (1974). The Analysis of Frequency Data. University of Chicago Press: Chicago, Illinois.
- HAFF, L.R. (1982). Solutions of the Euler-Lagrange equations for certain multivariate normal estimation problems. Preprint.
- HERR, D.G. (1967). Asymptotically optimal tests for multivariate normal distributions. Ann. Math. Statist. 38, 1829-1844.
- HIPP, C. (1974). Sufficient statistics and exponential families. Ann. Statist. 2, 1283-1292.
- HODGES, J.L. JR. and LEHMANN, E.L. (1951). Some applications of the Cramer-Rao inequality. Proc. 2nd Berkeley Symp. Math. Statist. Prob., 13-22.
- HOEFFDING, W. (1965). Asymptotically optimal tests for multinomial distributions. Ann. Math. Statist. 36, 369-408.

- HUDSON, H.M. (1978). A natural identity for exponential families with applications in multiparameter estimation. Ann. Statist. 6, 473-484.
- HWANG, J.T. (1983). Universal domination and stochastic domination-estimation simultaneously under a broad class of loss functions. Cornell Statistics Center Technical Report.
- HWANG, J.T. (1982). Improving upon standard estimators in discrete exponential families with applications to Poisson and negative binomial cases. Ann. Statist. 10, 857-867.
- JAMES, W. and STEIN, C. (1961). Estimation with quadratic loss. Proc. Fourth Berkeley Symposium Math. Statist. and Prob. 1, 311-319.
- JOAG-DEV, K., PERLMAN, M.D. and PITT, L.D. (1983). Association of normal random variables and Slepian's inequality. Ann. Prob. 11, 451-455.
- JOHANSEN, S. (1979). Introduction to the Theory of Regular Exponential Families. University of Copenhagen, Institute of Mathematical Statistics, Lecture Notes.
- JOHNSON, B.R. and TRUAX, D.R. (1978). Asymptotic behavior of Bayes procedures for testing simple hypotheses in multiparameter exponential families. Ann. Statist. 6, 346-361.
- JOSHI, V.M. (1976). On the attainment of the Cramer-Rao lower bound. Ann. Statist. 4, 998-1002.
- JOSHI, V.M. (1969). On a theorem of Karlin regarding admissible estimates for exponential populations. Ann. Math. Statist. 40, 216-223.
- KALLENBERG, W.C.M. (1978). Asymptotic Optimality of Likelihood Ratio Tests in Exponential Families. Mathematical Centre Tracts, Amsterdam.
- KARLIN, S. (1968). Total Positivity (Volume I). Stanford University Press, Stanford, California.
- KARLIN, S. (1958). Admissibility for estimation with quadratic loss. Ann. Math. Statist. 29, 406-436.

- KARLIN, S. and RINOTT, Y. (1981). Total positivity properties of absolute value multinormal variables with applications to confidence interval estimates and related probabilistic inequalities. Ann. Statist. 9, 1035-1049.
- KOOPMAN, B.O. (1936). On distributions admitting a sufficient statistic. Trans. Amer. Math. Soc. 39, 399-409.
- KOUROUKLIS, S. (1984). A large deviation result for the likelihood ratio statistic in exponential families. Ann. Statist., to appear.
- KOZIOL, J.A. and PERLMAN, M.D. (1978). Combining independent chi-squared tests. Jour. Amer. Statist. Assoc. 73, 753-763.
- KULLBACK, S. (1959). Information Theory and Statistics. Wiley: New York.
- KULLBACK, S. and LEIBLER, R.A. (1951). On information and sufficiency. Ann. Math. Statist. 22, 79-86.
- LAURITZEN, S.L. (1984). Extreme point models in statistics. Scand. J. Statist. 11, 65-91.
- LEHAMMN, E.L. (1983). Theory of Point Estimation Wiley: New York.
- LEHMANN, E.L. (1959). Testing Statistical Hypotheses. Wiley: New York.
- LE CAM, L. (1955). An extension of Wald's theory of statistical decision functions. Ann. Math. Statist. 26, 69-81.
- LINDSAY, B.G. (1983). The geometry of mixture likelihoods, part II: the exponential family. Ann. Statist. 11, 783-792.
- LINNIK, Y.V. (1968). Statistical problems with nuisance parameters. Amer. Math. Soc. Transl. of Math. Monographs, 20.
- MANDELBAUM, A. (1984). Linear estimators and measurable linear transformations on a Hilbert space. Z. Wahr. verw. Gebiet. 65, 385-397.
- MARDEN, J.I. (1983). Admissibility of invariant tests in the general multivariate analysis of variance problem. Ann. Statist. 11, 1086-1099.
- MARDEN, J.I. (1982a). Combining independent noncentral chi-squared or F-tests. Ann. Statist. 10, 266-277.
- MARDEN, J.I. (1982b). Minimal complete classes of tests of hypotheses with multivariate one-sided alternatives. Ann. Statist. 10, 962-970.



- MARDEN, J.I. (1981). Invariant tests on covariance matrices. Ann. Statist. 9, 1258-1266.
- MARDEN, J.I. and PERLMAN, M.D. (1981). The minimal complete class of procedures when combining independent non-central F-tests. Proc. Third Purdue Symp. Dec. Theory and Related Topics.
- MARDEN, J.I. and PERLMAN, M.D. (1980). Invariant tests for means with covariates. Ann. Statist. 8, 25-63.
- MARDIA, K.V. (1975). Statistics of directional data (with discussion). J. Roy. Statist. Soc. B. 27, 343-349.
- MARDIA, K.V. (1972). Statistics of Directional Data. Academic Press: London.
- MARDIA, K.V. (1970). Families of Bivariate Data. Griffin: London.
- MARSHALL, A.W. and OLKIN, I. (1979). Inequalities: Theory of Majorization and Its Applications. Academic Press: New York.
- MATTHES, T.K. and TRUAX, D.R. (1967). Tests of composite hypotheses for the multivariate exponential family. Ann. Math. Statist. 38, 681-697.
- MEEDEN, G. (1976). A special property of linear estimates of the mean. Ann. Statist. 4, 649-650.
- MEEDEN, G., GHOSH, M. and VARDEMAN, S. (1984). Some admissible nonparametric and related finite population sampling estimators. To appear in Ann. Statist.
- MORRIS, C.N. (1983). Natural exponential families with quadratic variance functions: statistical theory. Ann. Statist. 11, 515-529.
- MORRIS, C.N. (1982). Natural exponential families with quadratic variance functions. Ann. Statist. 10, 65-80.
- MUIRHEAD, R.J. (1982). Aspects of Multivariate Statistical Theory. Wiley: New York.
- NEVEU, J. (1965). The Mathematical Foundations of the Calculus of Probability. Holden-Day: San Francisco.
- NEY, P. (1983). Dominating points and the asymptotics of large deviations for random walk on  $R^d$ . Ann. Prob. 11, 158-167.

- NEYMAN, J. (1938). On statistics the distribution of which is independent of the parameters involved in the original probability law of the observed variables. Stat. Res. Mem. II, 58-59.
- OOSTERHOFF, J. (1969). Combination of One-Sided Statistical Tests. Mathematisch Centrum, Amsterdam.
- PATIL, G.P. (1963). A characterization of the exponential type distributions. Biometrika 50, 205-207.
- PING, C. (1964). Minimax estimates of parameters of distributions belonging to the exponential family. Chinese Math. 5, 277-299.
- PITMAN, E.J.G. (1936). Sufficient statistics and intrinsic accuracy. Proc. Camb. Phil. Soc. 32, 567-579.
- RAIFFA, H. and SCHLAIFER, R. (1961). Applied Statistical Decision Theory. Harvard University: Boston.
- ROCKAFELLAR, R.T. (1970). Convex Analysis. Princeton University Press: Princeton, New Jersey.
- SACKS, J. (1963). Generalized Bayes solutions in estimation problems. Ann. Math. Statist. 34, 751-768.
- SAW, J.G. (1977). On inequalities in constrained random variables. Comm. Statist. Theor. Meth. A6(13), 1301-1304.
- SCHWARTZ, R. (1967). Admissible tests in multivariate analysis of variance. Ann. Math. Statist. 38, 698-710.
- SIMON, G. (1973). Additivity of information in exponential family probability laws. J. Amer. Statist. Assoc. 68, 478-482.
- SIMONS, G. (1980). Sequential estimators and the Cramer-Rao lower bound. J. Statist. Planning and Inference 4, 67-74.
- SOLER, J.L. (1977). Infinite dimensional-type statistical spaces (Generalized exponential families). Recent Developments in Statistics (edited by J.R. Barra, et al.). North Holland Publishing Co.: Amsterdam.
- SRINIVASAN, C. (1984). On estimation of parameters in a curved exponential family with applications to the Galton-Watson process. Technical report, University of Kentucky.

- SRINIVASAN, C. (1981). Admissible generalized Bayes estimators and exterior boundary value problems. Sankhya 43, 1-25.
- STEIN, C. (1973). Estimation of the mean of a multivariate normal distribution. Proc. Prague Symp. on Asymptotic Statist., 345-381.
- STEIN, C. (1956a). Inadmissibility of the usual estimator for the mean of a multivariate normal distribution. Proc. Third Berkeley Symp. Math. Statist. Prob. 1, 197-206.
- STEIN, C. (1956b). The admissibility of Hotellings  $T^2$ -test. Ann. Math. Statist. 27, 616-623.
- SUNDBERG, R. (1974). Maximum likelihood theory for incomplete data from an exponential family. Scand. J. Statist. 1, 49-58.
- VAN ZWET, W.R., and OOSTERHOFF, J. (1967). On the combination of independent test statistics. Ann. Math. Statist. 38, 659-680.
- WALD, A. (1950). Statistical Decision Functions. Wiley: New York.
- WIJSMAN, R.A. (1973). On the attainment of the Cramer-Rao lower bound. Ann. Statist. 1, 538-542.
- WIJSMAN, R.A. (1958). Incomplete sufficient statistics and similar tests. Ann. Math. Statist. 29, 1028-1045.
- WOODROOFE, M. (1978). Large deviations of likelihood ratio statistics with applications to sequential testing. Ann. Statist. 6, 72-84.