

Index

- access, 2
- access paths, 155
- `__add__()`, 113
- adjoint, 93
- ANSI C, 37, 184
- Arnoldi method, 47, 177

- back substitution, 135
- backward compatibility, 187
- band matrix, 27, 120, 121, 124
- `band2mat()`, 120
- bandwidth, 27
- `bd_copy()`, 59
- `bd_get()`, 70
- `bdLDLfactor()`, 121
- `bdLDLsolve()`, 121
- `bdLUfactor()`, 124
- `bdLUsolve()`, 124
- `bd_resize()`, 77
- `bd_transp()`, 93
- `bisvd()`, 143
- `BKPfactor()`, 116, 169
- `BKPsolve()`, 116, 169
- BSD Unix, 184
- Bunch–Kaufmann–Parlett factorisation,
 - 116
 - sparse, 169

- C, 189
- C++, 195, 218
- `calloc()`, 197
- `catch()`, 51
- `catchall()`, 51, 204
- `catch_FPE()`, 51
- CGS, 47, 173
- `CHfactor()`, 41, 118
- Cholesky factorisation, 18, 41, 118
 - band, 121
 - incomplete, 21
 - modified, 118
 - sparse, 165
- `CHsolve()`, 41, 118
- columns, 31, 72, 101
- comment, 3, 63, 202
- compact form, 15
- companion matrix, 215
- compatibility, 187
- compilation, 12, 17
- complex
 - conjugate, 38
 - data type, 25
 - matrix, 27
 - number, 111
 - vector, 25
- componentwise operations, 104
- condition number, 40, 42, 44, 47, 128
 - estimator, 40, 122
 - least squares, 42
- conjugate, 38
- conjugate gradients, 173
 - pre-conditioner, 166
- contiguous allocation, 27
- copy, 196
- copy routines, 59
- copying, 199
 - sparse matrices, 151
- copyright, 187
- core routines, 113
- create object, 70

- data structures, 1, 23, 65, 195, 206
- debugging, 65, 203, 215, 216
- deep copy, 199