# Bibliography

[1] L.AHLFORS; Complex Analysis, MacGraw-Hill, 1979.

[2] R.BEALS; *Characterization of pseudodifferential operators and applications,* Duke Math. J. **44** (1977), 45–57.

[3] E.BERNARDI AND A.BOVE; *Geometric results for a class of hyperbolic operators with double characteristics,* Comm. P.D.E. **13** (1988), 61–86.

[4] E.BERNARDI AND A.BOVE; *A remark on the Cauchy problem for a model hyperbolic operator,* in Hyperbolic Differential Operators and Related Problems, Marcel Dekker, Inc., 2003, pp. 41–51.

[5] E.BERNARDI AND A.BOVE; *On the Cauchy problem for some hyperbolic operator with double characteristics,* in Phase Space Analysis of Partial Differential Equations, Birkhäuser, 2006, pp. 29–44.

[6] E.BERNARDI, A.BOVE AND C.PARENTI; *Geometric results for a class of hyperbolic operators with double characteristics, II,* J. Func. Anal. **116** (1993), 62–82.

[7] E.BERNARDI AND T.NISHITANI; *On the Cauchy problem for non-effectively hyperbolic operators, the Gevrey 5 well-posedness*, J. Analyse Math. **105** (2008), 197–240.

[8] A.BOVE AND T.NISHITANI; *Necessary conditions for the well-posedness of the Cauchy problem for hyperbolic systems,* Osaka J. Math. **39** (2002), 149–179.

[9] M.D.BRONSHTEIN; *Smoothness of roots of polynomials depending on parameters,* Sib. MAth. Zh. **20** (1979), 493–501.

[10] J.J.DUISTERMAAT; Fourier Integral Operators, Birkhäuser, 1996.

[11] F.COLOMBINI AND S.SPAGNOLO; *An example of weakly hyperbolic Cauchy problem not well posed in $C^\infty$,* Acta Math. **148** (1982), 243–253.

[12] L.GÅRDING; *Linear hyperbolic partial differential equations with constant coefficients,* Acta Math. *85* (1951), 1–62.

[13] L.Gårding; *Solution directe du problème de Cauchy pour les équations hyperboliques,* Colloque International C.N.R.S. Asterisque, Soc. Math. France **2-3** (1973), 71–90.

[14] L.Gårding; *Some recent results for hyperbolic differential equations,* Proceeding of the nineteenth Nordic congress of mathematicians, Reykavik, 1985, pp. 50–59.

[15] L.Gårding; *Hyperbolic equations in the twentieth century,* Semin. Congr. **3**, Soc. Math. France, Paris, 1998, pp.37–68.

[16] R.E.Greene and S.G.Krntz; Function Theory of One Complex Variable, American Mathematical Society, 2006.

[17] L.Hörmander; *Fourier integral operators, I,* Acta Math. **127** (1971), 79–183.

[18] L.Hörmander; *The Cauchy problem for differential equations with double characteristics,* J. Analyse Math. **32** (1977), 118–196.

[19] L.Hörmander; The Analysis of Linear Partial Differential Operators, III, IV Springer, Berlin-Heiderberg-New York-Tokyo, 1985.

[20] L.Hörmander; *Quadratic hyperbolic operators*, in Microlocal Analysis and Applications, Springer, 1989, pp. 118–160.

[21] L.Hörmander; *Hyperbolic systems with double characteristics,* Comm. Pure Appl. Math. **46** (1993), 261–301.

[22] V.Ja.Ivrii and V.M.Petkov; *Necessary conditions for the Cauchy problem for non strictly hyperbolic equations to be well posed,* Uspehi Mat. Nauk. **29** (1974), 3–70.

[23] V.Ja.Ivrii; *Well-posedness conditions in Gevrey classes for the Cauchy problem for non strictly hyperbolic operators,* Sib. Math. J. **17** (1977), 422–435.

[24] V.Ja.Ivrii; *The well posedness of the Cauchy problem for non strictly hyperbolic operators III, the energy integral* Trans. Moscow Math. Soc. **34** (1978), 149–168.

[25] V.Ja.Ivrii; *Sufficient conditions for regular and completely regular hyperbolicity,* Trans. Moscow Math. Soc. **1** (1978), 1–65.

[26] V.Ja.Ivrii; *Wave fronts of solutions of certain hyperbolic pseudodifferential equations,* Trans. Moscow Math. Soc. **39** (1981), 87–119.

[27] V.Ja.Ivrii; *Wave fronts of solutions of certain pseudo-differential equations,* Trans. Moscow Math. Soc. **39** (1981), 49–86.

[28] V.Ja.Ivrii; Linear Hyperbolic Equations, Partial Differential Equations IV, Springer-Verlag, 1988, pp. 149–235.

[29] N.Iwasaki; *The Cauchy problem for effectively hyperbolic equations (standard type)*; Publ. RIMS Kyoto Univ. **20** (1984), 551–592.

[30] N.Iwasaki; *The Cauchy problem for effectively hyperbolic equations (general case),* J. Math. Kyoto Univ. **25** (1985), 727–743.

[31] K.Kajitani and T.Nishitani; The Hyperbolic Cauchy Problem, Lecture Notes in Math. **1505**, Springer, 1991.

[32] P.D.Lax; *Asymptotic solutions of oscillatory initial value problem,* Duke Math. J. **24** (1957), 627–646.

[33] J.Leray; Hyperbolic Differential Equations, Inst. Adv. Study, Princeton, N.J. 1953.

[34] N.Lerner; Metrics on the Phase Space and Non-Selfadjoint Pseudo-Differential Operators, Birkhäuser, 2010.

[35] A.Melin; *Lower bounds for pseudo-differential operators,* Ark. Mat. **9** (1971), 117–140.

[36] R.B.Melrose; *Equivalence of glancing hypersurfaces,* Invent. Math. **37** (1976), 165–191.

[37] R.B.Melrose; *The Cauchy problem and propagation of singularities,* Seminar on Nonlinear Partial Differential Equations, Springer, 1984, pp. 185–201.

[38] S.Mizohata; *Some remarks on the Cauchy problem,* J. Math. Kyoto Univ. **1** (1961), 109–127.

[39] S.Mizohata; Theory of Partial Differential Equations, Cambridge University Press, Cambridge 1973.

[40] T.Nishitani; *The Cauchy problem for weakly hyperbolic equations of second order,* Comm. P.D.E. **5** (1980), 1273–1296.

[41] T.Nishitani; *Note on some non effectively hyperbolic operators,* Sci. Rep. College Gen. Ed. Osaka Univ. **32** (1983), 9–17.

[42] T.Nishitani; *Local energy integrals for effectively hyperbolic operators I, II,* J. Math. Kyoto Univ. **24** (1984), 623–658 and 659–666.

[43] T.Nishitani; *The Cauchy problem for effectively hyperbolic operators,* Nonlinear variational problems (Isola d'Elba, 1983), pp. 9–23, Res. Notes in Math. **127**, Pitman, Boston, MA, 1985.

[44] T.NISHITANI; *Microlocal energy estimates for hyperbolic operators with double characteristics,* Hyperbolic Equations and Related Topics, Kinokuniya, Tokyo, 1986, pp. 235–255.

[45] T.NISHITANI; *Note on wave front set of solutions to non effectively hyperbolic operators,* J. Math. Kyoto Univ. **27** (1987), 657–662.

[46] T.NISHITANI; *Note on Ivrii-Petkov-Hörmander condition of hyperbolicity,* Sci. Rep. College Gen. Ed. Osaka Univ. **39** (1990), 7–9.

[47] T.NISHITANI; *Non effectively hyperbolic operators, Hamilton map and bicharacteristics,* J. Math. Kyoto Univ. **44** (2004), 55–98.

[48] T.NISHITANI; *Effectively hyperbolic Cauchy problem,* in Phase Space Analysis of Partial Differential Equations, vol II, Centro di Ricerca Matematica Ennio De Giorgi, 2004, pp. 363-449.

[49] T.NISHITANI; *On Gevrey well-posedness of the Cauchy problem for some noneffectively hyperbolic operators*, in Advances in Phase Space Analysis of Partial Differential Equations, Birkhäuser, 2009, pp. 217-233.

[50] C.PARENTI AND A.PARMEGGIANI; *On the Cauchy problem for hyperbolic operators with double characteristics,* Comm. P.D.E. **34** (2009), 837-888.

[51] Y.SIBUYA; Global Theory of a Second Order Linear Ordinary Differential Equation with a Polynomial Coefficient, North-Holland Mathematical Studies vol **18**, 1975.

[52] D.TAI TRINH, *On the simpleness of zeros of Stokes multipliers*, J. Differential Equations **223** (2006), 351-366.

[53] S.WAKABAYASHI; *Singularities of solutions of the Cauchy problem for symmetric hyperbolic systems,* Comm. P.D.E. **9** (1984), 1147-1177.

[54] S.WAKABAYASHI; *Remarks on hyperbolic polynomials,* Tsukuba J. Math. **10** (1986), 17-28.