


Indices (Index of Notation, General Index), 717-735

DOI: [10.3792/euclid/9781429799980-14](https://doi.org/10.3792/euclid/9781429799980-14)

from

Basic Algebra
Digital Second Edition
Anthony W. Knapp

Full Book DOI: [10.3792/euclid/9781429799980](https://doi.org/10.3792/euclid/9781429799980)
ISBN: 978-1-4297-9998-0



Distributed by Project Euclid.
For copyright information, see the following page.

Anthony W. Knapp
81 Upper Sheep Pasture Road
East Setauket, N.Y. 11733-1729, U.S.A.
Email to: aknapp@math.stonybrook.edu
Homepage: www.math.stonybrook.edu/~aknapp

Title: Basic Algebra

Cover: Construction of a regular heptadecagon, the steps shown in color sequence; see page 505.

Mathematics Subject Classification (2010): 15-01, 20-01, 13-01, 12-01, 16-01, 08-01, 18A05, 68P30.

First Edition, ISBN-13 978-0-8176-3248-9

© 2006 Anthony W. Knapp

Published by Birkhäuser Boston

Digital Second Edition, not to be sold, no ISBN

© 2016 Anthony W. Knapp

Published by the Author

All rights reserved. This file is a digital second edition of the above named book. The text, images, and other data contained in this file, which is in portable document format (PDF), are proprietary to the author, and the author retains all rights, including copyright, in them. The use in this file of trade names, trademarks, service marks, and similar items, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

All rights to print media for the first edition of this book have been licensed to Birkhäuser Boston, c/o Springer Science+Business Media Inc., 233 Spring Street, New York, NY 10013, USA, and this organization and its successor licensees may have certain rights concerning print media for the digital second edition. The author has retained all rights worldwide concerning digital media for both the first edition and the digital second edition.

The file is made available for limited noncommercial use for purposes of education, scholarship, and research, and for these purposes only, or for fair use as understood in the United States copyright law. Users may freely download this file for their own use and may store it, post it online, and transmit it digitally for purposes of education, scholarship, and research. They may not convert it from PDF to any other format (e.g., EPUB), they may not edit it, and they may not do reverse engineering with it. In transmitting the file to others or posting it online, users must charge no fee, nor may they include the file in any collection of files for which a fee is charged. Any exception to these rules requires written permission from the author.

Except as provided by fair use provisions of the United States copyright law, no extracts or quotations from this file may be used that do not consist of whole pages unless permission has been granted by the author (and by Birkhäuser Boston if appropriate).

The permission granted for use of the whole file and the prohibition against charging fees extend to any partial file that contains only whole pages from this file, except that the copyright notice on this page must be included in any partial file that does not consist exclusively of the front cover page. Such a partial file shall not be included in any derivative work unless permission has been granted by the author (and by Birkhäuser Boston if appropriate).

Inquiries concerning print copies of either edition should be directed to Springer Science+Business Media Inc.

INDEX OF NOTATION

This list indexes recurring symbols introduced in Chapters I through X (pages 1–591). For other recurring symbols, including set-theoretic notation introduced in the appendix (pages 593–613), see the list of Standard Notation on page xx.

In the list below, each piece of notation is regarded as having a key symbol. The first group consists of those items for which the key symbol is a fixed Latin letter, and the items are arranged roughly alphabetically by that key symbol. The next group consists of those items for which the key symbol is a Greek letter. The final group consists of those items for which the key symbol is a variable or a nonletter, and these are arranged by type.

\mathfrak{A}_n , 121	\mathbb{F}_p , 142, 148
$a(u, v)$, 348	\mathbb{F}_q , 461
A^{adj} , 72	$F(S)$, 307, 377
$\text{Ann}(U)$, 52	$\mathcal{F}(S)$, 159
$\text{Aut } H$, 167	$\text{Gal}(\mathbb{K}/\mathbb{k})$, 474
$B^n(G, N)$, 356	GCD , 2, 394
C_m , 126	$\text{GL}(V)$, 122
$C(G, \mathbb{C})$, 330	$\text{GL}(n, \mathbb{F})$, 122
$C(G, R)$, 381	\mathbb{H} , 128
$c(A)$, 395	H_8 , 128
$C^n(G, N)$, 356	$H(V)$, 302
$C\ell(x)$, 165	$H^n(G, N)$, 356
$\text{Cliff}(E, \langle \cdot \cdot \rangle)$, 302	$\text{Hom}(\psi, \varphi)$, 568
D , 511, 532	$\text{Hom}_{\mathbb{F}}(U, V)$, 43, 44
D_n , 122	$\text{Hom}_{\mathbb{K}}(U, V)$, 266
\deg , 150, 156	$\text{Hom}_R(M, N)$, 554
\det , 67, 215	$\mathbf{i}, \mathbf{j}, \mathbf{k}$, 128
$\dim V$, 37	$\mathbb{K}, \mathbb{k}, \mathbb{K}/\mathbb{k}$, 453
$\text{End}_{\mathbb{K}}(V)$, 372	$\ker L$, 46
$\text{End}_R(M)$, 554	$\ker \varphi$, 131
e_1, \dots, e_n , 36	l , 332
e_i, f_i, g , 527	LCM , 32
\mathbb{F} , 9, 34, 158	lrad , 250
\mathbb{F}_4 , 143	$M_n(R)$, 215

$M_{kn}(\mathbb{F})$, 25	$\mathbb{Z}[\sqrt{-1}]$, 392
$M_{mn}(R)$, 376	$Z^n(G, N)$, 356
$\text{Morph}(A, B)$, 189	$\mathbb{Z}G$, 373
$N_{\mathbb{K}/\mathbb{k}}(a)$, 519	Greek
$N(H)$, 188	Γ, Δ , 44
\mathbb{O} , 304	$\left(\begin{smallmatrix} u \\ \Gamma \end{smallmatrix}\right)$, 45
\mathcal{O} , 343	$\left(\begin{smallmatrix} L \\ \Delta\Gamma \end{smallmatrix}\right)$, 45
$O(V), O(n)$, 122	δ_n , 356
$\text{Obj}(\mathcal{C})$, 189	$\delta(C)$, 206
\mathcal{C}^{opp} , 191, 210	$\iota : V \rightarrow V''$, 54
$\text{Pfaff}(X)$, 299, 449	Σ , 48
$\text{PSL}(2, \mathbb{Z})$, 366	χ_R , 339
$\text{PSL}(2, \mathbb{Z}/m\mathbb{Z})$, 366	φ , 7
$\text{PSL}(n, \mathbb{F})$, 205	φ_x , 454
$\mathbb{Q}[\theta]$, 122, 143	$\Phi_n(X)$, 490
r , 332	
rrad , 250	
\mathfrak{S}_n , 121	
$S(E)$, 284	
$S^n(E)$, 284	
$S' = S \cup S^{-1}$, 307	
$\text{SL}(V)$, 122	
$\text{SL}(n, \mathbb{F})$, 122	
$\text{SO}(V), \text{SO}(n)$, 122	
$\text{SU}(V), \text{SU}(n)$, 122	
sgn , 17	
$\text{span}\{v_\alpha\}$, 35	
$T(E)$, 281	
$T^n(E)$, 281	
$\text{Tr } A$, 74	
$\text{Tr}_{\mathbb{K}/\mathbb{k}}(a)$, 519	
$U(\mathfrak{g})$, 301	
$U(V), U(n)$, 122	
$W(S')$, 307	
$W(V)$, 302	
$\text{wt}(c)$, 206	
Z_G , 165	
$Z_G(x)$, 165	
$\mathbb{Z}/m\mathbb{Z}$, 120	
$\mathbb{Z}/(m)$, 120	
	Operations on sets given by superscripts
	V' , 50
	G' , 313
	M^\perp , 96
	U^\perp , 251
	L^* , 100
	A^* , 101
	\overline{V} , 115
	\widehat{G} , 329
	A^t , 41
	L^t , 53
	M^o, R^o , 555
	$\mathbb{C}^\times, \mathbb{Q}^\times, \mathbb{R}^\times, \mathbb{Z}^\times$, 120
	$(\mathbb{Z}/m\mathbb{Z})^\times$, 142
	R^\times , 143
	P^{-1} , 439
	Specific functions
	(\cdot, \cdot) , 90
	$\ \cdot\ $, 91
	$[\cdot, \cdot]$, 301
	$\langle \cdot, \cdot \rangle$, 249
	$[\mathbb{K} : \mathbb{k}]$, 456

Isolated symbols	
\cong , 48, 119, 144	$E \otimes_{\mathbb{K}} F$, 265
\equiv , 120	$e \otimes f$, 265
1, 118	$M \otimes_R N$, 574
{1}, 118	$m \otimes n$, 574
1_A , 190	$\varphi \otimes \psi$, 575
	$\bigwedge(E)$, 291
	$\bigwedge^n(E)$, 291
Operations on sets and classes	
G/H , $G \setminus H$, 130	$E^{\mathbb{C}}$, 274
gH , Hg , 129	$E^{\mathbb{L}}$, 275
$G_1 \times G_2$, 126	$\bigoplus_{s \in S}$, 62, 138, 376
$G \times_{\tau} H$, 169	$\prod_{s \in S}$, 62, 136, 198, 376
$G_1 * G_2$, 324	$\coprod_{s \in S}$, 199
G_p , 163	$*_{s \in S}$, 323
$G = \langle S; R \rangle$, 314	\mathbb{K}^H , 474
RG , 380	$S^{-1}R$, 428
$\mathbb{F}[X]$, 9	R_S , 428
$R[X]$, 149	R_P , 430
$R[X_1, \dots, X_n]$, 155	G_P , 534
$\mathbb{k}[x_1, \dots, x_n]$, 454	
$\mathbb{k}(x_1, \dots, x_n)$, 454	
$\mathbb{K}(X)$, 384	Miscellaneous
\mathcal{C}^S , 196	$\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 4 & 3 & 5 & 1 & 2 \end{pmatrix}$, permutation, 15
V/U , 55	$(5 \ 2 \ 3)$, cycle, 16
M/N , 378	$f_1 * f_2$, convolution, 339
$I + J$, 405	(a) , principal ideal, 390
IJ , 405, 435	(a_1, \dots, a_n) , ideal, 390
$U \oplus V$, 59	

INDEX

- Abel, 494
abelian group, 119
 direct sum for, 138, 139
 finitely generated, 176
 free, 176
 tensor product for, 578
absolute value, 604
addition in abelian group, 119
addition in ring, 141
addition in vector space, 34
addition of cardinal numbers, 613
addition of matrices, 25
additive extension, 574
additive functor, 585
additive in a variable, 574
adjoin, 454
adjoint, 100, 101
 classical, 72
algebra, 280
 alternative, 304
 associative, 280, 372
 associative R , 380
Clifford, 302
division, 373
exterior, 291
filtered associative, 301
graded associative, 301
group, 380, 445
Heisenberg Lie, 302
Jordan, 303
Lie, 281, 301
polynomial, 289
symmetric, 284
tensor, 282
tensor product for, 582
universal enveloping, 301
Weyl, 302
algebraic closure, 465
 existence, 466
uniqueness, 467–468
algebraic curve, 411
algebraic element, 454
algebraic extension, 456
 finite 456
 simple 457
algebraic integer, 342, 411, 421, 515
algebraic number, 123, 387, 457, 465, 515
algebraic number field, 123, 373, 387, 457
algebraically closed, 464
algebraically closed field, 212
alternating, 67
alternating bilinear form, 253
alternating group, 121, 171
alternating matrix, 257
alternative algebra, 304
annihilator, 52, 85
antisymmetrized tensor, 294
antisymmetrizer, 294
area, 86
Artin–Schreier Theorem, 550, 552
ascending chain condition, 421, 565
associate, 393
associated graded map, 300
associated graded vector space, 300
associated primitive polynomial, 396
associative algebra, 280, 372
 filtered, 301
 graded, 301
 tensor product for, 582
associative law, 25, 34, 82, 118, 141
associative R algebra, 380
associativity formula, 580, 581
associator, 304
automorphism, 453
 inner, 201
 of group, 167
 of number field, 124
Axiom of Choice, 597

- Baer multiplication, 355, 361
- basis, **36**, 176
 - dual, 51
 - free, 312
 - standard, 36
 - standard ordered, 48
 - vector space, 36
- Weyl, 296
- BCH code, 548
- Bessel's inequality, 94
- Bezout's identity, 3
- bilinear, 90
- bilinear form, 249
 - alternating, 253
 - invariant, 260
 - nondegenerate, 251
 - skew-symmetric, 253
 - symmetric, 253
- bilinear function, **263**, 574
- bilinear map, 263
- bilinear mapping, 263
- bimodule, 573
- block, 232
- block multiplication, 86
- Bolzano–Weierstrass Theorem, 603
- boundary map, 583
- Burnside's Theorem, 345
- cancellation law, 118
- canonical form, 212
 - Jordan, **232**, 409
 - of rectangular matrix, 242
 - rational, **245**, 447, 448
- canonical map into double dual, 54
- canonical-form problem, 214
- Cantor, 612
- Cardan's formula, 492, 510, **513**
- Cardano, 493
- cardinal number, 610
 - addition of, 613
- cardinality, 610
- Cartan matrix, 86
- Cartesian product, 595
 - indexed, 597
- category, 53, 135, **189**
 - opposite, 191, **210**
- Cauchy's Theorem in group theory, 185
- Cayley number, 304
- Cayley–Dickson construction, 304
- Cayley–Hamilton Theorem, 221
- Cayley's Theorem, 125
- center, 372, 380, 554
 - of group, 165
- centralizer of element, 165
- chain, 583, 605
- chain condition
 - ascending, 417, 565
 - descending, 565
- change of rings, 573, 578
- character, 339
 - multiplicative, 329
- characteristic of a field, 148
- characteristic polynomial, 74, **218**
- characteristic subgroup, 360
- check matrix, 548
- Chinese Remainder Theorem, 6, 405
- class, 594, 595
 - equivalence, 600
- class equation of group, 187
- class function, 340
- classical adjoint, 72
- Clifford algebra, 302
- closed, 583
- closed form, 584
- coboundary, 356
- coboundary map, 356
- cochain, 356
- cocycle, 356
- code, 207
 - BCH, 548
 - cyclic, 547
 - cyclic redundancy, 209
 - dual, 363
 - error-correcting, 206, 363, 547
 - Hamming, 207
 - linear, 207
 - parity-check, 207
 - repetition, 207
 - self-dual linear, 363
- codomain, 596
- coefficient, 9, 149
 - Fourier, 330, 362
 - leading, 150
 - matrix, 336
- cofactor, 70, 217

- cohomology group, 356
- cohomology of groups, **355**, 584
- collection, 595
- column space, 38
- column vector, 25
 - in an ordered basis, 45
- common multiple, 32
- commutative diagram, 194
- commutative law, 25, 34, 83, 119
- commutative ring, 141
- commutator, 360
- commutator subgroup, 313
- complement, 595
- completely reducible, 555
- complex, 583, 585
- complex conjugate of vector space, 115
- complex conjugation, 604
- complex number, 604
- complexification, 274
- composition, 598
- composition factor, 173, 561
- composition series, 172, 560
- congruent modulo, 120
- conjugacy class, 165
- conjugate, 165
- conjugate linear, 90
- conjugates of an element, 523
- conjugation, complex, 604
- consecutive quotient, 172, 560
- constant polynomial, 10, **150**, 155
- constructible coordinates, 470
 - field of, 470–471
- constructible regular polygon, **473**, 489, 499
- contraction of ideal, 432
- contragredient, 53
 - matrix of, 53
- contragredient representation, 365
- contravariant functor, 193
- convolution, 339, 372, 381
- coproduct functor, **199**, 376, 589
 - in a category, 198
- corner variable, 21
- correspondence, one-one, 598
- coset
 - left, 129
 - right 129
- countable, xx
- counting formula, 164
- covariant functor, 192
- Cramer’s rule, 24, 72, **217**
- CRC-8, 209
- crossed homomorphism, 357
- cubic polynomial, 542
- cubic resolvent, 545
- cut, 602
- cycle, 15
- cycle structure, 166
- cycles, disjoint, 16
- cyclic
 - code, 547
 - group, 125
 - R module, 401
 - redundancy code, 209
 - subspace, 244
 - vector, 244
- cyclotomic field, **490**, 500
- cyclotomic polynomial, 399, **490**, 540
- dal Ferro, 493
- de Rham cohomology, 584
- decomposition group, 534
- Dedekind domain, 416, **437**, 450, 525
- degree, 10, **150**, 154, 456
- dependent, integrally, 421
- derivative of polynomial, 461
- descend to, 57, 133, 147, 375
- descending chain condition, 565
- determinant, 65, 86, **215**
 - Gram, 114
 - of linear map, 66
 - of matrix, 66
 - of square matrix, 67
 - properties of, 68, **216**
 - Vandermonde, 71, **217**
- diagonal entry, 24, 180, 447
- diagonal matrix, 24, 447
- diagram, 194
 - commutative, 194
 - square, 194
- difference, 595
- difference product, 511
- differential equations, system, 246
- differential form, 584
- differentiation, 461
- dihedral group, **121**, 170, 316
- dimension, 564

- of vector space, 37, 78
- direct image, 599
- direct product
 - of groups, 126, 127, 136, 137
 - of R modules, 376
 - of rings, 374
 - of vector spaces, 62, 63
- direct sum
 - of abelian groups, 138, 139
 - of R modules, 376
 - of vector spaces, 59, 60, 61, 62, 64
- Dirichlet's theorem on primes in arithmetic progressions, 330, 367
- discriminant, 511, 532, 533
- disjoint cycles, 16
- disjoint union, 198
- distributive law, 26, 34, 141
- divide, 1, 10, 388, 438
- division algebra, 373
- division algorithm, 2, 11
- division ring, 144, 373
- divisor, 1
 - elementary, 179, 447
 - greatest common, 2, 8, 12, 393
 - zero, 144
- Dixmier, 559
- domain, 596
 - Dedekind, 416, 437, 450, 525
 - Euclidean, 392, 444, 446
 - integral, 144
 - principal ideal, 390, 442
 - unique factorization, 389
- dot product, 90
- double a cube, 469, 471
- double dual, 54
- dual
 - double, 54
 - of vector space, 50
- dual basis, 51
- dual code, 363
- duality in category theory, 210
- eigenspace of linear function, 76
- eigenspace of matrix, 73
- eigenvalue of linear function, 76
- eigenvalue of matrix, 73
- eigenvector of linear function, 76
- eigenvector of matrix, 73
- Eisenstein's irreducibility criterion, 398
- element, 593, 594
- elementary divisor, 179, 447
- elementary matrix, 28
- elementary row operation, 20
- elementary symmetric polynomial, 448
- entity, 593
- entry, 20, 24
 - diagonal, 24, 180, 447
- enveloping algebra, universal, 301
- equality of matrices, 24
- equation, linear, 23
- equivalence class, 600
- equivalence relation, 599–600
- equivalent
 - factor set, 352
 - finite filtrations, 561
 - group extensions, 352
 - normal series, 174
 - words, 307
- equivariant mapping, 191
- error-correcting code, 206, 363, 547
- Euclid's Lemma, 5
- Euclidean algorithm, 2, 13
- Euclidean domain, 392, 444, 446
- Euler φ function, 7
- evaluate, 10
- evaluation, 151, 157
- even permutation, 121
- exact, 583, 584
- exact form, 584
- exact sequence, 584, 585
 - short, 585
 - split, 588
- expansion
 - homogeneous-polynomial, 155
 - in cofactors, 70, 217
 - monomial, 155
- expressible in terms of \mathbb{k} and radicals, 495
- extension
 - additive, 574
 - algebraic, 456
 - field, 453
 - finite, 456
 - finite algebraic, 456
 - finite Galois, 485
 - group, 348
 - linear, 44, 264

- normal, 481
- of ideal, 432
- of scalars, **275**, 573, 578
- separable, 476
- simple algebraic, 457
- exterior algebra, 291
- external direct product
 - of groups, 126, 136
 - of R modules, 376
- external direct sum
 - of abelian groups, 138
 - of R modules, 376
 - of vector spaces, 59, 61
- external semidirect product of groups, 169
- factor, 1, 10, 136, **388**, 438
- factor group, 132
- factor ring, 146
- factor set, 348
- Factor Theorem, 11
- factor through, 57, 133, 147, 378
- factorization, 1, 10
 - nontrivial, 2, 10
 - prime, 5
 - unique, 5, 14
- family, 595
- fast Fourier transform, 331, **364**
- Fermat number, 472
- Fermat prime, 472
- Fermat's Little Theorem, 142
- Ferrari, 493
- field, 142
 - algebraically closed, **212**, 464
 - characteristic of, 148
 - cyclotomic, **490**, 500
 - extension, 453
 - finite, 143, 153, 159, 373, **461**, 488
 - fixed, 474
 - formally real, 550
 - Galois, 461
 - number, 123, 373, 387, **457**
 - obtained by adjoining, 454
 - of constructible coordinates, 470–471
 - of fractions, **383**, 601
 - ordered, 550
 - prime, 148
 - quadratic number, 422, 543
 - real closed, 550
- splitting, 458
- field isomorphism, 453
- field map, 453
- field mapping, 453
- field polynomial, 519
- filtered associative algebra, 301
- filtered vector space, 300
- filtration, finite, 560
- finite
 - algebraic extension, 456
 - basis condition, 417, 565
 - extension, 456
 - field, 143, 153, 159, 373, **461**, 488
 - filtration, 560
 - Galois extension, 485
 - length, 563
 - linear combination, 35
 - order, 130
 - rank, 178
 - rank of free R module, 401
 - support, 381
- finite-dimensional vector space, 37
- finitely generated abelian group, 176
 - fundamental theorem for, 179
- finitely generated group, 315
- finitely generated R module, 400
- finitely presented group, 315
- First Isomorphism Theorem, 57, 133, 379
- Fitting's Lemma, 588
- fixed field, 474
- forgetful functor, 192
- form, 263
 - bilinear, *see* bilinear form
 - Hermitian, 258
 - sesquilinear, *see* sesquilinear form
 - skew-Hermitian, 258
- formally real field, 550
- Fourier coefficient, 330, 362
- Fourier inversion formula
 - for class functions, 341
 - for finite abelian group, 330
 - for finite group, 338
- Fourier inversion problem, 330
- Fourier series 330
- fractional ideal, 450
 - unique factorization of, 451
- fractions
 - field of, **383**, 601

- partial, 444
- free abelian group, 176
- free basis, 312
- free group, 308
 - rank, 314
- free product, 199, **323**
- free R module, 377
- free subset, 312
- Frobenius map, 462
- function, 595
 - bilinear, 263
 - class, 340
 - k -linear, 263
 - k -multilinear, 263
 - linear, 42, 44
 - multilinear, 263
 - polynomial, 153, 158
- functional, linear, 50
- functional, multilinear, 66
- functor, 53, 135
 - additive, 585
 - contravariant, 193
 - coproduct, **199**, 376, 589
 - covariant, 192
 - forgetful, 192
 - product, **196**, 376
- Fundamental Theorem
 - of Algebra, **14**, 465, 492
 - of Arithmetic, 5
 - of Finitely Generated Abelian Groups, 179
 - of Finitely Generated Modules, **402**, 447
 - of Galois Theory, 345, 490
- Galois, 494
- Galois extension, finite, 485
- Galois field, 461
- Galois group, 474
- Galois theory, 123, **484**
- Gauss, 473, 489, 500
- Gauss's Lemma, 395
- Gaussian integer, **392**, 446
- general linear group, 122
- generated by, 125
- generated submodule, 377–378
- generating polynomial, 209, 547
- generator, 125, 176, 399
 - monic, 244
- generators, 314
- graded associative algebra, 301
- graded vector space, 300
- Gram determinant, 114
- Gram matrix, 114
- Gram–Schmidt orthogonalization process, 95
- greatest common divisor, 2, 8, 12, **393**
- greatest lower bound, 603
- group, 118
 - abelian, 119
 - alternating, **121**, 171
 - automorphism of, 167
 - center of, 165
 - cohomology, 356
 - cyclic, 125
 - decomposition, 534
 - dihedral, **121**, 170, 316
 - direct product for, 126, 127, 136, 137
 - finitely generated, 315
 - finitely presented, 315
 - free, 308
 - free abelian, 176
 - free product for, 323
 - Galois, 474
 - general linear, 122
 - homomorphism of, 131
 - icosahedral, 368
 - octahedral, 368
 - of units, 143
 - order of, 129
 - orthogonal, 122
 - quaternion, 128
 - quotient of, 132
 - rotation, 122
 - semidirect product for, 169
 - simple, 171
 - solvable, 494
 - special linear, 122
 - special unitary, 122
 - symmetric, 121
 - tetrahedral, 368
 - trivial, 118
 - unitary, 122
- group action, 124, **159**
 - transitive, 163
 - trivial, 161
- group algebra, 380, 445
- group extension, 348
- group ring, integral, 373

- Hamming code, 207
- Hamming distance, 206
- Hamming space, 206
- harmonic analysis, 506
- harmonic polynomial, 116
- Heisenberg Lie algebra, 302
- heptadecagon, 503
- Hermite, 515
- Hermitian, 101
- Hermitian form, 258
- Hermitian matrix, 259
- Hermitian sesquilinear form, 258
- Hermitian symmetric, 90
- Hilbert Basis Theorem, 416, **418**
- Hilbert–Schmidt norm, 112
- homogeneous element, 281
- homogeneous ideal, 284
- homogeneous polynomial, 116, **155**
- homogeneous system, 23
- homogeneous-polynomial expansion, 155
- homomorphism
 - crossed, 357
 - of groups, 131
 - of R modules, 375
 - of rings, 144
 - substitution, 151, 156
- icosahedral group, 368
- ideal, 145
 - contraction of, 432
 - extension of, 432
 - fractional, 450
 - left, 378
 - maximal, 385
 - prime, 384
 - principal, 390
 - right, 378
 - two-sided, 145
 - unique factorization of, 438
- identity element, 118
- identity in a ring, 142
- identity matrix, 27
- identity morphism, 190
- image, 596
 - direct, 599
 - inverse, 599
 - of homomorphism, 131
- imaginary part, 604
- independent variable, 21
- indeterminate, 9, **149**, 154, 155
- index of subgroup, 164
- indexed Cartesian product, 597
- indexed intersection, 597
- indexed union, 597
- infimum, 603
- infinite order, 130
- infinite-dimensional vector space, 78
- inhomogeneous system, 23
- injection, 59, 62
- inner automorphism, 201
- inner product, 90
- inner-product space, 90
- integer, algebraic, **342**, 411, 421, 515
- integer, Gaussian, **392**, 446
- integers modulo, 120
- integral, 421
- integral closure, 416, **421**
- integral domain, 144
- integral group ring, 373
- integrally closed, 425
- integrally dependent, 421
- Intermediate Value Theorem, 603
- internal direct product
 - of groups, 127, 137
 - of R modules, 376
 - of vector spaces, 63
- internal direct sum
 - of abelian groups, 139
 - of R modules, 377
 - of vector spaces, 60, 61, 64
- internal semidirect product of groups, 169
- intersection, 595
 - indexed, 597
- intertwining operator, 333
- invariant
 - leave a bilinear form, 260
 - of group action, 357
- invariant subspace, 73, 333
- invariant vector subspace, 218
- inverse, 192
 - multiplicative, 143
- inverse element, 118
- inverse function, 598
- inverse image, 599
- inverse matrix, 27

- invertible matrix, 27
- involution, 242
- irreducible element, 388
- irreducible left R module, 555
- irreducible representation, 333
- isometry, 159
- isomorphic, 48, 119, 144, 164, 192, 352, 378
- isomorphism, 48, 119, 144, 192, 378, 453
 - natural, 268
- isotropic subspace, 296
- isotropy subgroup, 163
- isotypic submodule, 589
- Iwasawa decomposition, 113
- Jacobi identity, 301
- Jordan algebra, 303
- Jordan block, 231, 409
- Jordan canonical form, 232, 409
- Jordan form, 231
- Jordan normal form, 231
- Jordan–Chevalley decomposition, 243, 549
- Jordan–Hölder Theorem, 176, 562
- \mathbb{k} automorphism, 453
- \mathbb{k} isomorphism, 453
- k -linear, 66
 - function, 263
 - map, 263
 - mapping, 263
- k -multilinear
 - function, 263
 - map, 263
 - mapping, 263
- kernel of homomorphism, 131
- kernel of linear map, 46
- Kronecker delta, xx, 27
- Kronecker product, 297
- Lagrange resolvents, 506
- Lagrange's Theorem, 130
- law of composition, 190
- law of cosines, 91
- law of quadratic reciprocity, 499, 544
- leading coefficient, 150
- leading term, 150
- least common multiple, 32
- least upper bound, 603, 606
- leave a bilinear form invariant, 260
- left coset, 129
- left ideal, 378
- left R module, 374
- left radical, 250
- left regular representation, 332, 338, 365
- left vector space, 556
- left-coset space, 130
- Legendre polynomial, 114
- length of module, 563
- length of word, 307
- letter, 121
- Lie algebra, 281, 301
 - Heisenberg, 302
- Lie bracket, 301
- Lindemann, 515
- linear, 42, 44
- linear code, 207
 - self-dual, 363
- linear combination, 35
- linear equation, 23
- linear extension, 44, 264
- linear fractional transformation, 160
- linear function, *see* linear map
- linear functional, 50
- linear map, 42, 44
 - determinant of, 66
 - eigenspace of, 76
 - eigenvalue of, 76
 - eigenvector of, 76
 - kernel of, 46
 - normal, 110
 - orthogonal, 103
 - positive definite, 107
 - positive semidefinite, 107
 - unitary, 103
- linear mapping, *see* linear map
- linear operator, 42
- linear transformation, *see* linear map
- linearly independent set, 36, 176
- local ring, 434
- localization, 416
 - of R at the prime P , 430
 - of R with respect to S , 429
- lower bound, 603
- MacWilliams identity, 364
- map, 596

- bilinear, 263
- coboundary, 356
- field, 453
- k -linear, 263
- k -multilinear, 263
- linear, 42, 44
 - multilinear, 263
- mapping, *see* map
- matrix, 24
 - addition for, 25
 - alternating, 257
 - Cartan, 86
 - check, 548
 - coefficient, 336
 - column space of, 38
 - determinant of, 66, 67
 - diagonal, 24, 447
 - eigenspace of, 73
 - eigenvalue of, 73
 - eigenvector of, 73
 - elementary, 28
 - equality for, 24
 - Gram, 114
 - Hermitian, 259
 - identity, 27
 - inverse, 27
 - invertible, 27
 - multiplication for, 26
 - nilpotent, 232
 - nonsingular, 212, 217
 - null space of, 38
 - of a linear map in two ordered bases, 45
 - orthogonal, 103
 - positive definite, 107
 - positive semidefinite, 107
 - rank of, 41
 - row space of, 38
 - scalar multiplication for, 25
 - singular, 212, 217
 - skew-symmetric, 257
 - square, 24
 - symmetric, 253
 - symplectic, 450
 - trace of, 74
 - transpose of, 41
 - unitary, 103
 - Vandermonde, 71, 217
 - zero, 25
- matrix representation, 332
- matrix ring, 371
- maximal element, 605
- maximal ideal, 385
- maximum condition, 417, 565
- member, 595
- minimal distance, 207
- minimal polynomial, 221, 223, 455
- minimum condition, 565
- module
 - cyclic, 401
 - direct product for, 376
 - direct sum for, 376
 - finitely generated, 400
 - free R , 377
 - homomorphism of, 375
 - irreducible, 555
 - left R , 374
 - of finite rank, 401
 - quotient, 378
 - rank of, 402
 - right R , 375
 - semisimple, 555
 - simple, 555
 - tensor product for, 574
- modulo, 120
- monic generator, 244
- monic polynomial, 150
- monomial, 155
- monomial expansion, 155
- morphism, 189
 - identity, 190
- multilinear form
 - symmetric, 283
 - function, 263
 - functional, 66
 - map, 263
 - mapping, 263
- multiple, 1, 10
 - least common, 32
- multiplication
 - Baer, 355, 361
 - in a group, 118
 - in a ring, 141
 - in an algebra, 280
 - of matrices, 26
- multiplicative character, 329
- multiplicative inverse, 143

- multiplicative system, 428
- multiplicity of a root, 14
-
- n*-fold tensor product, 280
- Nakayama's Lemma, 436
- natural isomorphism, 268
- natural transformation, 268
- negative, xx, 119
- nicely normed, 305
- Nielsen–Schreier Theorem, 318
- nilpotent, 549
 - element, 443
 - matrix, 232
- Noetherian ring, 418
- nondegenerate bilinear form, 251
- nonsingular, 212, 217
- nontrivial factorization, 2, 10
- norm, 91, 519, 544
 - Hilbert–Schmidt, 112
- normal extension, 481
- normal linear map, 110
- normal series, equivalent, 174
- normal series of groups, 172
- normal subgroup, 131
- normalizer of subgroup, 188
- null space, 38
- Nullstellensatz, 412
- number
 - algebraic, 123, 387, **457**, 465, 515
 - complex, 604
 - rational, 601
 - real, 602
- number field, 123, 373, 387, **457**
 - automorphism of, 124
 - quadratic, 422, 543
-
- object, 189
- octahedral group, 368
- octonion, 304
- odd permutation, 121
- one-one, 598
- one-one correspondence, 598
- onto, 598
- operation, elementary row, 20
- operator
 - intertwining, 333
 - linear, 42
 - projection, 226
-
- opposite category, 191, **210**
- opposite ring, 555
- orbit, 163
- order
 - finite, 130
 - infinite, 130
 - of group, 129
- ordered field, 550
- ordered pair, 595
- ordering
 - partial, 605
 - simple, 286, **605**
 - total, 605
 - well, 605
- ordinary differential equations, system, 246
- orthogonal complement, 97
- orthogonal group, 122, 262
- orthogonal linear map, 103
- orthogonal matrix, 103
- orthogonal projection, 97
- orthogonal set, 93
- orthogonal vectors, 93
- orthonormal basis, 93
- orthonormal set, 93
-
- pair
 - ordered, 595
 - unordered, 595
- parallelogram law, 91
- parity-check code, 207
- Parseval's equality, 98
- partial fractions, 444
- partial ordering, 605
- pentagon, 501
- period of cyclotomic field, 500
- permanence of identities, 215
- permutation, 15, 121
 - even, 121
 - odd, 121
- Pfaffian, 299, 449
- Plancherel formula, 338
- Poincaré–Birkhoff–Witt Theorem, 301
- point, 595
- Poisson summation formula, 362
- polar decomposition, 111
- polarization, 92
- polynomial, 9, **149**, 154
 - associated primitive, 396

- characteristic, 74, **218**
- constant, 10, 150, 155
- cubic, 542
- cyclotomic, 399, **490**, 540
- elementary symmetric, 448
- field, 519
 - generating, 209, 547
 - harmonic, 116
 - homogeneous, 116, **155**
 - Legendre, 114
 - minimal, **221**, 223, 455
 - monic, 150
 - primitive, 394
 - quartic, 541, 546
 - separable, 476
 - split, 458
 - symmetric, **448**, 544
 - weight enumerator, 209
 - zero, 10, 150
- polynomial algebra, 289
- polynomial function, 153, 158
- polynomial ring, 371
- positive, xx
- positive definite linear map, 107
- positive definite matrix, 107
- positive semidefinite linear map, 107
- positive semidefinite matrix, 107
- power, 125
- presentation, 314
- primary block, 232
- primary decomposition, 229
- Primary Decomposition Theorem, 229
- primary subspace, 229
- prime, 2, 10
 - relatively, 6
- prime element, 389
- prime factorization, 5
- prime field, 148
- prime ideal, 384
- primitive element, 480
- primitive polynomial, 394
 - associated, 396
- primitive root, 490
- Principal Axis Theorem, 254
- principal ideal, 390
 - principal ideal domain, **390**, 442
- product
 - Cartesian, 595
 - difference, 511
 - dot, 90
 - free, 199, **323**
 - functor, **198**, 376
 - in a category, 196
 - in a group, 118
 - in an algebra, 280
 - indexed Cartesian, 597
 - inner, 90
 - Kronecker, 297
 - n -fold tensor, 280
 - of matrices, 26
 - of permutations, 15
 - set-theoretic, 595
 - tensor, 263
 - triple tensor, 277
 - vector, 281
- projection, 59, 62, 226
 - orthogonal, 97
- Projection Theorem, 96
- proper subset, 595
- properly contained, 595
- pure tensor, 265
- Pythagorean Theorem, 91
- quadratic number field, 422, 543
- quadratic reciprocity, 499, 544
- quartic polynomial, 541, 546
- quaternion, 128
- quaternion group, 128
- quotient
 - group, 132
 - homomorphism, 132, 146
 - map, 55
 - module, 378
 - ring, **146**, 374
 - space, 55, 130
- R* homomorphism, 375
- R* module, 375
- R* submodule, 377
- radical, 250, 253, 257, 495
- ramification index, **527**, 543
- range, 596
- rank
 - of free abelian group, 178
 - of free group, 314
 - of free *R* module, 402

- of matrix, 41
- rational canonical form, **245**, 447, 448
- rational number, 601
- real closed field, 550
- real number, 602
- real part, 604
- reduced row-echelon form, 20
- reduced word, 325
- reducible element, 389
- refinement, 174, 561
- reflexive, 600, 605
- regular
 - 17-gon, 503
 - heptadecagon, 503
 - pentagon, 501
 - polygon, 473, 489, 499
 - representation, **332**, 337, 338, 365
- relation, 314, 595
 - equivalence, 599–600
 - function as, 595
 - partial ordering as, 605
- relatively prime, 6
- repetition code, 207
- representation, 161
 - contragredient, 365
 - irreducible, 333
 - left regular, **332**, 338, 365
 - matrix, 332
 - right regular, **332**, 337, 338
 - unitary, 332
- residue class degree, **527**, 543
- restriction, 598
- restriction of scalars, 277
- Riemann sphere, 160
- Riesz Representation Theorem, 99
- right coset, 129
- right ideal, 378
- right R module, 375
- right radical, 250
- right regular representation, **332**, 337, 338
- rigid motion, 159
- ring, 141
 - commutative, 141
 - direct product for, 374
 - division, **144**, 373
 - group, 373
 - homomorphism of, 144
 - local, 434
- matrix, 371
- Noetherian, 418
- opposite, 555
- polynomial, 371
- quotient of, 146
- with identity, 142
- zero, 142
- Rodrigues's formula, 114
- root, 10, **152**
 - multiplicity of, 14
 - primitive, 490
 - tower, 495
- rotation, 43
- rotation group, 122
- row operation, elementary, 20
- row reduction, 21
- row space, 38
- row vector, 25
- row-echelon form, 20
- Russell's paradox, 593
- S*-tuple, 196
- scalar, 9, 19, **34**, 89, 211
- scalar multiplication
 - in vector space, 34
 - of matrices, 25
- scalars, extension of, **275**, 573, 578
- scalars, restriction of, 277
- Schreier, 175, 348, 562
- Schreier set, 319
- Schroeder–Bernstein Theorem, 79, 610
- Schur orthogonality, 335
- Schur's Lemma, **333**, 559
- Schwarz inequality, 92
- Second Isomorphism Theorem, 58, 135, 379
- self-adjoint, 101
- self-dual linear code, 363
- semidirect product of groups, 169
- semisimple, 549
- semisimple left R module, 555
- separable element, 476
- separable extension, 476
- separable polynomial, 476
- sesquilinear, 90
- sesquilinear form, 258
 - Hermitian, 258
 - skew-Hermitian, 258
- set, 593, 594

- set theory, von Neumann, 594
- set theory, Zermelo–Fraenkel, 593
- set-theoretic product, 595
- short exact sequence, 585
- sign of permutation, 17
- signature, 255, 260
- significant factor, 321
- similar matrices, **48**, 213
- simple algebraic extension, 457
 - existence, 457
 - uniqueness, 458
- simple group, 171
- simple left R module, 555
- simple ordering, 286, **605**
- simplicial complex, 583
- simplicial homology, 583
- simply transitive group action, 163
- singleton, 595
- singular, 212, 217
- size, 24
- skew-Hermitian form, 258
- skew-Hermitian sesquilinear form, 258
- skew-symmetric bilinear form, 253
- skew-symmetric matrix, 257
- socle, 589
- solvable group, 494
- span, 35, 36
- spanning set, 36
- special linear group, 122
- special unitary group, 122
- Spectral Theorem, 105
- split exact sequence, 588
- split polynomial, 458
- splitting field, 458
 - existence, 458
 - uniqueness, 459
- square a circle, **469**, 472
- square diagram, 194
- square matrix, 24
- stabilizer, 163
- stable subspace, 73
- standard basis, 36
- standard ordered basis, 48
- Steinitz, 466
- straightedge and compass, 468
- subcategory, 190
- subfield, 144
- subgroup, 119
- characteristic, 360
- commutator, 313
- index of, 164
- isotropy, 163
- normal, 131
- normalizer of, 188
- submodule, 377
 - generated, 377–378
 - isotypic, 589
- subring, 144
- subset, 595
- subspace, 35
 - cyclic, 244
 - invariant, 73, 333
 - isotropic, 296
 - primary, 229
 - stable, 73
- substitution homomorphism, 151, 156
- sum of two cardinal numbers, 613
- sum of vector subspaces, 58
- superset, 595
- support, finite, 381
- supremum, 603
- Sylow p -subgroup, 185
- Sylow Theorems, 185
- Sylvester’s Law, 255, 260
- symmetric, **90**, 101, 600
 - Hermitian, 90
- symmetric algebra, 284
- symmetric bilinear form, 253
- symmetric group, 121, 159
- symmetric matrix, 253
- symmetric multilinear form, 283
- symmetric polynomial, **448**, 544
 - elementary, 448
- symmetrized tensor, 290
- symmetrizer, 290
- symplectic group, 262
- symplectic matrix, 450
- system of linear equations, 23
- system of ordinary differential equations, 246
- Tartaglia, 493
- tensor algebra, 282
- tensor product, 263
 - n -fold, 280
 - of abelian groups, 578
 - of modules, 574

- of R algebras, 582
- triple, 277
- tetrahedral group, 368
- Theorem of the Primitive Element, 123, 457, **480**, 524
- total ordering, 605
- trace, **519**, 544
 - of matrix, 74
- transcendental element, 454
- transcendental π , 472, **515**
- transformation
 - linear, 42, 44
 - linear fractional, 160
 - natural 268
- transitive, 600, 605
- transitive group action, 163
- transpose of matrix, 41
- transposition, 16
- triangle inequality, 605
- triangular form, 219
- triple tensor product, 277
- trisect an angle, **469**, 472
- trivial group, 118
- trivial group action, 161
- tuple 196
- two-sided ideal, 145
- UFD1, **389**, 419
- UFD2, 389
- union, 595
 - disjoint, 198
 - indexed, 597
- unipotent, 550
- unique factorization, 5, 14
 - of fractional ideal, 451
 - of ideal, 438
- unique factorization domain, 389
- unit, 1, 10
 - in a ring, 143
- unit vector, 93
- unital, 375
- unitary group, 122
- unitary linear map, 103
- unitary matrix, 103
- unitary matrix representation, 332
- unitary representation, 332
- universal enveloping algebra, 301
- universal mapping property
- abstract, 200, **298**
- of Clifford algebra, 302
- of coproduct in a category, 198
- of direct product of groups, 136, 137
- of direct product of vector spaces, 63–64
- of direct sum of abelian groups, 138–139, 139–140
- of direct sum of vector spaces, 60, 64–65
- of exterior algebra, 292
- of field of fractions, 383
- of free group, 308
- of free R module, 377
- of group algebra, 381
- of integral group ring, 374
- of localization, 431
- of product in a category, 196
- of ring of polynomials, 150, 156–157
- of $S^n(E)$, 285
- of symmetric algebra, 285
- of tensor algebra, 282
- of tensor product of modules, 575
- of tensor product of vector spaces, 263–264
- of universal enveloping algebra, 301
- of $\Lambda^n(E)$, 292
- of Weyl algebra, 303
- unknown, 19
- unordered pair, 595
- upper bound, 603, **605**
- Van Kampen Theorem, 323
- Vandermonde determinant, 71, 217
- Vandermonde matrix, 71, 217
- variable, 19
 - corner, 21
 - independent, 21
- vector, 34
 - addition for, 34
 - column, 25
 - cyclic, 244
 - row, 25
 - scalar multiplication for, 34
 - unit, 93
- vector product, 281
- vector space, 34, 158
 - associated graded, 300
 - basis of, 36
 - complex conjugate of, 115
 - dimension of, 37, 78

- direct product for, 62, 63
- direct sum for, 59, 60, 61, 62, 64
- dual of, 50
- filtered, 300
- finite-dimensional, 37
- graded, 300
- infinite-dimensional, 78
- left, 556
- quotient of, 55
- vector subspace, 35
 - invariant, 218
 - sum for, 58
- volume, 86
- von Neumann set theory, 594
- weight, 206
- weight enumerator polynomial, 209
- well ordering, 605
- Wentzel, 473
- Weyl algebra, 302
- Weyl basis, 296
- Wilson's Theorem, 201, 539
- word, 307
 - word problem, 310
 - for finitely presented groups, 316
 - for free groups, 310
 - for free products, 325, 326
- Zassenhaus, 174, 561
- Zermelo–Fraenkel set theory, 593
- Zermelo's Well-Ordering Theorem, 466, **609**
- zero divisor, 144
- zero matrix, 25
- zero polynomial, 10, 150
- zero ring, 142
- Zorn's Lemma, 79, 385, 466, 468, 555, **605**

