

Indices (Index of Notation, General Index), 795-811

DOI: [10.3792/euclid/9781429799997-17](https://doi.org/10.3792/euclid/9781429799997-17)


from

Basic Real Analysis *Digital Second Edition*

Anthony W. Knapp

Full Book DOI: [10.3792/euclid/9781429799997](https://doi.org/10.3792/euclid/9781429799997)

ISBN: 978-1-4297-9999-7



Anthony W. Knapp
81 Upper Sheep Pasture Road
East Setauket, N.Y. 11733-1729, U.S.A.
Email to: aknapp@math.stonybrook.edu
Homepage: www.math.stonybrook.edu/~aknapp

Title: Basic Real Analysis, with an appendix “Elementary Complex Analysis”

Cover: An instance of the Rising Sun Lemma in Section VII.1.

Mathematics Subject Classification (2010): 28-01, 26-01, 42-01, 54-01, 34-01, 30-01, 32-01.

First Edition, ISBN-13 978-0-8176-3250-2

©2005 Anthony W. Knapp

Published by Birkhäuser Boston

Digital Second Edition, not to be sold, no ISBN

©2016 Anthony W. Knapp

Published by the author

All rights reserved. This file is a digital second edition of the above named book. The text, images, and other data contained in this file, which is in portable document format (PDF), are proprietary to the author, and the author retains all rights, including copyright, in them. The use in this file of trade names, trademarks, service marks, and similar items, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

All rights to print media for the first edition of this book have been licensed to Birkhäuser Boston, c/o Springer Science+Business Media Inc., 233 Spring Street, New York, NY 10013, USA, and this organization and its successor licensees may have certain rights concerning print media for the digital second edition. The author has retained all rights worldwide concerning digital media for both the first edition and the digital second edition.

The file is made available for limited noncommercial use for purposes of education, scholarship, and research, and for these purposes only, or for fair use as understood in the United States copyright law. Users may freely download this file for their own use and may store it, post it online, and transmit it digitally for purposes of education, scholarship, and research. They may not convert it from PDF to any other format (e.g., EPUB), they may not edit it, and they may not do reverse engineering with it. In transmitting the file to others or posting it online, users must charge no fee, nor may they include the file in any collection of files for which a fee is charged. Any exception to these rules requires written permission from the author.

Except as provided by fair use provisions of the United States copyright law, no extracts or quotations from this file may be used that do not consist of whole pages unless permission has been granted by the author (and by Birkhäuser Boston if appropriate).

The permission granted for use of the whole file and the prohibition against charging fees extend to any partial file that contains only whole pages from this file, except that the copyright notice on this page must be included in any partial file that does not consist exclusively of the front cover page. Such a partial file shall not be included in any derivative work unless permission has been granted by the author (and by Birkhäuser Boston if appropriate).

Inquiries concerning print copies of either edition should be directed to Springer Science+Business Media Inc.

INDEX OF NOTATION

See also the list of Standard Notation on page xxv. In the list below, items are alphabetized according to their key symbols. For letters the order is italic lower case, Roman lower case, italic upper case, Roman upper case, script, and blackboard bold. Next come items whose key symbol is Greek, and then come items whose key symbol is a nonletter. The last of these are grouped by type.

- | | |
|--|--|
| a_n , 62
arccos, 79
arcsin, 52
arctan, 52
$A(D)$, 573
b_n , 62
$B(r; x)$, 84
$B(S)$, 88, 317, 571
$B(S, \mathbb{C})$, 88
$B(S, \mathbb{R})$, 88
\mathcal{B}_1 , 335
\mathcal{B}_N , 335
$\mathcal{B}(X)$, 537
$\mathcal{B}(X, Y)$, 320, 574
$\mathcal{B}_0(X)$, 553
$\mathcal{B}_N(K)$, 350
$\mathcal{B}_N(V)$, 353
c , 572
c_0 , 572
c_n , 62, 373
card, 627
cos, 47, 640
C^∞ , 143
C^k , 143
$C(S)$, 101, 317, 513, 571
$C(S, \mathbb{C})$, 101, 561
$C(S, \mathbb{R})$, 101, 561
$C_0(X)$, 558, 572 | $C^\infty(E)$, 143
$C^k(E)$, 143
$C_{\text{com}}(X)$, 338, 352, 535, 572
$C^N([a, b])$, 572
d , 41
d_2 , 75
$d(x, y)$, 84
dx , 336
$d\omega$, 364, 540, 567
D , 422
$D(x, A)$, 97
D_j , 423, 702
D_N , 69
e , 47
e^A , 149
e_j , 616
exp, 47, 149, 640
$E[f \mathcal{B}]$, 487
F_σ , 541
\mathcal{F} , 412
\mathbb{F} , 136
\mathbb{F}^n , 616
G_δ , 541
H , 435
H_1 , 439
$H^\infty(D)$, 573
inf, 3, 6
I_E , 173, 277 |
|--|--|

- $\mathcal{I}_E(s)$, 278
 J, J_E , 714
 $J_p(t)$, 260
 K_N , 71
 $\mathcal{K}(X)$, 539
 $\ell(\gamma)$, 183, 189
 $\ell(\gamma(P))$, 183
 ℓ^2 , 88
 ℓ_n^p, ℓ^p , 572
 \lim , 5, 99, 633
 \liminf , 7
 \limsup , 7
 \log , 49, 660
 Log , 660
 L^1 , 90, 317
 L^2 , 90, 317
 L^∞ , 317
 L_n , 594
 $L(y)$, 243
 $L(P, f)$, 27, 163
 $L^p(X), L^p(X, \mathcal{A}, \mu), L^p(X, \mu)$,
 317, 572
 m , 272, 336
 $m_R(f)$, 163
 $M(a + bi)$, 633
 $M(X)$, 572
 $M(X, \mathbb{C})$, 563
 $M(X, \mathbb{R})$, 561
 $M_R(f)$, 163
 $n(\gamma, z_0)$, 663
 $\text{osc}_g(x_0)$, 121, 169
 p' , 450
 $X = P \cup N$, 459
 $P(\lambda)$, 243
 $P(x, t), P_t(x)$, 433
 $P_r(\theta)$, 81, 392, 430
 $Q(D)$, 422
 $Q(x, \varepsilon), Q_\varepsilon(x)$, 436
 $Q_n(a_1, \dots, a_N)$, 340
 \mathbb{Q}^\times , 135
 \mathbb{Q}_p , 134
 \mathbb{Q}_p^\times , 135
 $\mathcal{R}[a, b]$, 27
 $\mathcal{R}(A)$, 163
 \mathbb{R}^* , 6, 86
 $\text{Res}_f(z_0)$, 674
 $s_N(f; x)$, 63, 373
 \sin , 47, 640
 \sup , 2, 5
 S^n , 127, 364
 $S(P, \{t_i\}, f)$, 39
 $S(P, \{t_R\}, f)$, 165
 \mathcal{S} , 423
 $\mathcal{S}(\mathbb{R}^N)$, 423
 $\text{Tr } X$, 150
 \mathcal{T} , 491
 \mathcal{T}^* , 504
 u_j , 616
 $U(P, f)$, 27, 163
 $V(f)$, 393
 $V^*(f), V^-(f)$, 385
 \mathbb{Z}_p , 135
Greek
 $|\alpha|, \alpha!$, 702
 $\Gamma(s)$, 361
 Δ , 214, 430
 Δx_i , 27
 $\zeta(s)$, 428
 ι , 591
 λ_f , 388
 μ^*, μ_* , 290, 291
 μ_f , 388
 $\mu(P)$, 27, 163, 186
 $[d\mu]$, 284
 $\nu = f d\mu$, 288
 σ_n , 54
 σ_r , 54
 τ_x , 341
 φ_ε , 350
 Ω , 330
 Ω_N , 364

Isolated symbols and signs

\in , 604, 605
 ∞ , 5
 \subseteq , \supseteq , 605
 $+\infty$, $-\infty$, 6
 r^+ , r^- , 385
 v^+ , v^- , 458
 \sim , 63, 373
 \ll , 460
 \oplus , 578
 ∇ , 201

Subscripts and superscripts

X^* , 129, 493, 504, 574
 $f^*(x)$, 366
 M^\perp , 577
 L^* , 586
 x^* , 586
 A^{cl} , 93
 A° , 93
 2^A , 605
 D^α , 702
 z^α , 702

Operations on sets

$\mathcal{A} \times \mathcal{B}$, 302
 X/\sim , 494, 520
 \uparrow , \downarrow , 304
 B^A , 606
 $\bigcup_{x \in S} A_x$, $\bigcap_{x \in S} A_x$, $\prod_{x \in S} A_x$, 607
 $E \Delta F$, 269
 E_x , 303
 E^y , 303

Operations on functions

f^{-1} , 608
 $f * g$, 213, 344, 372
 $\mu \times \nu$, 306
 \widehat{f} , 412
 f^+ , f^- , 275

Integrals

$\overline{\int}_a^b f dx$, $\underline{\int}_a^b f dx$, 27
 $\overline{\int}_A f dx$, $\underline{\int}_A f dx$, 163
 $\int_a^b f dx$, 27, 30
 $\int_A f dx$, 163
 $\int_E f d\mu$, 278
 $\int_E f(x) d\mu(x)$, 278
 $\mathcal{R} \int_A f dx$, 318
 $\int_\gamma f ds$, 186
 $\int_\gamma f \cdot ds$, 195
 $\int_{[a,b]} f d\alpha$, 216
 $\int_\gamma f(z) dz$, 637
 PV $\int_{-\infty}^\infty$, 679

Intervals

(a, b) , 3
 $[a, b]$, 3
 $[a, b)$, 3
 $(a, b]$, 3

Specific functions

$(\cdot, \cdot)_2$, 75
 $\|\cdot\|_2$, 75, 315
 $|\cdot|$, 85, 137, 139, 163, 275, 563
 $x \cdot y$, 85
 (\cdot, \cdot) , 90, 573
 $\|\cdot\|$, 91, 137, 315, 563, 571, 573
 $|\cdot|_p$, 134
 $\|\cdot\|_1$, 315
 $\|\cdot\|_\infty$, 315
 $\|\cdot\|_{\text{sup}}$, 317
 $\|\cdot\|_{BV}$, 385
 $\|\cdot\|_p$, 449

Other $(a, b), [a, b], [a, b), (a, b], 3$ $[M_{ij}], 616$ $(X, \mathcal{T}), 491$ $a_n \rightarrow a, 5, 99$ $\frac{\partial f_i}{\partial x_j}, 140$ $\left[\frac{\partial f_i}{\partial x_j}\right], 141$ $\sum_{j=1}^n a_j(x_1, \dots, x_n) \frac{\partial}{\partial x_j}, 234$ $(X, \mathcal{A}, \mu), 274$ $(D, \leq), 514$ $\{x_\alpha\}, 514$ $\alpha \mapsto x_\alpha, 514$ $[z^{n+1}], 666$ $(z_1, z_2, z_3, z_4), 712$

INDEX

- a.e., 284
- Abel summable, 54
- Abel sums, 54
- Abel's Theorem, 55
- Abelian theorem, 56
- absolute value, 613
- absolutely continuous
 - measure, 460
 - monotone function, 407
 - Stieltjes measure, 407
- abstract rectangle, **302**, 335
- additive set function, 270
 - bounded, 458
- adjoint, 586
- Alaoglu's Theorem, preliminary form, **320**, 558
- algebra, 125
- algebra of sets, 268
- almost every, 284
- almost everywhere, 284
- almost period, 132
- almost periodic, 132
 - Bochner, 132
 - Bohr, 132
- alternating series test, 19
- analytic function, 470, **635**
- annulus, 202, 696
- approximate identity, 59, **60**, 350
- arc length
 - cumulative, 185, 190
 - definition, 182
 - formula, 189
 - with Lebesgue integral, 326
- arc, simple, 182
- arccosine, 79
- archimedean property, 4
- arcsine, 52, 661
- arctangent, 52, 708
- area of sphere, 364
- area of surface, 210
- argument, 663
- Argument Principle, 701, 709
 - global form, 689
 - local form, 670
- arithmetic operations, 105
- arithmetic-geometric mean inequality, 215
- Ascoli–Arzelà Theorem, 527
- Ascoli's theorem, 22, **122**, 264, 711
- associated Stieltjes measure, 382
- Axiom of Choice, 607
- axiom of countability, 499
- Baire Category Theorem, **119**, 122, 530
- Baire function, 554
- Baire measurable function, 554
- Baire measure, 555
- Baire set, 553
- ball, open 84
- Banach limit, 600
- Banach space, 571
 - quotient, 599
 - reflexive, 591
- Banach–Steinhaus Theorem, 593
- base
 - countable local, 499
 - for metric space, 107
 - for topology, 495
 - local, 499
- basis
 - of vector space, 623
 - standard, 616
- Bernoulli numbers, 710
- Bessel function, **260**, 265
- Bessel's equation, 259
- Bessel's inequality, 67, **373**, 581
- binomial coefficient, xxv
- binomial series, **53**, 56, 665
- Bochner almost periodic, 132
- Bochner's Theorem, 444

- Bohr almost periodic, 132
- Bolzano–Weierstrass property, 109, 110
- Bolzano–Weierstrass Theorem, **9**, 109
- Borel complex measure, regular, 563
- Borel function, 335, 354, 356, **553**
- Borel measurable, 275, 335
- Borel measurable function, 553
- Borel measure, 337, 354, 356, **539**
 - purely irregular, 568
 - regular, 337, 354, 356, **539**
- Borel set, 273, 335, 353, 356, **537**, 553
- Borel signed measure, regular, 561
- bound
 - greatest lower, 3
 - least upper, 2
 - lower, 3
 - upper, 2
- boundary cycle, 694
- bounded, 527
- bounded additive set function, 458
- bounded, essentially, 316
- bounded function, 88
- bounded interval, 3
- bounded linear operator, 319, **573**
- bounded operator, 319
- bounded pointwise, 22, **122**, 527
- bounded set, 3, 539
- bounded uniformly, 22, **122**, 527
- bounded variation, **384**, 393
- branch, 661
 - of logarithm, 660
 - of n^{th} root, 661
- C^k function, 143
- C^∞ function, 143
- canonical expansion of simple function, 277
- canonical extension of measure, 297
- canonical map, 591
- Cantor, 629
- Cantor diagonal process, **24**, 510
- Cantor function, 382
- Cantor measure, **392**, 569
- Cantor set, 119, 328, 381, 569
 - standard, 119
- cardinal number, 627
- cardinality, 627
- Cartesian product, 606, 607
- catenary, 215
- Cauchy criterion, 10
 - uniform, 18
- Cauchy Integral Formula
 - application, 652, 658
 - general form for disk, 665
 - global form, 688
 - local form, 648
- Cauchy Integral Theorem, 416
 - application, 649, 665, 671, 675, 688, 689, 696
 - global form, 685
 - homology form, 694
 - local form, 645
 - statement, 641
- Cauchy principal value, 679
- Cauchy sequence, 9, **113**
 - uniformly, 18
- Cauchy–Peano Existence Theorem, 264
- Cauchy–Riemann equations, 417, 436, 470, **634**, 635
- Cauchy–Schwarz inequality, 614
- Cauchy’s estimate, 653
- center, 702
- Cesàro summable, 54
- Cesàro sums, **54**, 409
- chain, 623
 - equality, 204
 - piecewise C^1 , 641, **682**
- chain rule, 145
- change-of-variables formula, 37, 173, **358**
- character multiplicative, 445
- characteristic function, 173, 277
- characteristic polynomial, **243**, 249
- Chebyshev’s inequality, 389
- circle, 633
 - standard, 638
 - unit, 633
- class, 605
 - equivalence, 614
- class C^k , 143
- class C^∞ , 143
- closed curve, 199
 - simple, 199
- closed disk, 633
- closed geometric rectangle, 162
- Closed Graph Theorem, 598
- closed interval, **3**, 6
- closed map, 531
- closed polydisk, 702
- closed polygon, 207

- closed rectangle, 162
- closed set, 3, 93, **491**
- closed subspace, 103
- closed unit disk, 128
- closed vector subspace, 105
- closure, 94, 491
- cofactors, 618
- cofinal, 517
- collection, 605
- compact metric space, 109
- compact set, 109, **502**
- compact topological space, 502
- compactification, one-point, 505
- complement, 605
- complete metric space, 114
- completely additive set function, 270
 - σ -finite, 273
- completeness of L^p , 321, **453**
- completion of measure space, **298**, 328
- completion of metric space, **129**, 134
- complex conjugation, 613
- complex derivative, **633**, 649, 705
- complex differentiable, 705, 713
- complex Euclidean space, 86
- complex Jacobian matrix, 705, 713
- complex line integral, 637
 - formula, 638
 - of a complex derivative, 639
- complex measure, regular Borel, 563
- component, 532
 - connected, 118
- component rectangles, 163
- components of a function, 140
- composition, 608
- conditional expectation, 487
- conjugate harmonic function, 712
- conjugate Poisson integral, 436
- conjugate Poisson kernel, 436
- conjugation, complex, 613
- connected, 531
 - locally, 132
 - locally pathwise, 132
- connected component, 118, 532
- connected metric space, 116
- connected set, 116
- conservative vector field, 201
- constant coefficients, 243, 246
- constant loop, 692
- content 0, 168
- continuity
 - at a point, 96
 - uniform, 112
- continuous derivative on a closed interval, 611
- continuous from the left, 377
- continuous from the right, 377
- continuous function, 10, 97, **492**
 - uniformly, 11
- continuous linear functional on L^p , 464
- continuous periodic, 68
- continuous singular Stieltjes measure, 406
- continuous vector field, 194
- contraction mapping, 132
- contraction mapping principle, 132
- converge, 512, 515
 - uniformly on compact sets, 710
- convergence
 - norm, 320
 - uniform, 17
 - weak-star, **320**, 393, 443, 485
- convergent sequence, 5, 98
- convolution, 59, 213, **344**, 372, 456
 - of measures, 443
- cosine, 47
- countable, xxv, 107
- countable local base, 499
- countable ordinals, 330
- countably additive set function, 270
- counting measure, 272
- cover, **107**, 152
- Cramer's rule, 618
- critical point, 361
- critical value, 361
- cross ratio, 712
- cumulative arc length, 185, 190
- curve, 181, 234
 - integral, 234
 - parametrically defined, 181
 - piecewise C^1 , 199
 - simple closed, 199
- cut, 2
- cycle, 683
 - boundary, 694
- cycloid, 193
- defined implicitly, 154
- definite, 90
- degree of polynomial, 618
- delta mass, 380

- delta measure, 380
- dense, 107
- dense set, 499
- derivative, 141
 - at endpoint of interval, 611
 - complex (see complex derivative)
 - on a closed interval, 611
 - partial, 140
- determinant, 617
 - Wronskian, 240
- diadic cube, 340
- diagonal process, 24
- diffeomorphism, 162
- difference, 605
- differentiable, 140
 - infinitely, 46
 - periodic, 68
- differential equation
 - existence theorem for ordinary system, **224**, 264
 - first-order ordinary linear, 263
 - ordinary, 218
 - ordinary homogeneous linear, **219**, 236
 - ordinary inhomogeneous linear, 236
 - ordinary linear, **219**, 236
 - system of ordinary, 223
 - uniqueness theorem for ordinary system, 228
- differential, total, 154
- differentiation implicit, 154
- differentiation of integrals, 35, 367, 401, 408
 - strong, 479, 486
- differentiation of monotone functions, 397
- differentiation of series of monotone functions, 400
- dilation, 341, 488
- Dini's test, 70, **374**
- Dini's Theorem, 79, 133, **529**, 541
- direct image, 609
- directed set, 514
- Dirichlet kernel, 69
- Dirichlet–Jordan Theorem, 386
- discrete metric, 88
- discrete topology, 492
- disk, 128, 214, **633**
- distance, 41, 75, **84**
 - to a set, 97
- distribution function, 377, 389
- Divergence Theorem, 211
- divide, 619
- Division Algorithm, 619
- divisor, 619
 - greatest common, 620
- domain, 606
- Dominated Convergence Theorem, 289
- dot product, 85, 617
- doubly infinite sequence, 5
- dual diagonal, 468, 469
- dual group of finite abelian group, 445
- dual index, **450**, 575
- dual of normed linear space, weak-star topology, 493
- dual space, **320**, 574
- Egoroff's Theorem, **329**, 566
- element, 604, 605
- elementary matrix, 175
- elementary set, 269
- entire function, 635
- entity, 604
- equal chains, 682
- equality of chains, 204
- equicontinuous, 22, **122**, 262, 265, 526, 527
 - uniformly, 22, **122**
- equivalence class, 614
- equivalence relation, 614
- essential bound, 316
- essential singularity, 659
- essential supremum, 316
- essentially bounded, 316
- Euclidean algorithm, 620
- Euclidean norm, **85**, 86
- Euclidean space, **85**, 571
 - complex, 86
- Euler's equation, 257
- eventually, 98, 512, 514
- everywhere dense, 107
- existence theorem
 - complex line integral, 636
 - integral curves, 234
 - integral with respect to arc length, 186
 - line integral, 195
 - system of ordinary differential equations 224, 264
- expansion by cofactors, 618
- expectation, conditional, 487
- exponential, 47
 - of a matrix, 149
- extended real number, **6**, 86

- Extension Theorem, **274**, 289, 307, 538, 551
- F_σ , 541
- factor of polynomial, 619
- Factor Theorem, 619
- family, 605
- fast Fourier transform, 429, 445
- Fatou's Lemma, 288
- Fatou's Theorem, 372, **433**
- Fejér kernel, 71
- Fejér's Theorem, 73, **375**, 409
- field of scalars, 315
- filled rectangle, 633
- filled triangle, 633
- filter, 332
- finest topology, 494
- finite abelian group, Fourier analysis on, 445
- finite interval, 3
- finite limit for derivative at endpoint, 611
- finite measure space, 274
- finite-intersection property, 110, **503**
- first axiom of countability, 499
- first category, 120
- first countable, 499
- first-order linear ordinary differential equation, 263
- flip, 176
- Fourier coefficient, 63, **373**
- Fourier inversion formula, 418
- Fourier series
 - almost everywhere convergence
 - of Cesàro sums, 409
 - Bessel's inequality, 67, **373**
 - convergence in L^p , 487
 - convolution, 213
 - Dini's test, 70, **374**
 - Dirichlet–Jordan Theorem, 386
 - divergence for a continuous function, 594
 - failure of some sequence vanishing at infinity to occur, 597
 - Fejér's Theorem, 73, **375**
 - localization, 71
 - Parseval's Theorem, 74, **376**
 - Riemann–Lebesgue Lemma, 67, **373**
 - Riesz–Fischer Theorem, 376
 - uniqueness theorem, 73, 78, **376**
 - with harmonic functions, 262
 - with Lebesgue integral, 373
 - with Riemann integral, 63
- Fourier transform, 412
 - fast, 429, 445
 - for finite abelian group, 445
 - of measure, 444
- Fourier–Stieltjes coefficient, 387
- Fourier–Stieltjes series, 387
- frequently, 514
- Fubini's Theorem, 15, 171, 173, **307**, 309, 653, 703
- Fubini's theorem on differentiation of series of monotone functions, 400
- function, 606
- functional linear, 319
- Fundamental Theorem of Algebra, **113**, 622, 653, 709
- Fundamental Theorem of Calculus, 35, 367, 401, 408
- G_δ , 541
- gamma function, **361**, 391
- gap, 533
- Gauss's Theorem, 211
- geometric rectangle, **162**, 302, 335
 - closed, 162
- Goursat's Lemma, 642
- gradient, 201
- Gram determinant, 599
- Gram matrix, 599
- Gram–Schmidt orthogonalization process, 580, **599**
- graph, 328
- greatest common divisor, 620
- greatest lower bound, 3
- Green's Theorem, 416, 704
 - first form, 205
 - for annulus, 206
 - for closed rectangle, 203
 - for simple closed polygon, 208
- Hahn decomposition, 459
- Hahn–Banach Theorem, 587
- half space
 - Poisson integral formula, 433
 - Poisson kernel, 433
- half-open interval, **3**, 6, 500
- Hardy–Littlewood maximal function, **368**, 441, 486
- Hardy–Littlewood Maximal Theorem, **366**, 371, 478

- harmonic function, **214**, 372, 392, 430, 470, 485
 - conjugate, 712
 - unit disk, 262, 265, 567
- Hausdorff, 106, **496**
- Hausdorff–Young Theorem, **475**, 488
- hedgehog space, 89
- Heine–Borel Theorem, 109, **111**
- helix, 215
- Helly–Bray Theorem, 444, 489, **557**
- Helly’s Selection Principle, 79
- Herglotz’s Theorem, 567
- Hermitian inner product, 86, **90**
- Hermitian symmetric, 90
- Hilbert cube, 89
- Hilbert space, 573
 - dimension, 584
- Hilbert transform, **435**, 481
 - existence almost everywhere, 486
- Hilbert–Schmidt norm, 139
- Holder’s inequality, 450
- holomorphic, 702, **714**
- homeomorphism, 97, **492**
- homogeneous function, 213
- homogeneous linear ordinary differential equation, **219**, 236, 263
- homotopic, 692
- Hurwitz’s Theorem, 710

- Identity Theorem, 657
- image, 606, 617
 - direct, 609
 - inverse, 609
- imaginary part, 613
- implicit differentiation, 154
- Implicit Function Theorem, 156
- index, 663, 683
- indicator function, **173**, 277
- indicial equation, 257, 258
- indiscrete space, 88
- infimum, 3
- infinite Taylor series, 45
- infinitely differentiable, 46
- infinity, 5, 6
 - vanish at, 558
- inhomogeneous linear ordinary differential equation, 236
- initial condition, 221
- inner measure, 291

- inner product, **90**, 573
 - Hermitian, 86
- inner-product space, 90
 - pseudo, 91
- inside
 - of circle, 633
 - of rectangle, 633
 - of triangle, 633
- integrable, 278, 312
 - Lebesgue, 278
 - Riemann, 27, 42, 163
 - uniformly, 329
- integrable vector-valued function, 310, 313
- integral curve, 234
- integral
 - Lebesgue, 278
 - Riemann, 42
 - Stieltjes, 195, **216**
- integral with respect to arc length
 - existence, 186
 - formula, 192
- integration by parts, 37, 68, **382**
- interchange of limits, 13
- interior, 93, **491**
- Interior Mapping Principle, 595
- Intermediate Value Theorem, 12, **117**
- intersection, 605
- interval, 3, 6
- inverse function, 608
- Inverse Function Theorem, **157**, 612, 659, 668
- inverse image, 609
- irregular singular point, 262
- isolated singularity, 658
- isometric, 129
- isometry, 128

- Jacobian matrix, 141
- Jessen–Marcinkiewicz–Zygmund, 486
- Jordan and von Neumann Theorem, 576, **601**
- Jordan block, 247
- Jordan decomposition, 458
- Jordan form, 247
- Jordan normal form, 248

- kernel
 - Dirichlet, 69
 - Fejér, 71
 - of linear function, 617
 - Poisson, 81

- L^p completeness, 321, **453**
- L^p dual, 464
- L^p norm, 449
- L^p translation, 347, **457**
- Lagrange interpolation polynomial, 708
- Lagrange multipliers, **215**, 450
- Laplace equation, **214**, 430, 470
- Laplacian, **214**, 430, 712
- Laurent series, **697**, 710
- least upper bound, 2, 624
- Lebesgue constant, 594
- Lebesgue decomposition, 406, **463**
- Lebesgue integral, 278
- Lebesgue measurable, 275, 298, 301, **343**
- Lebesgue measure, 119, 272, 336, **341**
- Lebesgue set, 409
- Lebesgue's theorem on differentiation of monotone functions, 397
- Legendre polynomial, 256
- Legendre's equation, 255
- Leibniz test, 19
- length, 119
 - definition for arc, 182
 - formula for arc, 189
- lexicographic ordering, 533
- limit, 5, 512, 515, 633
 - Banach, 600
 - of a sequence, 99
 - point, 3, 94, 491
 - uniform, 17
- limits, interchange of, 13
- Lindelöf space, 500
- line integral, 195, 200
 - existence, 195
 - formula, 196
- linear fractional transformation, 711
- linear function, 616
- linear functional, 319, **574**
 - norm, 464
 - positive, 537
- linear map, 616
- linear operator, 319, **573**
 - bounded, 319, **573**
 - continuous, 319
- linear ordinary differential equation, **219**, 236
 - constant coefficients, 243
 - homogeneous, 263
- linear transformation, 616
- Liouville's Theorem, 653
- Lipschitz condition, 224
- local base, 499
 - countable, 499
- localization of Fourier series, 71
- localization of Lebesgue integral, 282
- locally compact, 504
- locally connected, **132**, 532
- locally finite open cover, 532
- locally pathwise connected, **132**, 532
- logarithm, 49
 - branch, 660
- logarithmic spiral, 215
- long line, 533
- loop based at a point, 692
- lower bound, 3
 - greatest, 3
- lower Riemann integral, 27, **163**
- lower Riemann sum, 27, **163**
- lower semicontinuous, 530
- lower-dimensional set, 363
- Lusin's Theorem, 566
- main diagonal, 468, 469
- manifold, smooth, 209
- manifold-with-boundary, smooth, 209
- map, 606
 - linear, 616
- mapping, 606
- Marcinkiewicz Interpolation Theorem, 478
- matrix, 616
 - elementary, 175
 - Jacobian, 141
 - Jordan form, 248
 - Wronskian, 240
- maximal element, 623
- maximal function, 368
 - Hardy–Littlewood, 368
- Maximum Modulus Theorem, 471, 658
- maximum principle, 470
- Mean Value Theorem, 610
- measurable, Borel, 275, **335**
- measurable function, 274
 - Baire, 554
 - Borel, 553
- measurable, Lebesgue, 275, 298, 301, **343**
- measurable set, **274**, 277, 293, 302
- measurable vector-valued function, 311
- measure, 271

- absolutely continuous, 460
- absolutely continuous Stieltjes, 407
- associated Stieltjes, 382
- Baire, 555
- Borel, 337, 354, 356, **539**
- Cantor, **392**, 569
- counting, 272
- delta, 380
- inner, 291
- Lebesgue, 272, 336, **341**
- outer, 291
- product, 306
- purely irregular Borel, 568
- regular Borel, 337, 354, 356, **539**
- regular Borel, complex 563
- regular Borel, signed 561
- signed, 458
- singular, 463
- singular Stieltjes, 406
- Stieltjes, 377
- measure 0, 167, 301
- measure space, 274
 - completion, **298**, 328
 - finite, 274
 - σ -finite, 274
- member, 605
- meromorphic function, 659
- mesh, 27, 163, 186
- metric, 84
 - discrete, 88
 - hedgehog, 89
 - product, 104
 - uniform, 88
- metric space, 84
 - complete, 114
 - completion, **129**, 134
 - connected, 116
- metric subspace, **103**, 105
- metric topology, 491
- metrizable, 525
- Minkowski's inequality, 451
 - for integrals, 323, **454**
- monotone class, 304
- Monotone Class Lemma, 304, 305
- Monotone Convergence Theorem, 15, **286**, 287
- monotone increasing, 377
- monotone sequence, 5
- monotone set function, 543
- Morera's Theorem, **652**, 653
- multi-index, 702
- multiplication formula, 413
- multiplicative character, 445
- multiplicity, 27
 - of a root, 622
- multiplier, 422
- multiplier operator, 422
- negative, xxv
- negative variation, 385
- neighborhood, 491
 - of a point, 93
 - of a subset, 93
- net, 514
 - universal, 517
- Newton's method, 78
- nonnegative set function, 270
- norm, 91, 467, 477, 571
 - convergence, 320
 - essential supremum, 316
 - Euclidean, 85, 86
 - Hilbert–Schmidt, 139
 - L^p , 449
 - of linear functional, 464
 - operator, 137, 319, **477**, 573
 - supremum, 317
 - total-variation, 563
 - uniform, 317
 - weak-type, 477
- normal, 106, **496**
- normal family, 710
- normed linear space, **317**, 571
 - finite-dimensional, 571
 - pseudo, 316
 - weak topology, 493
 - weak-star topology on dual, 493
- nowhere dense, 119
- n^{th} root, branch, 661
- null space, 617
- number
 - extended real, 6
 - real, 2
- one-one, 608
- one-point compactification, 505
- onto, 608
- open ball, 84
- open cover, 107, **500**
 - locally finite, 532

- open disk, 633
- open interval, 3, 6
- open mapping, 520
- open mapping property, 673
- open neighborhood, 93, **491**
- open polydisk, 702
- open rectangle, 163
- open set, 3, 84, **491**
- open subcover, 107, **500**
- open subspace, 103
- open unit disk, 214
- operator
 - bounded linear, 319
 - continuous linear, 319
 - linear, 319, 573
 - multiplier, 422
 - norm, 137, 319, 467, 477, 573
 - self-adjoint, 586
 - sublinear, 476
- order, 218, 223
- order complete, 533
- order of pole, 659
- order of zero, 657
- order topology, 533
- ordered pair, 605
- ordering
 - lexicographic, 533
 - partial, 623
 - simple, 623
 - total, 533, 623
- ordinals, countable, 330
- ordinary differential equation, 218
 - constant coefficients, 243
 - existence theorem, **224**, 264
 - first-order linear, 263
 - homogeneous linear, **219**, 236, 263
 - inhomogeneous linear, 236
 - linear, **219**, 236
 - uniqueness theorem, 228
- ordinary differential equations system, 223
 - with constant coefficients, 246
- orientation-preserving, 182
- orientation-reversing, 182
- orthogonal, **90**, 577
- orthogonal complement, 578
- orthogonal projection, 580
- orthonormal, 579
- orthonormal basis, 582
- orthonormal set, maximal, 582
- oscillation, **121**, 169, 530
- Osgood's Lemma, 703
- outer measure, 291
- outside
 - of circle, 633
 - of rectangle, 633
 - of triangle, 633
- p -adic numbers, 134
- pair
 - ordered, 605
 - unordered, 605
- parabola, 215
- parallelogram law, 576
- parameters, 233
- parametrically defined curve, 181
- Parseval's equality, 582
- Parseval's Theorem, 74, 376
- partial derivative, 140
- partial fractions, 707
- partial ordering, 623
- partition, 26, 163
- partition of unity, 152, 532
- path, **117**, 181, 234, 531
- pathwise connected, 117, 531
 - locally, 132
- periodic, 63
- Picard iteration, 222
- Picard–Lindelöf Existence Theorem, 224
- piecewise C^1 chain, 204, 641, **682**
- piecewise C^1 curve, 199
- Plancherel formula, 419
- point, 605
- point mass, 380
- pointwise bounded, 22, **122**, 527
- Poisson integral, 393
 - conjugate, 436
 - formula for half space, 433
 - formula for unit disk, 392, 430, 485
- Poisson kernel, 81
 - conjugate, 436
 - for half space, 433
 - for unit disk, 430
- Poisson Summation Formula, **427**, 446
- polar coordinates, 175, **360**
- polarization, 577
- pole, 658
 - order of, 659
 - simple, 659

- polydisk, 702
- polygon, 633
- polynomial
 - characteristic, **243**, 249
 - in one indeterminate, 618
 - Legendre, 256
 - prime, 621
- polyradius, 702
- positive, xxv
- positive definite function, 444
- positive linear functional, 537
- positive variation, 385
- potential theory, 391
- power series, 45, 46
- prime polynomial, 621
- primitive mapping, 176
- principal branch, 660, 661
- probability, 173, 277, 377, 487, 535
- product
 - Cartesian, 606, 607
 - dot, 85, 617
 - inner, **90**, 573
 - measure, 306
 - metric, 104
 - topology, **492**, 507
- product of metric spaces, 104
- product of sets, 606
- product of σ -algebras, 302
- projection, orthogonal, 580
- Projection Theorem, 578
- pseudo inner-product space, 91
- pseudo normed linear space, 316
- pseudometric, 84
- pseudometric space, 84
- pseudonorm, 91, 315
- purely finitely additive, 485
- purely irregular Borel measure, 568
- Pythagorean Theorem, 576

- quotient map, **494**, 520
- quotient space of a Banach space, 599
- quotient topology, **492**, 494, 520

- radius of convergence, 45, 79
- Radon–Nikodym Theorem, **460**, 465, 487, 556, 564
- range, 606
- rank, 617
- real number, 2
- real part, 613
- rearrangement, 12
- rectangle, 162, 302, 303, 335, 633
 - abstract, **302**, 335
 - closed, 162
 - closed geometric, 162
 - filled, 633
 - geometric, **302**, 335
 - open, 163
- rectifiable, **183**, 325
- reduction of order, 263
- refinement, 163
 - of partition, 28
- reflexive, 614, 623
- reflexive Banach space, 591
- region, 200, 635
- region under a graph, 328
- regular, 106, 272, 496
- regular Borel complex measure, 563
- regular Borel measure, 337, 354, 356, **539**
- regular Borel signed measure, 561
- regular singular point, 256
- relation, 606
 - equivalence, 614
 - function, 606
 - set, 522
- relative topology, 495
- relatively dense, 132
- removable singularity, 654
- Removable Singularity Theorem, 654
- reparametrization, 182
- Residue Theorem, **689**, 696, 700, 709
- restriction, 608
- reverse simple arc, 184
- Riemann integrable, 27, 42, **163**
- Riemann integral, 27, 42, **163**
- Riemann Mapping Theorem, 694
- Riemann sphere, 705
- Riemann sum, 27, 39, 43, 163, 165
- Riemann zeta function, **428**, 446
- Riemann–Lebesgue Lemma, 67, **373**, 418
- Riesz, Frigyes and Marcel, 467
- Riesz Representation Theorem, 464, 539, 578
- Riesz–Fischer Theorem, **376**, 421
- Riesz–Thorin Convexity Theorem, 467, **468**
- Riesz’s Lemma, 396
- ring of sets, 269
- Rising Sun Lemma, 396
- root, 618

- Rouché's Theorem, 671, **709**
- Russell paradox, 603
- saltus function, 404
- Sard's Theorem, 362
- sawtooth function, 66
- scalar, 88, 315
- scalar-valued nonnegative function, 310
- Schroeder–Bernstein Theorem, 628
- Schwartz function, 423
- Schwartz space, 423
- Schwarz inequality, 76, 85, 91, 576, 614
- Schwarz's Lemma, 708
- second axiom of countability, 499
- second countable, 499
- section, 303
- self-adjoint, 586
- semicubical parabola, 215
- semidefinite, 91
- seminorm, 315
- separable, 108, **495**
- separate points, 125, 511
- separation of variables, 262
- separation properties, 106
- sequence, 4, 98
 - Cauchy, 9, **113**
 - convergent, 5
 - doubly infinite, 5
 - monotone, 5
 - space, 88
- series
 - binomial, **53**, 56, 665
 - Fourier (see Fourier series)
 - Fourier–Stieltjes, 387
 - power, **45**, 46
 - Taylor, 46
 - trigonometric, 62
- set, 604
- set function, 270
 - additive, 270
 - bounded additive, 458
 - completely additive, 270
 - countably additive, 270
 - monotone, 543
 - nonnegative, 270
 - purely finitely additive, 485
 - σ -finite completely additive, 273
- set theory, 603
 - Zermelo–Fraenkel, 604
- shoelace formula, 217
- side, 302
- σ -algebra of sets, 269
- σ -bounded set, 539
- σ -compact, 506
- σ -finite completely additive set function, 273
- σ -finite measure space, 274
- σ -ring of sets, 269
- signed measure, 458
 - regular Borel, 561
- Silverman–Toeplitz summability method, 80
- simple arc, 182
 - reverse, 184
- simple closed curve, 199
- simple closed polygon, 207
 - polygon inside, 207
 - polygon outside, 207
- simple function, 277
 - canonical expansion, 277
- simple ordering, 623
- simple pole, 659
- simply connected, **682**, 683, 692, 693, 713
- sine, 47
- singleton, 605
- singular measure, 463
- singular part **659**, 700
- singular point
 - irregular, 262
 - regular, 256
- singular Stieltjes measure, 406
- singularity
 - essential, 659
 - isolated, 658
 - pole, 658
- smallest closed vector subspace, 317
- smooth function, 143
- smooth manifold, 209
- smooth manifold-with-boundary, 209
- smooth vector field, 234
- solution, 218, 223
- solution, 223
- sphere, 127
 - area, 364
- spherical coordinates, 363
- standard basis, 616
- standard Cantor set, 119
- standard circle, 638
- star-shaped, 202
- stereographic projection, 705, 706

- Stieltjes integral, 195, **216**
- Stieltjes measure, 377
 - absolutely continuous, 407
 - associated, 382
 - singular, 406
- Stokes's Theorem, 211
- Stone–Weierstrass Theorem, 126, 133, **529**
- strong differentiation, 479, 486
- strong type, 467, 477
- subalgebra, 125
- subcover, 500
- subdivision point, 26
- sublinear operator, 476
- subnet, 517
- subordinate to a cover, 152
- subsequence, 5
- subspace, 103, 105
 - closed, 103
 - metric, 103, 105
 - open, 103
 - smallest closed vector, 317
 - topological, 495
 - vector, 105
- summability, 54
 - Abel, 54
 - Cesàro, 54
 - Silverman–Toeplitz, 80
- support, 173, 338, **537**
- supremum, 2
 - essential, 316
 - norm, 317
- surface area, 210
- symmetric, 90, 614
- symmetric difference, 268
- system of ordinary differential equations, 223
 - constant coefficients, 246
 - existence theorem, **224**, 264
 - uniqueness theorem, 228
- T**₁, 106, **496**
- tamely behaved, 189
- Tauberian theorem, 56
- Taylor series, 46
 - infinite, 45
- Taylor's Theorem, 44, 147, 654, 656, 671
- tends, 5
- Three Lines Theorem, 469, **471**
- Tietze Extension theorem, 532
- topological space, 491
- topological subspace, 495
- topology, 491
 - discrete, 492
 - finest, 494
 - half-open interval, 500
 - metric, 491
 - order, 533
 - product, **492**, 507
 - quotient, **492**, 494, 520
 - relative, 495
 - upper, 530
 - weak, 492
- total differential, 154
- total order, 702
- total ordering, 533, 623
- total variation, 393, 563
- total-variation norm, 563
- totally bounded, 114
- trace of matrix, 150
- transfinite induction, 330
- transitive, 614, 623
- translation, 341
- translation in L^p , 347, 457
- triangle, 633
 - filled, 633
 - inequality, 41, 76, 84, 91, 315, 613
- trigonometric series, 62
- trivial ultrafilter, 332
- Tychonoff Product Theorem, **509**, 519
- Tychonoff's Lemma, 501
- type, 467, 477
 - strong, 467, 477
 - weak, 477
- ultrafilter, 332
 - trivial, 332
- ultrametric inequality, 134
- unbounded interval, 3
- Uniform Boundedness Theorem, 593
- uniform Cauchy criterion, 18
- uniform continuity, 112
- uniform convergence, 17, 100
 - on compact sets, 710
- uniform limit, 17
- uniform metric, 88
- uniform norm, 317
- uniformly bounded, 22, 100, **122**, 527
- uniformly Cauchy, 18

- uniformly continuous function, 11
- uniformly equicontinuous, 22, **122**
- uniformly integrable, 329
- union, 605
- unique factorization, 621
- uniqueness theorem
 - Fourier series, 73, 78, **376**
 - integral curves, 234
 - system of ordinary differential equations, 228
- unit circle, 633
- unit disk, 128, 214
 - harmonic function, 262, 265, 567
 - Poisson integral formula, 392, 430, 485
 - Poisson kernel, 430
- unit sphere, 127
- universal net, 517
- unordered pair, 605
- upper bound, 2, 623
 - least, 2
- upper Riemann integral, 27, **163**
- upper Riemann sum, 27, **163**
- upper semicontinuous, 530
- upper topology, 530
- Urysohn Metrization Theorem, 525
- Urysohn's Lemma, 523

- vanish at infinity, 558
- variation
 - bounded, **384**, 393
 - negative, 385
 - of parameters, 242
 - positive, 385
 - total, 393, 563
- vector field, 194, 234
 - conservative, 201
 - continuous, 194
 - smooth, 234
- vector subspace, 105
 - smallest closed, 317
- vector-valued function
 - integrable, 310, 313
 - measurable, 311
- weak L^1 , 368
- weak topology, 492
 - determined by functions, **492**, 511
 - on normed linear space, 493
- weak type, 369, 477
- weak-star convergence, **320**, 393, 443, 485
- weak-star topology of dual of normed
 - linear space, 493
- weak-type norm, 477
- Weierstrass, 659
- Weierstrass Approximation Theorem, 60
- Weierstrass M test, 20
- well ordered, 623, 627
- Wiener's Covering Lemma, 369
- winding number, **663**, 683
- work, 194
- Wronskian determinant, 240
- Wronskian matrix, 240

- Young's inequality, 476

- Zermelo–Fraenkel set theory, 604
- Zermelo's well-ordering theorem, 627
- zeta function, **428**, 446
- Zorn's Lemma, 623

