

# Subject Index

## A

- Aberth, 5, 194
- ad hoc computability [*see* computability, counterexamples]
- adjoint (definition), 125–126
- Ahlfors, 61
- analytic continuation, 60–64
- analytic functions, 50–51, 59–64 [*see also* computability]
- axioms (for computability)
  - Banach space, 1, 3, 5, 11, 77–82 [*Note*. The axioms are used in the proof of virtually every theorem from Chapter 2 onwards. This is understood. We do not list all the pages, since such a list would grow so long that it would cease to be informative.]
  - Banach space (statement), 81
  - computability structure, 1, 3, 5, 77–82, 85–87 [*Note*. Again, this notion permeates the book. Only the most important references are listed.]
  - computability structure (definition), 80
  - Hilbert space [same as for a Banach space]

## B

- Banach/Mazur [*see* computability]
- Banach space [*see* axioms, computability, First Main Theorem]
- Banach space (definition), 8
- Bishop, 4, 192, 194
- Blum, 192
- bounded operators, 1–2, 93–94, 96, 123, 128, 150–184 [*see also* First Main Theorem]

- bounded operators (definition), 96
- Bridges, 194
- Brouwer, 4, 192

## C

- C, 8 [*see also* computability, Chapter 0]
- $C^n$ , 8 [*see also* computability]
- $C^\infty$ , 8 [*see also* computability]
- $C_0$ , 8 [*see also* computability]
- Caldwell, 12, 26, 62 [*see also* computability]
- Cauchy integral formula, 12, 60
- characteristic function (definition), 8
- Closed Graph Theorem (classical, non-effective), 97, 108
- closed operators, 93–94, 96–100 [*see also* First Main Theorem]
- closed operators (definition), 96–97
- Closure Criterion (First/Second), 98–100, 105, 108, 110, 116
- CompNorm (in proof of the Second Main Theorem), 165–166
- compact operators, 123, 129, 133, 136
- comparisons (between real numbers/rationals), 14–15, 23
- Composition Property, 81
- computability [For the underlying notion of computability on a Banach space, see “axioms, Banach space.” The derived notions, for standard Banach spaces and related topics, are listed below. Theorems are listed elsewhere.]
  - ad hoc, 5, 80, 90–92, 124, 134–142, 146–147
  - analytic functions, 59–60
  - Banach/Mazur, 28, 64–65
  - Banach space [*see* axioms]

- $C^n$ , 50–59, 104–105, 117
  - $C^\infty$ , 50, 54–57, 60
  - $C_0$ , 84, 91, 107–108, 111, 118–119
  - Caldwell/Pour-El, 12, 24–28 [*see also* Definition B and Chapter 0 computability]
  - Chapter 0 (an alternative designation for computability in the sense of Definitions A and B), 50, 79, 82–83, 94–95, 104–106, 115–116, 118–120, 149, 161–162
  - complex numbers 14, 27
  - continuous functions [*same as* Chapter 0 computability]
  - Definition A, 12, 25–28, 28 (again in Section 4), 33, 36–37, 40, 44
  - Definition B, 12, 25–28, 33, 36–37, 39, 44
  - Definitions A and B (equivalence of), 36–37, 44–49
  - double sequence, 18, 80
  - energy norm, 95–96, 116–118
  - Grzegorzczuk/Lacombe, 4–5, 12, 24–28 [*see also* Definition A and Chapter 0 computability]
  - Hilbert space [*see axioms*]
  - inner products, 136–138
  - intrinsic, 79, 82–85, 90–91
  - $L^p$ , 5, 83–85, 94–95, 107–114
  - $\ell^p$ , 85, 94, 107–111
  - $L^\infty$ , 89–90
  - $\ell^\infty$ , 85, 107–108, 110
  - open sets, 193
  - operators [*see effectively determined operators*]
  - real numbers, 11, 13–17, 20
  - rectangles, 25, 27
  - sequences of rational numbers, 12, 14, 24
  - sequences of real numbers, 11–12, 17–24
  - sequences on a Banach space [*see axioms*]
  - sequential (for continuous functions), 25, 28–29, 32, 34–35, 40, 51, 55, 64, 67–68, 71–72
  - Sobolev spaces, 5, 95–96
  - structure [*see axioms*]
  - $(0, \infty)$ , 27–28
  - continuous functions [*see computability*]
  - convolution, 69–70
  - counterexamples (involving)
    - ad hoc computability, 90–92, 134–139, 146
    - analytic continuation for noncompact domains/sequences of functions, 62–63
    - converse parts (iii) and (iv) of the Second Main Theorem, 188–191
    - creation and destruction of eigenvalues, 130–132
    - derivatives, 51, 55, 58–59, 104–105
    - derivatives of a sequence of functions, 59
    - eigenvectors [*see Eigenvector Theorem*]
    - entire functions, 62
    - Fourier series, 105, 110
    - Intermediate Value Theorem for sequences of functions, 42
    - isometry of nonequivalent computability structures, 146
    - $L^\infty$ , 89–90
    - non closed operators, 105
    - non normal operators, 132–133
    - noncompact domains, 58, 62
    - noncomputable real numbers, 12, 20, 129–130, 132–133, 135
    - noneffective convergence, 11–12, 16, 19–20, 22–23, 105
    - norm of an effectively determined operator, 129
    - separable but not effectively separable Banach spaces, 88
    - sequences of eigenvalues, 129, 189–191
    - sequences of  $n$ -th derivatives, 55
    - sequences of real numbers, 19–20, 22–24
    - sequences of step functions, 112
    - sequentially computable continuous functions, 67
    - unbounded operators [*see First Main Theorem*]
    - wave equation, 68–69, 72–73, 115–116, 120
  - Cook, 192
  - Cutland, 7
- D**
- $\mathcal{D}(T)$  [*see domain*]
  - Davis, 7
  - degrees of unsolvability, 192
  - density (effective), 82, 85–87
  - density (not necessarily effective), 82, 85, 88
  - differentiation, 11, 40, 50–59, 60–62, 104–105

Dirichlet norm [*see* computability, energy norm]  
distributions, 99–100, 108, 116  
domain of an operator, 96–104, 125–126  
Dunford/Schwartz, 110

**E**

effective  
— convergence, 11–24, 34, 37, 44–49, 56, 72, 81, 86–87, 105–106, 162  
— convergence (definitions), 14, 18, 34, 81  
— generating set, 78–79, 82–87, 93–94, 101, 104, 127 [*Note*. This notion permeates the book. Only the most important references are listed.]  
— generating set (definition), 82  
— uniform continuity, 25–27, 29, 32, 34–35, 40, 50, 53–55, 64, 67–68, 71–72  
— uniform continuity (definition), 25–27  
effectively  
— determined operator, 2, 123–124, 127–129, 132–134, 138–139, 150, 158–160, 184–185, 187–188  
— determined operator (definition), 127  
— separable, 78–79, 82, 88–89, 128, 138, 141–142  
— separable (definition), 82  
eigenvalue, 2, 123–124, 126–127 [*see also* Second Main Theorem]  
eigenvalue (definition), 127  
eigenvector, 2, 123–124, 126–127 [*see also* Eigenvector Theorem]  
eigenvector (definition), 127  
Eigenvector Theorem, 1–4, 77, 80, 123–124, 133–142  
Eigenvector Theorem (statement), 133–134  
elementary functions, 21  
energy norm [*see* computability]  
exponential time, 192  
extremal points, 148

**F**

Feferman, 192  
Feigenbaum's constant, 194  
First Main Theorem 1–4, 69, 77, 93–96, 101–120  
First Main Theorem (statement), 101  
Fourier series, 83, 94–95, 105–106, 108–111  
Fourier transforms, 3, 95, 108–111  
Friedman, 192

**G**

Gödel, 78  
Grzegorzczuk, 4, 5, 12, 25, 28, 104, 192–193 [*see also* computability]  
Grzegorzczuk hierarchy, 192

**H**

Hahn Banach Theorem (in Addendum on problems), 194  
Halmos, 129, 151–153, 157  
heat equation, 3, 70, 118–119  
Hellwig, 116  
Herbrand, 78  
higher order recursion theory, 192  
Hilbert space [*see* Second Main Theorem, Eigenvector Theorem]  
Hilbert space (definition), 8  
Hilbert transform, 109

**I**

$I^a$  [*see* computable rectangle]  
 $I_M^a$  [*see* computable rectangle]  
InEq (in proof of the Second Main Theorem), 178  
injection operator, 107–108  
Insertion Property, 81  
integration, 12, 33, 35, 37–40  
intrinsic computability [*see* computability]  
isometries, 125, 145–148 [*see also* counterexamples]

**K**

Karp, 192  
KdV equation, 194  
Kirchhoff's formula, 12, 33, 73, 115–116  
Kleene, 7, 25  
Ko, 192  
Kreisel, 2, 5, 13, 41, 193

**L**

$L^p$ , 8 [*see also* computability]  
 $\ell^p$ , 8 [*see also* computability]  
 $L^\infty$  [*see* computability, counterexamples]  
 $\ell_0^\infty$  [*see* computability]  
Lachlan, 5  
Lacombe, 4, 5, 12–13, 25, 28, 41, 104, 193 [*see also* computability]  
Laplace's equation, 3, 70, 119  
Limit Axiom [*see* axioms]  
Linear Forms Axiom [*see* axioms]

linear independence [*see* Effective Independence Lemma]  
 linear span (definition), 78  
 Loomis, 151–153

**M**

[ $-M, M$ ] (in proof of the Second Main Theorem), 160  
 Markov, 78, 192  
 Mazur, 5, 17 [*see also* computability, Banach/Mazur]  
 Metakides, 5, 194  
 modulus of convergence, 16  
 monotone convergence, 20  
 Moschovakis, 5  
 Mostowski, 5, 24  
 Mycielski, 28  
 Myhill, 5, 50–53, 105

**N**

Nagy [*see* Riesz/Nagy]  
 Navier–Stokes equation, 194  
 Nerode, 5, 194  
 non normal operators, 194 [*see also* counterexamples]  
 nonlinear analysis, 194  
 Norm Axiom [*see* axioms]  
 normal operators, 123, 126, 132–133, 157, 184–187 [*see also* Second Main Theorem]  
 normal operators (definition), 126  
 Not an eigenvalue! (in proof of the Second Main Theorem), 168–169, 176–177

**O**

operational calculus (for the Spectral Theorem), 152–153, 161–162  
 operators [*see* bounded, unbounded, closed, self-adjoint, normal, compact; *see also* effectively determined operator]  
 orthonormal basis, 136–137, 140–141  
 overlapping intervals, 149, 162, 166–167, 174

**P**

$P = NP$  problem, 192  
 pairing function (definition), 7  
 partial derivatives, 58, 72  
 Petrovskii, 115  
 piecewise linear functions, 83, 112

polynomial space, 192  
 polynomial time, 192  
 Post, 78  
 potential equation [*see* Laplace's equation]  
 Pour-El, 50, 64–65, 68, 105–106, 111, 118–120, 194 [*see also* Caldwell]  
 primitive recursive functions, 192  
 problems, 192–194

**Q**

quantum mechanics, 2, 124, 126–127

**R**

real analytic functions, 64  
 real numbers [*see* computability]  
 recursive function (description in terms of Turning machines), 6  
 recursive set (definition), 7  
 recursive topology, 193  
 recursively enumerable nonrecursive set, 6–7, 15, 22, 52, 56, 58, 62–63, 90, 102, 104, 113, 129–130, 135, 146, 189  
 recursively enumerable nonrecursive set (definition), 7  
 recursively enumerable set (definition), 6–7  
 recursively inseparable pair of sets, 7, 42, 65  
 recursively inseparable pair of sets (definition), 7  
 Rice, 5, 11–12, 16–17  
 Richards, [*see* Pour-El]  
 Riemann Mapping Theorem (in Addendum on problems), 193  
 Riemann surfaces, 193  
 Riesz Convexity Theorem (classical), 110  
 Riesz/Nagy, 125–129, 151–153, 157, 190  
 Robinson, 5, 17  
 Rogers, 5, 7

**S**

$\mathcal{S}$  [*see* axioms, computability structure]  
 Šanin, 192  
 Schwartz [*see* Dunford/Schwartz]  
 Second Main Theorem, 1–4, 77, 123–124, 128–130, 149–191  
 Second Main Theorem (statement), 128  
 see saw construction, 44  
 self-adjoint operators, 2, 123, 125–126, 128–132 [*see also* Second Main Theorem, Eigenvector Theorem]  
 self-adjoint operators (definition), 126  
 sequences [*see* axioms, computability, counterexamples]

Shepherdson, 5  
 Shohat/Tamarkin, 87  
 Shore, 5, 194  
 Shub [see Blum]  
 Simpson, 5  
 Smale [see Blum]  
 Soare, 7  
 Sobolev spaces [see computability]  
 spectral measure, 149, 151–152, 166, 170–172  
 Specker, 5, 11–13, 16, 41  
 Spectral Theorem (classical, noneffective), 149, 151–157, 170  
 spectrum, 123–124, 126–127 [see also Second Main Theorem]  
 spectrum (definition), 126  
 SpThm (in proof of the Second Main Theorem), 153–157, 172  
 standard functions, 27  
 step functions, 5, 79, 84–85, 112–114  
 subrecursive hierarchies, 192

## T

Tamarkin [see Shohat/Tamarkin]  
 Taylor series, 60–61  
 Theorems [The redundant terms “computability/noncomputability” have largely been omitted in the indexed list which follows.]  
 — Analytic Continuation Theorem, 60  
 — Closure Under Effective Uniform Convergence, 34  
 — Compact Operators, 129  
 — Composition of Functions, 28–31  
 — Creation and Destruction of Eigenvalues, 130  
 — Differentiation Theorem for  $C^1$ , 51, 104  
 — Differentiation Theorem for  $C^2$ , 53  
 — Differentiation Theorem for the Sequence of  $n$ -th Derivatives, 55  
 — Effective Density Lemma, 86  
 — Effective Independence Lemma, 142  
 — Effective Modulus Lemma, 65  
 — Eigenvector Theorem, 133–134  
 — Entire Function Theorem, 62  
 — Expansion of Functions, 33  
 — Fejer’s Theorem, 106  
 — First Main Theorem, 101  
 — Fourier Series (effective convergence of), 105  
 — Fourier Series and Transforms ( $L^p$ -computability of), 110  
 — Heat Equation, 119

— Integration Theorems, 35, 37–39, 104  
 — Intermediate Value Theorem, 41  
 —  $L^p$ -Computability for Varying  $p$ , 107  
 — Laplace’s Equation, 119  
 — Max-Min Theorem, 40  
 — Mean Value Theorem, 44  
 — Non-Normal Operators (non-computable eigenvalues), 132  
 — Operator Norm, 129  
 — Patching Theorem, 32  
 — Plancherel Theorem, 111  
 — Potential Equation [see Laplace’s Equation]  
 — Real Closed Field, 44  
 — Riemann-Lebesgue Lemma, 111  
 — Second Main Theorem, 128  
 — Second Main Theorem (converse parts), 189–190  
 — Second Main Theorem (for normal operators), 184  
 — Second Main Theorem (for unbounded operators), 188  
 — Sequence of Eigenvalues (non-computability of), 129  
 — Sequentially Computable but Not Computable Continuous Functions, 67  
 — Stability Lemma, 87  
 — Step Functions, 114  
 — Stieltjes, Hamburger, Carleman Theorem, 87  
 — Third Main Theorem [see Eigenvector Theorem]  
 — Translation Invariant Operators, 71  
 — Waiting Lemma, 15  
 — Wave Equation Theorem (energy norm), 118  
 — Wave Equation Theorem (uniform norm), 116  
 — Wave Equation Theorem (weak solutions), 73  
 — Weierstrass Approximation Theorem, 45, 86  
 — Wiener Tauberian Theorem, 87  
 translation, 69–70  
 translation invariant operators, 51, 69–73  
 triangle functions (in proof of the Second Main Theorem), 149, 162–165, 167  
 Turing, 78  
 Turing machine, 6

## U

unbounded operators, 1–2, 93–94, 123, 157, 187–188 [see also First Main Theorem]

uniform convergence, 12, 18–19, 33–34, 37,  
44–49, 56, 72, 86, 105–106, 162

Uniformity in the Exponent Lemma, 158–  
160

**W**

wave equation, 3, 51, 65, 68–70, 72–73,  
115–118, 120 [*see also* counter-  
examples, Theorems]

weak solutions, 73

weak topologies, 99–100, 108, 116

well understood functions, 112–114

**X**

$\{x_n\}$  (in proof of the Second Main  
Theorem), 160

**Z**

Zygmund, 110