

## SELECTED RECOLLECTIONS OF MY RELATIONSHIP WITH LEO BREIMAN

BY CHARLES J. STONE

*University of California, Berkeley*

During the period 1962–1964, I had a tenure track Assistant Professorship in Mathematics at Cornell University in Ithaca, New York, where I did research in probability theory, especially on linear diffusion processes. Being somewhat lonely there and not liking the cold winter weather, I decided around the beginning of 1964 to try to get a job in the Mathematics Department at UCLA, in the city in which I was born and raised. At that time, Leo Breiman was an Associate Professor in that department. Presumably, he liked my research on linear diffusion processes and other research as well, since the department offered me a tenure track Assistant Professorship, which I happily accepted. During the Summer of 1965, I worked on various projects with Sidney Port, then at RAND Corporation, especially on random walks and related material. I was promoted to Associate Professor, effective in Fall, 1966, presumably thanks in part to Leo. Early in 1966, I was surprised to be asked by Leo to participate in a department meeting called to discuss the possible hiring of Sidney. The conclusion was that Sidney was hired as Associate Professor in the department, as of Fall, 1966. Leo communicated to me his view that he thought that Sidney and I worked well together, which is why he had urged the department to hire Sidney. Anyhow, Sidney and I had a very fruitful and enjoyable collaboration in probability and, to a much lesser extent, in theoretical statistics, for a number of years thereafter.

In 1967, Leo decided to leave academia in order to become a full-time consultant. The purported reason, as I heard it, was that he wanted to devote his attention to studying how children tackle math problems. I then had virtually no contact with him for a number of years. I did hear that he ran for and got elected to the Santa Monica Board of Education. He was then elected President of the Board. This constrained his available time for consulting at Technology Service Corporation, where he was now their full time consultant. So I got a call from TSC asking if I would like to consult for them, which I did.

At TSC, Breiman had been working with its employees (mainly John Gins, a programmer and statistician) and with Jerry Friedman on tree-structured classification and regression. I joined that effort. Previous efforts, such as AID, had used the hypothesis testing framework to determine when to stop growing a tree. I wasn't exactly enamored with this approach. Breiman and I developed an alternative approach based on tree growing, followed by tree pruning, by analogy with

stepwise addition followed by stepwise deletion in multiple regression. Breiman and I wrote up our ideas, including the optimal pruning algorithm, in a technical report that was never submitted for publication. However, these ideas played a fundamental role in the monograph *Classification Trees (CART)* by Breiman, Friedman, Olshen and Stone, which was published in 1984. (CART is now a trademark of California Statistical Software, Inc. and corresponding software is currently available from Salford Systems.) The optimal pruning algorithm is also known as the BFOS algorithm.

In the preface to the CART book it is stated that its conception occurred in 1980 and that “While the pregnancy has been rather prolonged, we hope that the baby appears acceptably healthy to the members of our statistical community.” Here are some further details about the writing of the book. Friedman was largely responsible for the computer/software effort. As far as the writing was concerned, it was agreed that Leo would write a first draft of the book and then Olshen and I would have a take at it. However, when our revision didn’t emerge after some months, Leo sulked and stated that he wouldn’t interact with us about our rewriting. Whenever we finished it, he would take a look and decide what to do at that time. When he did see it, he didn’t like it at all. We were at a standstill for a considerable amount of time. Finally, it was decided to create the book more or less by using his version followed by our version. Thus Chapters 1–5, 7 and 8 of Breiman et al. (1984) were basically his version, while Chapters 6 and 9–12 were basically the OS version.

In mid-1989 Padraic Neville, a CART programmer and statistician, and I took on a consulting project with a relatively small oil company, the purpose of which was to use a possibly modified version of CART to develop a system for generating signals for trading oil and currency futures based on a variety of time series data supplied by the customer. Early on in the project, we realized how sensitive our signals were to slight perturbations in the data, such as small changes to the length of the time series, the individual variables, or the details of cross-validation. In short, the signals were highly discontinuous or unstable functions of the data. This reminded me of a couple of a very brief conversation that I had previously had with Charles Stein. I asked him his opinion of stepwise or all subsets regression. His answer was that he didn’t like such procedures since any admissible procedure should be an analytic function of the data. He also said that he would be working on better alternatives in the not-too-distant future. (Later I checked back with him and he hadn’t gotten around to that yet.) Anyhow, if a procedure should be an analytic function of the data, then, at least, it should be a continuous function of the data and, certainly, not a highly discontinuous or unstable function. In order to reduce the instability of CART in the intended application, we tried making various perturbations of the data and methodology—especially, changing the length of the time series or changing the cross-validation procedure, generating the resulting regression or probability trees, and averaging the results. Part of my heuristic reasoning was that differences in predictors produced by regression trees based on slight perturbations in the data or methodology should mainly be due to noise in

the predictors rather than differing amounts of bias, so averaging the resulting predictors should help. This approach indeed seemed to improve the stability of the resulting signals, but in early 1991 the customer canceled the project, claiming that its results were inferior to other approaches it was using. Among the contributing factors to our lack of success at the time might have been Iraq's invasion of Kuwait in mid-1990, which had a very disruptive effect on the time-series data we were using at the time. After the project ended, Neville and I discontinued our work on combining CART trees, one main reason being that he had no interest in (unpaid) academic research. However, in the Summer of 1991 I had some research funds to support a Ph.D. student, but no student who needed such support, while Leo had a Ph.D. student, Samarajit Bose, who had no financial support that summer. So I hired Bose on my grant to use simulated data to study the effectiveness of averaging predictors in the contexts of regression trees and stepwise regression. It was apparent that the averaging procedure produced significant benefits in both contexts, but more so in the former context, presumably because CART is significantly more unstable than stepwise regression. Somewhat later, I had a brief conversation with Leo, in which I told him essentially this story. I do not know what influence this conversation may have had on Leo's later research, especially that on bagging predictors, the heuristics of instability in model selection, and arcing classifiers.

While Leo and I were acting as TSC consultants in the late 1970s, we, together with John Gins, got involved with extreme upper quantiles in the context of air pollution data. Suppose, in particular, that one has a series of data maxima of air pollution data, except that a small proportion of the daily maxima are missing, and the goal is to estimate the second highest daily maximum during the previous year (which figured into federal regulations at the time). This goal is closely related to that of estimating the extreme upper quantiles of the daily maxima. Anyhow, the three of us wrote several technical reports on estimates and confidence intervals for extreme upper quantiles. After Leo and I moved to Berkeley, we decided to submit a paper on confidence intervals for extreme upper quantiles. I was the one who mainly was involved with writing and submitting the paper, but it was based on the research that Leo was heavily involved with at TSC. Our paper was tentatively accepted by *JASA*. However, by the time I got around to revising it as recommended, there was a change in the editorial staff at *JASA* and the revised version was rejected. I then submitted a revised revised version to *Technometrics*, but it too was rejected. My diagnosis of the problem is that our paper was being reviewed by specialists in extreme value theory who were guarding their turf. Anyhow, time passed and I got involved in other activities, including logspline density estimation. I had a Ph.D. student, Charles Kooperberg, who I was supporting as an RA on my NSF grant. He and I together worked on the problem of trying to use logspline density estimation to yield competitive confidence intervals for extreme upper quantiles, with the goal of incorporating the resulting procedure into my paper with Leo. Ultimately, however, the confidence interval procedure based

on logspline density estimation did not perform as well as another of our procedures, the quadratic tail procedure (which was actually developed by Leo in one of our TSC technical reports). Thus I wrote up, with programming support by Kooperberg, another version of my paper with Leo and submitted it to the *Journal of Statistical Computation and Simulation*. Fortunately, it was accepted without much difficulty and published as Breiman, Stone and Kooperberg (1990). Kooperberg went on to get his Ph.D. in 1991 with David Donoho as his main advisor but with one of the chapters in his dissertation on log-spline density estimation. Kooperberg and I collaborated on many papers after that. Unfortunately, however, for one reason or another, Leo and I never collaborated on any research projects after the publication of our paper on extreme upper quantiles. Also, Leo was very much turned off by the editorial policy of *JASA*.

#### REFERENCES

- BREIMAN, L., FRIEDMAN, J. H., OLSHEN, R. A. and STONE, C. J. (1984). *Classification and Regression Trees*. Wadsworth, Belmont, CA. [MR0726392](#)
- BREIMAN, L., STONE, C. J. and KOOPERBERG, C. (1990). Robust confidence bounds for extreme upper quantiles. *J. Stat. Comput. Simul.* **37** 127–149. [MR1082452](#)

DEPARTMENT OF STATISTICS  
UNIVERSITY OF CALIFORNIA, BERKELEY  
BERKELEY, CALIFORNIA 94720  
USA  
E-MAIL: [stone@stat.berkeley.edu](mailto:stone@stat.berkeley.edu)