

THE ANNALS *of* STATISTICS

AN OFFICIAL JOURNAL OF THE
INSTITUTE OF MATHEMATICAL STATISTICS

Articles appearing in *The Annals of Statistics* (volumes 1–17) are indexed in the *Cumulative Index to IMS Scientific Journals*, available from the Institute of Mathematical Statistics.

VOLUME 21

1993

CONTENTS OF VOLUME 21

Articles

ABADIR, KARIM M. The limiting distribution of the autocorrelation coefficient under a unit root	1058–1070
ANDERSON, T. W. Goodness of fit tests for spectral distributions	830–847
ANDERSSON, STEEN ARNE AND PERLMAN, MICHAEL D. Lattice models for conditional independence in a multivariate normal distribution	1318–1358
ARAS, GIRISH AND WOODROOFE, MICHAEL. Asymptotic expansions for the moments of a randomly stopped average.	503–519
ASSAF, DAVID, POLLAK, MOSHE, RITOV, YA'ACOV AND YAKIR, BENJAMIN. Detecting a change of a normal mean by dynamic sampling with a probability bound on a false alarm	1155–1165
BARNDORFF-NIELSEN, O. E. AND BLÆSILD, P. Orthogeodesic models.	1018–1039
BARRY, DANIEL. Testing for additivity of a regression function	235–254
BERAN, J., HAMPEL, F. AND KÜNSCH, H. Contrasts under long-range correlations	943–964
BERAN, RUDOLF. Probability-centered prediction regions	1967–1981
BJERNE, STEINAR AND DOKSUM, KJELL. Correlation curves: Measures of association as functions of covariate values	890–902
BLÆSILD, P. AND BARNDORFF-NIELSEN, O. E. Orthogeodesic models.	1018–1039
BOLTHAUSEN, ERWIN AND GÖTZE, FRIEDRICH. The rate of convergence for multivariate sampling statistics	1692–1710
BOOTH, JAMES G. AND HALL, PETER. An improvement of the jackknife distribution function estimator	1476–1485
BOOTH, JAMES G. AND HALL, PETER. Bootstrap confidence regions for functional relationships in errors-in-variables models.	1780–1791
BOOTH, JAMES G., HALL, PETER AND WOOD, ANDREW T. A. Balanced importance resampling for the bootstrap	286–298
BOSE, ARUP AND BOUKAI, BENZION. Sequential estimation results for a two-parameter exponential family of distributions	484–502
BOUKAI, BENZION AND BOSE, ARUP. Sequential estimation results for a two-parameter exponential family of distributions	484–502
BREIMAN, LEO, TSUR, YACOV AND ZEMEL, AMOS. On a simple estimation procedure for censored regression models with known error distributions	1711–1720
BROWN, LAWRENCE D. AND LIU, RICHARD C. Nonexistence of informative unbiased estimators in singular problems	1–13
BUTLER, R. W., DAVIES, P. L. AND JHUN, M. Asymptotics for the minimum covariance determinant estimator	1385–1400
CHAI, FENG-SHUN AND MAJUMDAR, DIBYEN. On the Yeh–Bradley conjecture on linear trend-free block designs	2087–2097

CHAN, K. S. Consistency and limiting distribution of the least squares estimator of a threshold autoregressive model	520–533
CHEN, JIAHUA AND SHAO, JUN. Iterative weighted least squares estimators	1071–1092
CHEN, SONG XI AND HALL, PETER. Smoothed empirical likelihood confidence intervals for quantiles	1166–1181
CHU, C. K. AND WU, J. S. Kernel-type estimators of jump points and values of a regression function	1545–1566
CLAYTON, MURRAY K. AND GILARDONI, GUSTAVO L. On reaching a consensus using DeGroot's iterative pooling	391–401
COHEN, ARTHUR AND SACKROWITZ, H. B. Inadmissibility of Studentized tests for normal order restricted models	746–752
COSTER, DANIEL C. Trend-free run orders of mixed-level fractional factorial designs	2072–2086
COX, DENNIS D. An analysis of Bayesian inference for nonparametric regression	903–923
CRITCHLEY, FRANK, MARRIOTT, PAUL AND SALMON, MARK. Preferred point geometry and statistical manifolds	1197–1224
DAVIES, P. L. Aspects of robust linear regression	1843–1899
DAVIES, P. L., JHUN, M. AND BUTLER, R. W. Asymptotics for the minimum covariance determinant estimator	1385–1400
DAWID, A. P. AND LAURITZEN, S. L. Hyper Markov laws in the statistical analysis of decomposable graphical models	1272–1317
DAWID, A. PHILIP AND WANG, JINGLONG. Fiducial prediction and semi-Bayesian inference	1119–1138
DETTE, HOLGER. Elfving's theorem for D -optimality.	753–766
DETTE, HOLGER. A note on E -optimal designs for weighted polynomial regression	767–771
DETTE, HOLGER AND STUDDEN, WILLIAM J. Geometry of E -optimality	416–433
DIACONIS, P. AND FREEDMAN, D. A. Nonparametric binary regression: A Bayesian approach	2108–2137
DINWOODIE, I. H. Large deviations for censored data	1608–1620
DOKSUM, KJELL AND BJERVE, STEINAR. Correlation curves: Measures of association as functions of covariate values	890–902
DORFMAN, ALAN H. AND HALL, PETER. Estimators of the finite population distribution function using nonparametric regression	1452–1475
DOSS, HANI AND LI, GANG. Generalized Pearson–Fisher chi-square goodness-of-fit tests, with applications to models with life history data	772–797
EVANS, STEVEN N. AND SPEED, T. P. Invariants of some probability models used in phylogenetic inference	355–377
FALK, M. AND MAROHN, F. Asymptotically optimal tests for conditional distributions	45–60

FAN, JIANQING. Local linear regression smoothers and their min-max efficiencies	196–216
FAN, JIANQING. Adaptively local one-dimensional subproblems with application to a deconvolution problem	600–610
FAN, JIANQING AND TRUONG, YOUNG K. Nonparametric regression with errors in variables	1900–1925
FOSTER, DEAN P. AND GEORGE, EDWARD I. Estimation up to a change-point	625–644
FREEDMAN, D. A. AND DIACONIS, P. Nonparametric binary regression: A Bayesian approach	2108–2137
GASSIAT, E. Adaptive estimation in noncausal stationary AR processes	2022–2042
GEIGER, DAN AND PEARL, JUDEA. Logical and algorithmic properties of conditional independence and graphical models	2001–2021
GEORGE, EDWARD I. AND FOSTER, DEAN P. Estimation up to a change-point	625–644
GILARDONI, GUSTAVO L. AND CLAYTON, MURRAY K. On reaching a consensus using DeGroot’s iterative pooling	391–401
GOLDSTEIN, LARRY AND MESSER, KAREN. A new class of kernels for nonparametric curve estimation	179–195
GOODALL, COLIN R. AND MARDIA, KANTI V. Multivariate aspects of shape theory	848–866
GÖTZE, FRIEDRICH AND BOLTHAUSEN, ERWIN. The rate of convergence for multivariate sampling statistics	1692–1710
GREENSHTEIN, E. A note on Bahadur’s transitivity	2163–2167
GRÜBEL, RUDOLF AND PITTS, SUSAN M. Nonparametric estimation in renewal theory I: The empirical renewal function	1431–1451
GU, CHONG AND QIU, CHUNFU. Smoothing spline density estimation: Theory	217–234
GU, M. G. AND ZHANG, C.-H. Asymptotic properties of self-consistent estimators based on doubly censored data	611–624
HALL, PETER. On plug-in rules for local smoothing of density estimators	694–710
HALL, PETER AND BOOTH, JAMES G. An improvement of the jackknife distribution function estimator	1476–1485
HALL, PETER AND BOOTH, JAMES G. Bootstrap confidence regions for functional relationships in errors-in-variables models	1780–1791
HALL, PETER AND CHEN, SONG XI. Smoothed empirical likelihood confidence intervals for quantiles	1166–1181
HALL, PETER AND DORFMAN, ALAN H. Estimators of the finite population distribution function using nonparametric regression	1452–1475
HALL, PETER, ICHIMURA, HIDEHIKO AND HÄRDLE, WOLFGANG. Optimal smoothing in single-index models	157–178

HALL, PETER AND LI, KER-CHAU. On almost linearity of low dimensional projections from high dimensional data	867–889
HALL, PETER, WOOD, ANDREW T. A. AND BOOTH, JAMES G. Balanced importance resampling for the bootstrap	286–298
HAMPEL, F., KÜNSCH, H. AND BERAN, J. Contrasts under long-range correlations	943–964
HÄRDLE, W. AND MAMMEN, E. Comparing nonparametric versus parametric regression fits	1926–1947
HÄRDLE, WOLFGANG, HALL, PETER AND ICHIMURA, HIDEHIKO. Optimal smoothing in single-index models	157–178
HE, XUMING AND SIMPSON, DOUGLAS G. Lower bounds for contamination bias: Globally minimax versus locally linear estimation	314–337
HORVÁTH, LAJOS. The maximum likelihood method for testing changes in the parameters of normal observations	671–680
HSING, TAIEN. Extremal index estimation for a weakly dependent stationary sequence	2043–2071
HUŠKOVÁ, MARIE AND JANSSEN, PAUL. Consistency of the generalized bootstrap for degenerate U -statistics	1811–1823
ICHIMURA, HIDEHIKO, HÄRDLE, WOLFGANG AND HALL, PETER. Optimal smoothing in single-index models	157–178
JAMES, ALAN T. AND VENABLES, WILLIAM N. Matrix weighting of several regression coefficient vectors	1093–1114
JANSSEN, PAUL AND HUŠKOVÁ, MARIE. Consistency of the generalized bootstrap for degenerate U -statistics	1811–1823
JHUN, M., BUTLER, R. W. AND DAVIES, P. L. Asymptotics for the minimum covariance determinant estimator	1385–1400
JUNKER, BRIAN W. Conditional association, essential independence and monotone unidimensional item response models . .	1359–1378
KENDALL, DAVID G. AND LE, HUILING. The Riemannian structure of Euclidean shape spaces: A novel environment for statistics. .	1225–1271
KHMALADZE, E. V. Goodness of fit problem and scanning innovation martingales	798–829
KIM, JOO HAN. Chi-square goodness-of-fit tests for randomly censored data	1621–1639
KOO, JA-YONG. Optimal rates of convergence for nonparametric statistical inverse problems	590–599
KOUL, HIRA L. AND SALEH, A. K. MD. E. R -estimation of the parameters of autoregressive [AR(p)] models	534–551
KÜNSCH, H., BERAN, J. AND HAMPEL, F. Contrasts under long-range correlations	943–964
KURIKI, SATOSHI. One-sided test for the equality of two covariance matrices	1379–1384

LAURITZEN, S. L. AND DAWID, A. P. Hyper Markov laws in the statistical analysis of decomposable graphical models	1272–1317
LE, HUILING AND KENDALL, DAVID G. The Riemannian structure of Euclidean shape spaces: A novel environment for statistics.	1225–1271
LELE, CHITRA. Admissibility results in loss estimation	378–390
LESLIE, JULIAN AND VAN EEDEN, CONSTANCE. On a characterization of the exponential distribution based on a type 2 right censored sample	1640–1647
LI, GANG AND DOSS, HANI. Generalized Pearson–Fisher chi-square goodness-of-fit tests, with applications to models with life history data	772–797
LI, KER-CHAU AND HALL, PETER. On almost linearity of low dimensional projections from high dimensional data	867–889
LIU, RICHARD C. AND BROWN, LAWRENCE D. Nonexistence of informative unbiased estimators in singular problems	1–13
LO, ALBERT Y. A Bayesian bootstrap for censored data	100–123
LO, ALBERT Y. A Bayesian method for weighted sampling	2138–2148
LOW, MARK G. Renormalizing upper and lower bounds for integrated risk in the white noise model	577–589
LU, I-LI AND RICHARDS, DONALD. Random discriminants	1982–2000
MACNEILL, I. B. AND TANG, S. M. The effect of serial correlation on tests for parameter change at unknown time	552–575
MAGULURI, GANGAJI. Semiparametric estimation of association in a bivariate survival function	1648–1662
MAJUMDAR, DIBYEN AND CHAI, FENG-SHUN. On the Yeh–Bradley conjecture on linear trend-free block designs	2087–2097
MAMMEN, E. AND HÄRDLE, W. Comparing nonparametric versus parametric regression fits	1926–1947
MAMMEN, ENNO. Bootstrap and wild bootstrap for high dimensional linear models	255–285
MARDIA, KANTI V. AND GOODALL, COLIN R. Multivariate aspects of shape theory	848–866
MAROHN, F. AND FALK, M. Asymptotically optimal tests for conditional distributions	45–60
MARONNA, RICARDO A. AND YOHAI, VICTOR J. Bias-robust estimates of regression based on projections	965–990
MARRIOTT, PAUL, SALMON, MARK AND CRITCHLEY, FRANK. Preferred point geometry and statistical manifolds	1197–1224
MARTIN, R. D. AND ZAMAR, RUBEN H. Bias robust estimation of scale	991–1017
MARTIN, R. DOUGLAS AND ZAMAR, RUBEN H. Efficiency-constrained bias-robust estimation of location	338–354
MASHAYEKHI, MOSTAFA. On equivariance and the compound decision problem	736–745
MATTNER, L. Some incomplete but boundedly complete location families	2158–2162

MESSER, KAREN AND GOLDSTEIN, LARRY. A new class of kernels for nonparametric curve estimation	179–195
MESSIG, MICHAEL A. AND STRAWDERMAN, WILLIAM E. Minimal sufficiency and completeness for dichotomous quantal response models	2149–2157
MUKERJEE, HARI. Nearest neighbor regression with heavy-tailed errors	681–693
MUKERJEE, HARI. An improved monotone conditional quantile estimator	924–942
NEUHAUS, GEORG. Conditional rank tests for the two-sample problem under random censorship	1760–1779
O’SULLIVAN, FINBARR. Nonparametric estimation in the Cox model	124–145
PATIL, P. N. On the least squares cross-validation bandwidth in hazard rate estimation	1792–1810
PEARL, JUDEA AND GEIGER, DAN. Logical and algorithmic properties of conditional independence and graphical models	2001–2021
PERLMAN, MICHAEL D. AND ANDERSSON, STEEN ARNE. Lattice models for conditional independence in a multivariate normal distribution	1318–1358
PFANZAGL, J. Incidental versus random nuisance parameters	1663–1691
PITTS, SUSAN M. AND GRÜBEL, RUDOLF. Nonparametric estimation in renewal theory I: The empirical renewal function	1431–1451
POLLAK, MOSHE, RITOV, YA’ACOV, YAKIR, BENJAMIN AND ASSAF, DAVID. Detecting a change of a normal mean by dynamic sampling with a probability bound on a false alarm	1155–1165
PUKELSHEIM, FRIEDRICH AND STUDDEN, WILLIAM J. E -optimal designs for polynomial regression	402–415
QIN, JING. Empirical likelihood in biased sample problems	1182–1196
QIU, CHUNFU AND GU, CHONG. Smoothing spline density estimation: Theory	217–234
RICHARDS, DONALD AND LU, I-LI. Random discriminants	1982–2000
RITOV, YA’ACOV, YAKIR, BENJAMIN, ASSAF, DAVID AND POLLAK, MOSHE. Detecting a change of a normal mean by dynamic sampling with a probability bound on a false alarm	1155–1165
ROSENBERGER, WILLIAM F. Asymptotic inference with response-adaptive treatment allocation designs	2098–2107
SACKROWITZ, H. B. AND COHEN, ARTHUR. Inadmissibility of Studentized tests for normal order restricted models	746–752
SALEH, A. K. MD. E. AND KOUL, HIRA L. R -estimation of the parameters of autoregressive [AR(p)] models	534–551
SALMON, MARK, CRITCHLEY, FRANK AND MARRIOTT, PAUL. Preferred point geometry and statistical manifolds	1197–1224
SASIENI, PETER. Some new estimators for Cox regression	1721–1759
SCHICK, ANTON. On efficient estimation in regression models	1486–1521

SCHUMACHER, PETER AND ZIDEK, JAMES V. Using prior information in designing intervention detection experiments	447-463
SEIDENFELD, TEDDY AND WASSERMAN, LARRY. Dilation for sets of probabilities	1139-1154
SHAO, JUN. Differentiability of statistical functionals and consistency of the jackknife	61-75
SHAO, JUN AND CHEN, JIAHUA. Iterative weighted least squares estimators	1071-1092
SIEGMUND, D. A sequential clinical trial for comparing three treatments	464-483
SIEGMUND, DAVID AND ZHANG, HEPING. The expected number of local maxima of a random field and the volume of tubes	1948-1966
SIMPSON, DOUGLAS G. AND HE, XUMING. Lower bounds for contamination bias: Globally minimax versus locally linear estimation	314-337
SPEED, T. P. AND EVANS, STEVEN N. Invariants of some probability models used in phylogenetic inference	355-377
SRIVASTAVA, M. S. AND WU, YANHONG. Comparison of EWMA, CUSUM and Shiriyayev-Roberts procedures for detecting a shift in the mean	645-670
STEIN, MICHAEL L. Spline smoothing with an estimated order parameter	1522-1544
STRAWDERMAN, WILLIAM E. AND MESSIG, MICHAEL A. Minimal sufficiency and completeness for dichotomous quantal response models	2149-2157
STUDDEN, WILLIAM J. AND DETTE, HOLGER. Geometry of E -optimality	416-433
STUDDEN, WILLIAM J. AND PUKELSHEIM, FRIEDRICH. E -optimal designs for polynomial regression	402-415
STUTE, W. AND WANG, J.-L. The strong law under random censorship	1591-1607
STUTE, WINFRIED. Almost sure representations of the product-limit estimator for truncated data	146-156
TANG, DEI-IN. Minimax regression designs under uniform departure models	434-446
TANG, S. M. AND MACNEILL, I. B. The effect of serial correlation on tests for parameter change at unknown time	552-575
THOMPSON, G. L. Generalized permutation polytopes and exploratory graphical methods for ranked data	1401-1430
TRAN, LANH TAT. Nonparametric function estimation for time series by local average estimators	1040-1057
TRUONG, YOUNG K. AND FAN, JIANQING. Nonparametric regression with errors in variables	1900-1925

TSUR, YACOV, ZEMEL, AMOS AND BREIMAN, LEO. On a simple estimation procedure for censored regression models with known error distributions	1711-1720
VAN DE GEER, SARA. Hellinger-consistency of certain nonparametric maximum likelihood estimators	14-44
VAN EEDEN, CONSTANCE AND LESLIE, JULIAN. On a characterization of the exponential distribution based on a type 2 right censored sample	1640-1647
VENABLES, WILLIAM N. AND JAMES, ALAN T. Matrix weighting of several regression coefficient vectors	1093-1114
WANG, J.-L. AND STUTE, W. The strong law under random censorship	1591-1607
WANG, JINGLONG AND DAWID, A. PHILIP. Fiducial prediction and semi-Bayesian inference	1119-1138
WASSERMAN, LARRY AND SEIDENFELD, TEDDY. Dilation for sets of probabilities	1139-1154
WOOD, ANDREW T. A., BOOTH, JAMES G. AND HALL, PETER. Balanced importance resampling for the bootstrap	286-298
WOODROOFE, MICHAEL AND ARAS, GIRISH. Asymptotic expansions for the moments of a randomly stopped average.	503-519
WU, J. S. AND CHU, C. K. Kernel-type estimators of jump points and values of a regression function	1545-1566
WU, YANHONG AND SRIVASTAVA, M. S. Comparison of EWMA, CUSUM and Shiriyayev-Roberts procedures for detecting a shift in the mean.	645-670
YAKIR, BENJAMIN, ASSAF, DAVID, POLLAK, MOSHE AND RITOV, YA'ACOV. Detecting a change of a normal mean by dynamic sampling with a probability bound on a false alarm	1155-1165
YING, ZHILIANG. A large sample study of rank estimation for censored regression data	76-99
YING, ZHILIANG. Maximum likelihood estimation of parameters under a spatial sampling scheme	1567-1590
YOHAI, VICTOR J. AND MARONNA, RICARDO A. Bias-robust estimates of regression based on projections	965-990
YOHAI, VICTOR J. AND ZAMAR, RUBEN H. A minimax-bias property of the least α -quantile estimates.	1824-1842
YU, BIN. Density estimation in the L^∞ norm for dependent data with applications to the Gibbs sampler	711-735
ZAMAR, RUBEN H. AND MARTIN, R. D. Bias robust estimation of scale	991-1017
ZAMAR, RUBEN H. AND MARTIN, R. DOUGLAS. Efficiency-constrained bias-robust estimation of location.	338-354
ZAMAR, RUBEN H. AND YOHAI, VICTOR J. A minimax-bias property of the least α -quantile estimates.	1824-1842
ZEMEL, AMOS, BREIMAN, LEO AND TSUR, YACOV. On a simple estimation procedure for censored regression models with known error distributions	1711-1720

ZHANG, C.-H. AND GU, M. G. Asymptotic properties of self-consistent estimators based on doubly censored data	611-624
ZHANG, HEPING AND SIEGMUND, DAVID. The expected number of local maxima of a random field and the volume of tubes	1948-1966
ZHANG, PING. Model selection via multifold cross validation	299-313
ZIDEK, JAMES V. AND SCHUMACHER, PETER. Using prior information in designing intervention detection experiments	447-463

Corrections

HOSOYA, YUZO AND TANIGUCHI, MASANOBU. A central limit theorem for stationary processes and the parameter estimation of linear processes	1115-1117
TANIGUCHI, MASANOBU AND HOSOYA, YUZO. A central limit theorem for stationary processes and the parameter estimation of linear processes	1115-1117
WIJSMAN, ROBERT A. Proper action in steps, with application to density ratios of maximal invariants	2168-2169