BIOMETRICS

Journal of the Biometric Society

Vol. 27, No. 3 **CONTENTS** **September 1971**

Practical problems in a method of cluster analysis — *F. H. C. Marriott*

Approximate small-sample distributions for multivariate two-sample nonparametric tests — *R. A. Bradley, K. M. Patel, and D. D. Wackerly*

Linear discriminant analysis: loss of discriminating power when a variate is omitted — *V. Yu. Urbakh*

On the estimation of missing data in the multivariate linear model — *L. McDonald*

Effects of collapsing multidimensional contingency tables — *Yvonne M. M. Bishop*

Problems arising in estimating from retrospective survey data the latent periods of juvenile cancers initiated by obstetric radiography — *G. W. Kneale*

Markov chain methods in chain binomial epidemic models — *J. Gani and D. Jerwood*

Estimation of hit number — *D. W. Alling*

An examination and extension of Leslie's test of equal catchability — *A. D. Carothers*

Some sampling problems in fishery work — *P. K. Tomlinson*

Best quadratic unbiased estimation of variance components from unbalanced data in the 1-way classification — *E. C. Townsend and S. R. Searle*

A revised analysis of plant competition experiments — *C. A. McGilchrist and B. R. Trenbath*

Precision specifications for the estimation of treatment differences — *J. Sedransk*

An iterative procedure for analysing log-linear models — *D. V. Gokhale*

International aspects of the study of adverse reactions to drugs — *B. W. Royall*

The use of prior information in the testing of new drugs — *D. M. Allen*

Neue Ergebnisse zur statistischen Vorgeschichte der Mendelschen Versuche — *F. Weiling*

Query

Analysis of drug effects on body temperature . . . . . *D. J. Strauss*

Notes

Stochastic analysis of some experiments on the mating of blowflies — *M. S. Bartlett, Jennifer M. Brennan, and J. N. Pollock*

Design of experiments: the single cycle sine wave model..... — *A. F. Johnson*

Mathematical model for poultry egg production — *D. H. McNally*

Graphical Monte Carlo type I error rates for multiple comparison procedures — *T. J. Boardman and D. R. Moffitt*

Book Reviews

Biometrics is published quarterly. Its objects are to describe and exemplify the use of mathematical and statistical methods in biological and related sciences in a form assimilable by experimenters. The annual non-member subscription rate is $15.00. Inquiries, non-member subscriptions, and orders for back issues. should be addressed to: Biometrics Business Office, Department of Experimental Statistics, North Carolina State University, Raleigh, North Carolina 27607 U.S.A. Editorial correspondence should be directed to: Biometrics Editorial Office, Department of Biostatistics, School of Public Health, University of North Carolina, Chapel Hill, North Carolina 27514 U.S.A.

TECHNOMETRICS

A Journal of Statistics
for the Physical, Chemical and Engineering Sciences

CONTENTS

TECHNOMETRICS, Vol. 13, No. 3, AUGUST 1971

Elimination of Linear Parameters in Nonlinear Regression — *W. H. Lawton and E. A. Sylvestre*

Mean Square Error of Prediction as a Criterion for Selecting Variables — *D. M. Allen*

Discussion of Invited Papers — *S. E. Michaels and R. W. Helms*

On the Determination of Single Sampling Attribute Plans Based Upon a Linear Cost Model and a Prior Distribution — *W. C. Guenther*

On Detecting a Signal in *N* Stationarily Correlated Noise Series — *R. H. Shumway*

Best Linear Invariant Estimation for Weibull Parameters Under Progressive Censoring — *N. R. Mann*

An Exact Lower Confidence Bound for the Reliability of a Series System Where Each Component Has an Exponential Time to Failure Distribution — *T. K. Sarkar*

Reliability Estimation for the Generalized Gamma Distribution and Robustness of the Weibull Model — *L. J. Bain, H. W. Hager, and C. E. Antle*

Designs of Experiments as 'Doubly Telescoping' Sequences of Blocks with Application to a Nuclear Reactor Experiment — *A. G. Holms and S. M. Sidik*

Linear Combinations in Designing Experiments — *A. F. Johnson*

[illegible] Linear vs. Cubic — *J. K. Luers and R. H. Wenning*

[illegible] a Regression Without Using Replication — *J. R. Green*

[illegible] Resolution — *W. H. Lawton and W. A. Sylvestre*

Effect of Non-normality on Inferences About Variance Components — *G. C. Tiao and M. M. Ali*

Tolerance Limits Based on Range and Mean Range — *W. H. Frawley, C. H. Kapadia, J. N. K. Rao, and D. B. Owen*

Some Results Relevant to Choice of Sum and Sum-of-Product Algorithms — *E. A. Youngs and E. M. Cramer*

Bayesian Estimation of the Binomial Parameter *n* — *N. R. Draper and I. Guttman*

NOTES

A Rule of Thumb for Determining Sample Size in Comparing Two Proportions — *H. A. Al-Bayyati*

[illegible] mptions — *T. L. Bratcher, W. R. Schucany, and W. R. Hunt*

[illegible] to Maximize $[X'X]$ — *O. Dykstra, Jr.*

[illegible] Parameters in a Double Exponential Distribution — *K. Raghunandanan and R. Srinivasan*

A Gibbs-type Phenomenon in the Failure Rates of Parallel Systems — *M. C. Bryson*

A Set of Three Mutually Orthogonal Latin Squares of Order 15 — *A. Hedayat*

On Comparison of Waiting Time Versus Counting Techniques — *T. L. Connell*

BOOK REVIEWS

ERRATA

The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on succinct communication among the physical scientist, engineer, statistician and mathematician. The journal will accept for publication papers describing new statistical techniques expected to be useful in these sciences, papers illustrating the application of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication.

For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station Washington, D. C. 20004.

Institute of Mathematical Statistics is collaborating with JSTOR to digitize, preserve, and extend access to *The Annals of Mathematical Statistics.* www.jstor.org

STATISTICAL THEORY AND METHOD ABSTRACTS

A Journal of the International Statistical Institute

The object of this abstracting service is to cover published papers concerned with statistical theory, including relevant aspects of probability and mathematical methods, and new contributions to statistical method. These abstracts provide valuable information on new developments for studying problems in many fields: such as frequency distributions, estimating and testing problems, sampling and experimental designs, variance analysis, spectral theory and other methods in time-series analysis, queueing theory, reliability and acceptance inspection. Journals appearing in all parts of the world, on mathematics and statistics, or on other fields and possible contribution of interest are regularly scanned for suitable papers. Abstracts are also prepared from collections of papers such as reports of conferences, symposia and seminars; technical reports of experiment and research stations are covered.

The abstracts do not exceed 400 words, with occasional "double abstracts" for papers where this size is not sufficient to represent the paper. The language is English; the language of the original paper is indicated. The headings give the name and address of the author together with the Journal in which the paper is published; moreover, a note is added on the number of references, tables and figures.

The classification scheme which is used in this Journal supplies a division of all abstracts in twelve main sections. The pages of the Journal are colour-tinted in accordance with these main sections. Each section is further sub-divided to indicate the main topic of the paper; a secondary number denotes the most important additional topic referred to by the author. A special index in each part links together these two classifications. This scheme is arranged to facilitate transfer to punch cards. Papers containing new statistical tables are listed in a separate index.

The abstracts are numbered serially, the volume number being inserted as a prefix. The Journal is published four times a year and contains approximately 1,000 abstracts. An author index, the secondary classification index and the new statistical tables index are published in each issue and combined in a yearly supplement which also contains a list of all Journals represented in the volume by one or more abstracts.

Annual Subscription	£10.00 (U.S. $30.00)
Single Number	£ 3.50 (U.S. $ 9.00)
Loose Leaf Binders for Single Abstract Sheets	£ 1.00 including postage and packing.

LONGMAN GROUP LTD.—JOURNALS DIVISION

33 Montgomery Street, Edinburgh, EH 75. JX. Scotland

REVIEW OF THE INTERNATIONAL STATISTICAL INSTITUTE

Contents of Vol. 39, No. 3, 1971

New techniques of Statistical Teaching

(Proceedings of a Round Table Meeting, September 1970 in Oisterwyk, Netherlands)

Articles

Dixon, W. J.—Notes on available materials to support computer-based statistical teaching

Austwick, K., Hine, J., and Wetherill, G. B.—The first course in statistical methods and the use of teaching aids

Stuart Hunter, J.—Post College continuing education activities in statistics

Hemelrijk, J.—Comments about a general audience TV course on statistics

Dixon, W. J.—Side Inch

Mosteller, F.—The joint ASA-National Council of Teachers of Mathematics Committee on the curriculum in statistics and probability

Quade, D.—On using a conversational mode computer in an intermediate statistical analysis course

Schwartz, D.—Operation of the Centre for applied statistics in medicine and medical biology

Yoshizawa, T.—The teaching of statistics

Hamaker, H. C.—New techniques of statistical teaching

Quade, D.—Development of materials and techniques for the instructional use of computers in statistics courses

Mosteller, F.—The Jackknife

Round Table Meeting: Recommendations

Dalenius, T. E.—Survey sampling in a computerized environment

Communications

Statistical organization and administration

Statistical training and research

Statistical societies

Calendar of meetings

Book reviews

The REVIEW OF THE ISI is published three times per year. The annual subscription is $14 post free.

Orders should be sent to: *International Statistical Institute, 2 Oostduinlaan, The Hague, Netherlands*

THE ANNALS OF MATHEMATICAL STATISTICS

INSTRUCTIONS FOR AUTHORS

Submission of Papers. Papers to be submitted for publication should be sent to the Editor of the *Annals of Mathematical Statistics*. (For current address, see the latest issue of the *Annals*.) The original (or xerox copy) should be submitted with two additional copies on paper that will take ink corrections. The manuscript will *not* normally be returned to the author; when expressly requested by the author, one copy of the manuscript will be returned.

Preparation of Manuscripts. Manuscripts should be typewritten, entirely double-spaced, including references, with wide margins at sides, top and bottom. Dittoed or mimeographed papers are acceptable only if completely legible; xerox copies are preferable. When technical reports are submitted, all extraneous sheets and covers should be removed.

Submission of Reference Papers. Copies (preferably two) of unpublished or not easily available papers cited in the manuscript should be submitted with the manuscript.

Title and Abbreviated Title. The title should be descriptive and as concise as is feasible, i.e., it should indicate the topic of the paper as clearly as possible, but every word in it should be pertinent. An abbreviated title to be used as a running head is also required, and should be given below the main title. This should normally not exceed 35 characters. For example, a title might be "A Limit Theorem for Conditioned Recurrent Random Walk Attracted to a Stable Law," with the running head "Limit Theorem for Recurrent Random Walk" or possibly "Recurrent Random Walk Attracted to a Stable Law", depending on the emphasis to be conveyed.

Abstract. Each manuscript is required to contain an abstract, which will be printed immediately after the title, clearly separated from the rest of the paper. Its main purpose is to inform the reader quickly of the nature and results of the paper; it may also be used as an aid in retrieving information. The length of an abstract will clearly depend on the length and difficulty of the paper, but in general it should not exceed 150 words. It should be typed on a separate page, under the heading "Abstract", followed by the title of the paper. Formulas should be used as sparingly as possible. The abstract should not make reference to results or formulas in the body of the paper—it should be self-contained.

Footnotes. Footnotes should be reduced to a minimum and, where possible, should be replaced by remarks in the text or in the references; formulas in footnotes should be avoided. Footnotes in the text should be identified by superscript numbers and typed together, double-spaced, on a separate page.

Key Words. Included as the first footnote on page 1 should be the headings:

American Mathematical Society 1970 subject classification. Primary—; Secondary—.
Key words and phrases:

The classification numbers representing the primary and secondary subjects of the article may be found with instructions for its use, as an Appendix to *Mathematical Reviews* Index to Volume 39, June 1970. (See, also, *The Notices of the American Mathematical Society*, June 1970, pp. 616–618, for more details.) The key words and phrases should describe the subject matter of the article; generally they should be taken from the body of the paper.

List of Symbols. A completely typewritten list of symbols, identified typographically, not mathematically, should be attached to the manuscript on a separate page. Distinguish between "oh" and "zero"; "ell" and "one"; "kappa" and "kay", etc. Indicate also when special type is required (Greek, German, script, boldface, etc.); other letters will be set in italics.

Figures and Tables. Figures, charts, and diagrams should be prepared in a form suitable for photographic reproduction and should be professionally drawn twice the size they are to be printed. (These need not be submitted until the paper has been accepted for publication.) Tables should be typed on separate pages with accompanying footnotes immediately below the table.

Formulas. Fractions in the text are preferably written with the solidus or negative exponent; thus, $(a + b)/(c + d)$ is preferred to $\frac{a+b}{c+d}$, and $(2\pi)^{-1}$ or $1/(2\pi)$ to $\frac{1}{2\pi}$. Also, $a^{b(c)}$ and $a_{b(c)}$ are preferred to a^{bc} and a_{bc}, respectively. Complicated exponentials should be represented with the symbol exp. A fractional exponent is preferable to a radical sign.

References. References should be typed double-spaced and should follow the style:

[5] Wilks, S. S. (1938). The large-sample distribution of the likelihood ratio for testing composite hypotheses. *Ann. Math. Statist.* 9 60–62.

Multiple references can be distinguished as ". . . Wilks (1938a) . . .". In textual material, the format "... Wilks (1938) ..." is normally preferred to ". . . Wilks [5] . . .". Abbreviations for journals should be taken from *Mathematical Reviews* Index to Volume 40, 1970, pp. 1683–1702.

Proofs. Author will ordinarily receive galley proofs. Corrected galley proofs should be sent to the Managing Editor of the *Annals of Mathematical Statistics*. (For current address, see the latest issue of the *Annals*.)

Contents (Continued)

Short Communications

A note on admissible sampling designs for a finite population ..... V. M. Joshi 1425

Identifying probability limits ..... Gordon Simons 1429

On unbiased estimation of density functions ..... A. H. Seheult and C. P. Quesenberry 1434

A note on certain types of BIBD's balanced for residual effects ..... J. F. Lawless 1439

On a theorem of G. L. Sievers ..... Detlef Plachky 1442

Inadmissibility of a class of estimators of a normal quantile ..... James V. Zidek 1444

An improved inequality for balanced incomplete block designs ..... S. Kageyama 1448

A counterexample on translation invariant estimators ..... Erik N. Torgersen 1450

Finding best tests approximately for testing hypotheses about a random parameter ..... Glen Meeden 1452

On a c-sample test based on trimmed samples ..... Ryoji Tamura 1455

Acknowledgment of Priority 1461

Correction Note

Correction to "Admissibility of invariant confidence procedures for a location parameter" ..... V. M. Joshi 1462

Book Reviews

Review of "Stationary Random Processes," by Yu A. Rozanov ..... P. Masani 1463

Review of "Statistical Computations on a Digital Computer," by William J. Hemmerle ..... H. O. Hartley 1468

Abstracts 1469

News and Notices 1493

Publications Received 1497