

## DISCUSSION OF “COAUTHORSHIP AND CITATION NETWORKS FOR STATISTICIANS”<sup>1</sup>

BY VISHESH KARWA AND SONJA PETROVIĆ

*Harvard University and Illinois Institute of Technology*

**1. Introduction.** Analyses of coauthorship and citation networks offer a fertile ground for studying research and collaboration patterns of scientific communities. Ji and Jin’s efforts of collecting, cleaning and summarizing in various ways citation and coauthorship networks for statisticians is a great step forward to provide the community with a first such data set for self-study. They perform several descriptive analyses of the underlying networks to extract interesting patterns: they study trends of productivity over time, extract most prolific authors and research areas using various centrality measures, and find communities in these networks. We look forward to seeing this data set serving as a yardstick for fitting social network models to large data sets. Perhaps more interestingly, we see it as raising new research questions from the modeling, data representation and computational points of view and becoming a standard testbed for evaluating network models—both old and new—and testing scalability of inference procedures. In this regard, it is with great pleasure that we write this comment.

Here we take a model-based approach and consider the effects of various types of author interactions on the analysis and inference about the citation and coauthorship data sets. We are generally interested in three types of questions, two of which we discuss here: what are well-fitting models for the data? Is a simple network representation best for answering questions we ask, or should we be considering alternative representations? How can we scale existing network model fitting and goodness-of-fit testing procedures to networks of this size, as well as larger networks that the authors intend to collect? These forthcoming data sets should reduce sampling bias, but of course come at a price of a dramatic increase in network size and computational cost. We expect that availability of the data sets Ji and Jin have provided the community will encourage methodological research to push the limits of performing nonasymptotic inference in large and sparse networks.

We became aware of their data collection effort at a time when we were developing a basic exponential family model for hypergraphs, placing probabilities on

---

Received August 2016.

<sup>1</sup>Supported in part by the U.S. Air Force Office of Scientific Research Grant #FA9550-14-1-0141 to Illinois Institute of Technology and by the Singapore National Research Foundation under its International Research Centre Singapore Funding Initiative and administered by the IDM Programme Office through a grant for the joint Carnegie Mellon/Singapore Management University Living Analytics Research Centre.

occurrence of connected groups of nodes of arbitrary size instead of pairs of nodes in a random graph. Indeed, in Stasi et al. (2014), a mock example of a coauthorship data set is used as a motivation for the new model. Subsequently, we introduced an ERGM that is based on a summary of a global connectivity structure called  $k$ -core decomposition [Karwa et al. (2016)]. Hence, we reconsider Ji and Jin’s data through the lens of these two network models, but first let us begin with some more classical models.

**2. Fitting dyad-independent models based on node degrees.** The data collected by Ji and Jin contains two key data sets: (1) a bipartite graph of authors and papers where a link exists from node  $i$  to node  $j$  if author  $i$  wrote paper  $j$ ; (2) a network of citations of papers where a link exists from node  $i$  to node  $j$  if paper  $i$  cites paper  $j$ . From these two data sets, Ji and Jin extract two networks whose nodes are authors: two coauthorship networks and one citation network. In the “Coauthorship network A” there is an undirected edge between nodes  $i$  and  $j$  if author  $i$  coauthored at least 2 papers with author  $j$ . In the “Coauthorship network B” there is an undirected edge between nodes  $i$  and  $j$  if author  $i$  coauthored at least 1 paper with author  $j$ . In the citation network of authors, there is a directed edge from author  $i$  to author  $j$  if  $i$  has cited at least 1 paper by  $j$ .

It is important to note that, strictly speaking, the number of citations between authors and the number of coauthors are counts greater than 1. They are converted to a binary network by using thresholding, a popular technique in network analysis used to avoid multiple edges. Moreover, in the citation network of authors, the self-citations are set to 0 to avoid loops in the network representation so that the result is a desirable simple graph.

Once a network representation is extracted from the data, there are many ways to analyze it using descriptive statistics. For instance, Ji and Jin consider degree centrality of these extracted networks to measure the importance of nodes. In the coauthorship network, they use node degrees to identify most collaborative authors, while in the citation network of authors, they use the number of citers—the in-degree of the corresponding directed graph—to identify top authors. From the point of view of modeling, it is natural to ask whether degree-based analysis is sufficient for these networks; in particular, models based on degrees exhibit dyadic independence and we question whether such an assumption is valid. In other words, when a statistic is used to summarize a data set, we see it as a sufficient statistic of some model and then ask what that model is and how well it fits the data.

We investigate the above question for node degrees of both citation and coauthorship networks. The simplest but nicely interpretative model for random directed graphs whose sufficient statistics are the node in- and out-degrees is the  $p_1$  model [Holland and Leinhardt (1981)]. The model assumes that dyads (i.e., citation pairs) are independent and assigns probabilities to four types of citations: outgoing, incoming, reciprocated and none, represented by  $i \rightarrow j$ ,  $i \leftarrow j$ ,  $i \leftrightarrow j$

and  $i \approx j$ , respectively. Node-specific parameters represent attractiveness and expansiveness, and there is an additional parameter for the overall tendency of the network to reciprocate citations. This parameter can be set to be zero or a nonzero constant; Holland and Leinhardt consider both versions of the model. Fienberg and Wasserman (1981) represent  $p_1$  in log-linear form, turning networks into 0/1 contingency tables, and extend the model to allow for the differential reciprocity effect by including dyad-specific reciprocation parameters. [The model was later extended to fit within the block model framework; see Fienberg, Meyer and Wasserman (1985).] For undirected graphs such as the coauthorship network,  $p_1$  reduces to the  $\beta$  model [Blitzstein and Diaconis (2010)] that has had a long history in various literatures.

The log-linear representation allows the use of tools from algebraic statistics introduced in Diaconis and Sturmfels (1998) to fit the  $p_1$  model and perform a nonasymptotic goodness-of-fit test; see (2010) for the basic theoretical results for the  $p_1$  model and Gross, Petrović and Stasi (2015) for generalizations and implementation.

*Results of goodness-of-fit tests.* We perform an exact test of model fit for the  $p_1$  model with dyad-dependent reciprocation (the most general version) to the largest connected component of the citation network of authors. The test is done by running the Markov chain from Gross, Petrović and Stasi (2015). After  $n = 100,000$  steps, the resulting  $p$ -value is 0.007194245. This result indicates that the  $p_1$  model does not fit the citation network of authors.

The lack of fit of the  $p_1$  model suggests that the network of citations may have tendencies to be transitive and the dyads may not be independent. While counting citations is a natural way to perform rankings, such a count—corresponding to the directed degree sequence of the citation network—does not offer a good summary statistic for the citation network data. Instead, we need to look for other more complex measures of centrality, for example, those that are also able to capture triadic or transitive effects.

Another comment is in order. The variants of the  $p_1$  model are naturally set up to test the reciprocation effect: do authors reciprocate citations? That is, if author  $i$  cites author  $j$ , is author  $j$  likely to cite a paper by author  $i$ ? The lack of fit of the model that captures the reciprocation effect means that the answer to this question is “no,” however, it does not directly imply that there are no transitive effects of other kinds that we are unable to test at the moment.

Similarly, we perform an exact test of model fit of the  $\beta$  model to the largest connected component of the Coauthorship network  $A$ . The  $p$ -value from the goodness-of-fit test obtained by running the Markov chain on  $n = 100,000$  steps is 0.997, indicating a pretty good fit. The dyads in the coauthorship network can be assumed to be independent, and the network does not have any triadic closure effects; that is, if author  $i$  wrote a paper with author  $j$ , and author  $j$  wrote a paper with author  $k$ , then it is not necessary that author  $i$  has written a paper with

author  $k$ . This result is somewhat surprising since experience suggests that collaborators of an author  $i$  may tend to collaborate with each other, including  $i$ . On a closer look, perhaps it is less surprising: forgetting the structure of the original data set and converting it to the underlying graph (by recording only the dyadic relationships) results in independence and node degrees being a good summary of the graph.

**3. What lies beyond node degrees?** As we saw above, the  $p_1$  model based on node degrees does not fit the citation network and, hence, degree-based analyses may be of suspect. It is well known that, in general, degree-based models may fail to capture certain vital connectivity information about the network. In applications such as the present one, we may be interested in the type of *global* connectedness effectively captured by the cores decomposition of a graph introduced by Seidman (1983) [see Karwa et al. (2016) for statistical considerations]. For the directed citation network, we compute the  $k$ -core using the in-degree which measures the number of times an author is cited. Intuitively, the  $k$ -core captures the innermost core of “highly cited” authors. To be in the innermost core, it is not sufficient to have the highest number of citations, but one must receive citations from authors who are themselves cited by many.

To convert the citation counts between authors to a directed network of author citations, we use varying threshold values  $c$ . A directed edge exists from node  $i$  to node  $j$  if author  $i$  cites author  $j$  at least  $c$  times. We consider  $c = \{1, 2, 3, 4, 5\}$ , providing 5 different networks. Table 1 shows results of selecting the top 5 highly cited authors based on their degree in the respective cores.

Compare the results of Table 1 to Column 3 of Table 2, where Ji and Jin identified the top 3 most cited authors, “Jianqing Fan,” “Hui Zou” and “Peter Hall,” using the in-degree. When  $c \in \{1, 2, 3, 4\}$  “Jianqing Fan” and “Hui Zou” appear as the top 2 authors, and “Peter Hall” appears in the third place only when  $c = 3$ . However, when  $c = 5$ , “Peter Hall” is the most cited author. Our goal here is to simply illustrate the point that the results depend on the type of centrality measure chosen and the threshold used to create the network.

As an illustration, Figure 1 shows the innermost core of the citation network of authors when  $c = 4$ .

TABLE 1  
*Top 5 authors selected using the  $k$ -core decomposition with different values of  $c$*

1	2	3	4	5
Jianqing Fan	Jianqing Fan	Jianqing Fan	Jianqing Fan	Peter Hall
Hui Zou	Hui Zou	Hui Zou	Hui Zou	Hans-Georg Müller
Ming Yuan	Peter Bühlmann	Peter Hall	Runze Li	Raymond J Carroll
Peter Bühlmann	Cun-Hui Zhang	Runze Li	Peter Hall	Fang Yao
Runze Li	Runze Li	Raymond J Carroll	Hans-Georg Müller	Jianqing Fan

TABLE 2

Top 3 authors that have  $k \in \{1, 2, 3, 4, 5\}$  or more collaborators (including themselves), based on the hypergraph representation

1	2	3	4	5
Peter Hall	Peter Hall	Raymond J Carroll	Raymond J Carroll	Joseph G Ibrahim
Raymond J Carroll	Raymond J Carroll	Peter Hall	Joseph G Ibrahim	Raymond J Carroll
Jianqing Fan	Jianqing Fan	Jianqing Fan	Hongtu Zhu	Hongtu Zhu

The  $k$ -core decomposition of the coauthorship network is also instructive. For this case, we perform a core decomposition of the Coauthorship network  $A$ . Figure 2 shows the innermost core of the coauthorship network. The innermost core of the coauthorship network consists of two connected components and every node has degree 9! In other words, the innermost core consists of 2 cliques of size 10. On further exploration, it turns out that the two cliques correspond to two papers, Bayarri et al. (2007) and Zhu et al. (2009), each with 10 authors. This example illustrates that a network representation of the coauthorship data can be misleading: it is not possible to distinguish between the cases of authors writing many joint papers and many authors writing one.

**4. Need for new models and representations.** Both of the previous two sections motivate recording higher-order interactions from the data. In addition, Ta-




FIG. 1. The innermost core of the citation network where an edge exists if there are at least 4 citations.




FIG. 2. *The innermost core of Coauthorship network A.*

ble 1 suggests the thresholding is not good as it loses information. There are several ways to represent the data, two common structures being a network (undirected, directed or bipartite) and a contingency table, each allowing for different analyses to be carried out; that is, the type of model that can be fitted to the data depends on the representation.

*Contingency table representation.* For  $I$  authors,  $J$  research areas and  $K$  journals, consider an  $I \times I \times J \times K$  contingency table where the  $(i, i', j, k)$  entry counts the number of times author  $i$  cites author  $i'$  in research area  $j$  and journal  $k$ . A similar representation can be obtained for the coauthorship network, where we count the number of times author  $i$  and author  $j$  wrote a joint paper. These representations preserve the citation and coauthorship count data. We can then collapse the table to an  $I \times I$  author-by-author table and fit log linear models to the citation counts. In essence, we seek to avoid thresholding, as in the generalized  $\beta$  model discussed by Rinaldo, Petrović and Fienberg (2013) for weighted networks represented in table form.

*Hypergraph representation.* Coauthorship networks may not be measuring what they intend to measure; recall illustrative examples above. To prevent information loss and model higher-order interactions, we represent the raw coauthorship data via a hypergraph, which is a generalization of a graph. A random hypergraph is a collection of random hyperedges which are occurrences of groups of nodes of arbitrary size  $k$ . For example, a hyperedge (for simplicity, also called an edge) of size  $k$  containing nodes  $i_1, \dots, i_k$  exists if authors  $i_1, \dots, i_k$  wrote a joint paper. Figures 3, 4 and Table 2 highlight different aspects of the data that can be extracted from the hypergraph representation.

Stasi et al. (2014) introduce  $\beta$  models for random hypergraphs. Lunagómez et al. (2016) give a geometric representation of hypergraphs. Clearly, more complex statistical models for random hypergraphs are necessary, as the degree-based  $\beta$  model is sure to have similar shortcomings on hypergraphs as it did on graphs. In addition, Figure 4 suggests placing heterogeneous weights on hypergraph degrees with respect to edge size. Furthermore, we may wish to preserve edge multiplicities representing multiple joint papers by the same groups in contingency table form here as well.




FIG. 3. The graph and hypergraph representation of a subnetwork of the Coauthorship network A. The comparison clearly shows the loss of information in representing a hyperedge by edges in the network.




FIG. 4. Histograms of hypergraph degrees with respect to edge size in the coauthorship hypergraph. The top 3 authors by hypergraph degree are shown.

**Acknowledgments.** The authors are grateful to Stephen Fienberg for endless motivation and support.

## REFERENCES

- BAYARRI, M. J., BERGER, J. O., CAFEJO, J., GARCIA-DONATO, G., LIU, F., PALOMO, J., PARTHASARATHY, R. J., PAULO, R., SACKS, J. and WALSH, D. (2007). Computer model validation with functional output. *Ann. Statist.* **35** 1874–1906. [MR2363956](#)
- BLITZSTEIN, J. and DIACONIS, P. (2010). A sequential importance sampling algorithm for generating random graphs with prescribed degrees. *Internet Math.* **6** 489–522. [MR2809836](#)
- DIACONIS, P. and STURMFELS, B. (1998). Algebraic algorithms for sampling from conditional distributions. *Ann. Statist.* **26** 363–397. [MR1608156](#)
- FIENBERG, S. E., MEYER, M. M. and WASSERMAN, S. S. (1985). Statistical analysis of multiple sociometric relations. *J. Amer. Statist. Assoc.* **80** 51–67.
- FIENBERG, S. E. and WASSERMAN, S. S. (1981). Discussion of P. W. Holland and S. Leinhardt “An Exponential Family of Probability Distributions for Directed Graphs”. *J. Amer. Statist. Assoc.* **76** 54–57.

- GROSS, E., PETROVIĆ, S. and STASI, D. (2015). Goodness-of-fit for log-linear network models: Dynamic Markov bases using hypergraphs. *Ann. Inst. Statist. Math.* DOI: 10.1007/s10463-016-0560-2.
- HOLLAND, P. W. and LEINHARDT, S. (1981). An exponential family of probability distributions for directed graphs. *J. Amer. Statist. Assoc.* **76** 33–65. [MR0608176](#)
- KARWA, V., PELSMAJER, M., PETROVIĆ, S., STASI, D. and WILBURNE, D. (2016). Statistical models for cores decomposition of an undirected random graph. Submitted.
- LUNAGÓMEZ, S., MUKHERJEE, S., WOLPERT, R. L. and AIROLDI, E. M. (2016). Geometric representations of random hypergraphs. *J. Amer. Statist. Assoc.* To appear. Available at: <http://www.tandfonline.com/doi/abs/10.1080/01621459.2016.1141686>.
- PETROVIĆ, S., RINALDO, A. and FIENBERG, S. E. (2010). Algebraic statistics for a directed random graph model with reciprocation. In *Algebraic Methods in Statistics and Probability II* (M. A. G. Viana and H. Wynn, eds.). *Contemporary Mathematics* **516**. Amer. Math. Soc., Providence, RI. [MR2605810](#)
- RINALDO, A., PETROVIĆ, S. and FIENBERG, S. E. (2013). Maximum likelihood estimation in the  $\beta$ -model. *Ann. Statist.* **41** 1085–1110. [MR3113804](#)
- SEIDMAN, S. B. (1983). Network structure and minimum degree. *Social Networks* **5** 269–287. [MR0721295](#)
- STASI, D., SADEGHI, K., RINALDO, A., PETROVIC, S. and FIENBERG, S. (2014).  $\beta$  models for random hypergraphs with a given degree sequence. In *Proceedings of COMPSTAT 2014—21st International Conference on Computational Statistics* 593–600. Internat. Statist. Inst., The Hague. [MR3372442](#)
- ZHU, H., LI, Y., IBRAHIM, J. G., SHI, X., AN, H., CHEN, Y., GAO, W., LIN, W., ROWE, D. B. and PETERSON, B. S. (2009). Regression models for identifying noise sources in magnetic resonance images. *J. Amer. Statist. Assoc.* **104** 623–637. [MR2751443](#)

DEPARTMENT OF STATISTICS  
AND DEPARTMENT OF COMPUTER SCIENCE  
HARVARD UNIVERSITY  
1 OXFORD STREET  
CAMBRIDGE, MASSACHUSETTS 02138  
USA  
E-MAIL: [vkarwa@seas.harvard.edu](mailto:vkarwa@seas.harvard.edu)

DEPARTMENT OF APPLIED MATHEMATICS  
ILLINOIS INSTITUTE OF TECHNOLOGY  
RETTALIATA ENGINEERING CENTER, ROOM 208  
10 WEST 32ND STREET  
CHICAGO, ILLINIOS 60616  
USA